

2024 FIBERGLASS & STEEL CATALOG

DOORS • SYSTEMS • FINISHING • DECORATIVE GLASS • HANDLESETS





Therma-Tru. Manifest your outer home.

We reinvented the door, so you can reinvent your first impression.

Thanks to decades of material science expertise, Therma-Tru_® doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.



Uncompromising quality, inside and out.

FIND YOUR FAVORITE DOORS

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Table of Contents

Introduction NEW Products Therma-True Thrive Curb Appeal Door Selections Door System Components Tru-Defensee Safety & Security Decorative & Specialty Glass Impact-Rated Products	
Patio, Storm & Vent Hinged Patio Door Systems Retractable Screen Doors Impressions Integrated Storm & Entry Door System	28–29 30–31
Veris Collection Overview	
	34–43
Classic Craft。 Decorative & Specialty Glass Accessories Hinged Patio Doors	52–59 60–61 104–107
Fiber-Classic. & Smooth-St	
Decorative & Specialty Glass	114–121 122
Profiles	8, 221–233 8, 234–239
Fire Doors	240–243
Pulse.	244-257
Finish Options PrismaGuard _® Stain & Paint Same-Day _® Stain Kit	258–264 258–263
Door System Components	265-279
Special Quote Program	
3'6" Width Options Chart	
3 6 Width Options Chart	281
7'0" & 6'6" Height Options Charts	282–283
Product Details	284–285
Index	286–298
Trade Resources	299

NEW Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star, Doors





Classic Shaker-style charm.

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Available in Smooth-Star, starting on page 133.

7'0" sizes available Q3 2024.









EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

NEW Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles for Smooth-Star, Doors





On-trend design, timeless style.

Discover new ways to bring popular Shaker charm to the entry.

New DDB and SDL styles for flush-glazed full-lite and solid-panel

Shaker-style doors blend on-trend contours with purposeful Shaker

design to complete the look of Contemporary and Modern home styles.

Available in Smooth-Star, starting on page 126.







EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

NEW Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star, Doors





More light along the coast.

Enjoy the clean style and increased daylight opening of full-lite EnLiten™ flush-glazed glass, now engineered to withstand extreme weather conditions.* Available with privacy and textured, energy-efficient Low-E glass and a wide selection of simulated divided lite styles.

Available in Smooth-Star, starting on page 128.

Available Q3 2024.









EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.


^{*}Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions, details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Advanta_® Lite Frame***

for Fiber-Classic, Smooth-Star, Profiles, Traditions & Pulse





The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 139; Profiles and Traditions, starting on page 221; and Pulse, starting on page 248.

LIFETIME Fiber-Classic, Smooth-Star,

Pulse Fiberglass





AVAILABLE LITE FRAME SIZES

Fiber-Classic. / Smooth-Star. / Profiles. / Traditions / Pulse.



AVAILABLE GLASS OPTIONS

Glass options vary by size.

Decorative Glass Divided Lites Privacy & Textured

Internal Blinds

Clear / Low-E

NEW 8'0" Smooth-Star. Doors & Sidelites

with Elevated Bottom Rail



Classic style - elevated.

Our assortment of popular Smooth-Star doors and sidelites expands to include new elevated bottom rail options. The new flush-glazed full-lite sidelite features a 10" bottom rail to match doors with elevated bottom rails for a consistent look across the door system. The new 8'0" 2-panel square top Shaker-style door offers new ways to bring transitional style to tall entries.

Available in Smooth-Star, starting on page 207.

Door available Q3 2024.





Commercial





Fire-Rated Options



Minimum 10" **Bottom Rail**

8'0" 2-Panel 8'0" Flush-Glazed Square Top Full-Lite Sidelite Shaker Door

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

NEW 8'0" Smooth-Star_® Flush-Glazed Doors

with Internal Blinds & Elevated Bottom Rail



More natural light. No compromises.

A durable, on-trend solution for multi-family dwellings, the 8'0" Smooth-Star flush-glazed full-lite door with internal blinds delivers privacy and convenience. Now with an elevated bottom rail to meet ADA applications**, this door is ideal for the patio and back of the home.

Available in Smooth-Star, starting on page 126.





EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners





**For ADA compliance, door must be 3'0" wide.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.



We're doing our part to build a better world, every chance we get. Therma-Tru. Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.



Making life better at home.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

Fiberglass doors have up to four times the insulating R-Value of wood*. Ours feature a polyurethane foam core, an **energy-efficient insulating material.**

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard. paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance.** (AAMA 1304)



Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2023 Brand Leader**** by *Green Builder* magazine for offering durable, well-insulated products.

More than 50% of our fiberglass and steel door end rails are made from **over 90% recycled or scrap material.**

Being a good neighbor.


For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.








^{*}Comparison of fiberglass to wood doors (both without glass).

^{**}Brand Index, 2023 Green Builder magazine.

Make a Smart Investment



Make a great first impression.

A front door is nearly impossible to ignore when walking into a home, and for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.*




^{*}Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

^{**}Manufacturer's Test Facility Quality Assurance Validation Program, Architectural Testing, Inc.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.


The Beauty of Choice

The architectural beauty of a Therma-Tru_{*} door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 14–15.



DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 22–25.



FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard, premium finish and Same-Day, stain on pages 258–264.



DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 16–21.

Designed for peace of mind.

LIFETIME LIMITED WARRANTIES

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by our comprehensive lifetime limited warranties.





QUALITY TESTING

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab – approved to perform specific test methods with a third-party witness** – as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft_® Series Pages 44–107

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain. technology.











Canvas

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.


Fiber-Classic Collections Pages 108-215

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.











Smooth-Star_® Pages 108–215

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Steel Pages 216-239

Bring style and affordability together to create very attractive results with our steel doors.







Pulse_® Pages 244–257

A contemporary series of door styles and glass designs that can be combined to make a bold statement.














Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.







Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame. In addition, a rot-free Therma-Tru composite door frame* delivers extra protection from the damaging effects of moisture.




Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




3 Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.



4 Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.



6 Multi-point locking system (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the weatherstrip's seal even under wind pressure.



G Lip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.



Composite Door Frame*


featuring Tru-Guard™ Composite Technology

Therma-Tru₀ composite door frame featuring Tru-Guard composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



Tru-Defense. Warranty Rider

A Therma-Tru_{*} door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass, a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the () icon.



^{*}The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

^{**}Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



DOOR FRAME .

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



CORNER SEAL PADS 💠

(Inswing Only)

Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



COMPOSITE ADJUSTABLE SILL ❖

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



WEATHERSTRIP •

Features a resilient design to help deliver a precise seal between the door and frame.



BOTTOM SWEEP ♣

(Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



ASTRAGAL 💠

(Double Doors)

Covers the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



HINGES .

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



RAIN GUARD 💠

(Outswing Only)

Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



MULTI-POINT LOCKING SYSTEM ❖ (MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement		
System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.



More than half of home burglaries occur during the daytime.²



How do burglars enter the home?

34% Front Door³ 22% Back Door³

THERMA-TRU. COMPOSITE DOOR FRAME

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



^{*}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{**}Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

²Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

³Source: asecurelife.com



THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

THERMA-TRU GLASS

 Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.



Decorative & Specialty Glass

A Therma-Tru_{*} door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.



TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic, Smooth-Star, Profiles and Traditions doors and sidelites.

Privacy & Textured Glass

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse, doors and sidelites.



Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (**) icon.



Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, and Traditions.

EnLiten™ Flush-Glazed Designs

for Classic Craft, Fiber-Classic, & Smooth-Star, Doors & Sidelites





STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.





*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing. Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven Left Page Bottom Left: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite

Left Page Bottom Right: Smooth-Star, Internal Blinds, Doors – S2600

Right Page: Smooth-Star, Granite Glass with SDLs, Door - S83400XN, Sidelites - S85225XNSL, Finish - Peregrine



DURABLE BY DESIGN

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*




Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)


EnLiten_™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 123 for details.

Tough when you need it. Beautiful always.



2 Use the icons to find available Therma-Tru. product options in this catalog.



3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*



IMPACT DOORS

Feature a built-in 24-gauge steel plate lining.

NEW IMPACT FLUSH-GLAZED GLASS

Offers clean style and an increased daylight opening.



IMPACT GLASS

Features special laminated glass construction.



IMPACT INTERNAL BLINDS

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



OTHER CONSIDERATIONS

Fire Doors
See pages 240–243.

Noise Reduction Doors See page 205.

Elevated 10" Bottom Rail Look for the (E) symbol.

IMPACT LIP-LITE FRAME

Features durable, paintable aluminum construction.
An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Hinged Patio Door Systems



Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru_® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru_• patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- **5** Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- **7** Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens



VENTED SIDELITES

Enjoy the view - and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the () symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.




Classic Craft, starting on page 104.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 210.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru_{*} entry door systems.



^{*}Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

^{**}Based on average DIY skills and standard door application, widths 32"-36".


^{***}Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.




AVAILABLE SIZES

(Available for most inswing units.)



Single Door System Widths: 32"-36" Heights: 6'6", 6'8", 8'0"



French Door System Widths: 68"-73" Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.**

AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.***







Brown

AVAILABLE CONFIGURATIONS









See your Therma-Tru seller for details on product availability and ordering.

WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.







Fiber-Classic, Smooth-Star, Pulse Fiberglass

Profiles, Traditions, Pulse Steel

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Impressions Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1 Choose a Therma-Tru₀ entry door to create an entry that complements your home's architectural style.



2 The Impressions system comes standard with composite brickmould and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a composite frame featuring

Tru-Guard™ composite technology.



3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's flat-profile composite brickmould.

^{*}Patent pending

^{**}The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

^{***}Not suitable for use with Therma-Tru grip-style handlesets.





THE STORM DOOR IS EASY TO INSTALL AT THE JOBSITE

The concealed hinges featuring retractable pins 4 and the revolutionary hidden closer with Click&Hold... technology 5 enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job.

Scan the QR code to learn more about storm door panel installation.










6 ALUMINUM STORM DOOR OPTIONS

Available Sizes & Configurations

Choose Low-E or clear glass. Interchangeable screen panel included.



2'8" x 6'8"



2'8" x 8'0"

Color Options

Features a maintenance-free finish.



White Color matched to PrismaGuard Alpine.


Gray Color matched to PrismaGuard Granite.

Brown Color matched to PrismaGuard Elk and complements most stain options.



Black Color matched to PrismaGuard Onyx.





Home, unbound.

The feeling of home extends beyond four walls as homeowners focus on connecting with nature. Blur the lines between indoor and outdoor living spaces with entry doors designed as beautiful connection points.







Explore an expansive portfolio of glass-forward aluminum door systems from the entry door brand building professionals choose most.* Redefine indoor and outdoor living with the Veris Collection.



Open to possibilities.

The Veris™ Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS COLLECTION



Folding Doors



Sliding Doors



Hinged Doors



Pivot Doors






Expand their horizon.




Blend indoor and outdoor living spaces with wide views, contemporary framing and innovative options designed for convenience and ease.



Contemporary connections.



Create statement-making entrances with sleek and subtle designs perfect for homes with contemporary styling.











Scan the QR code to view the complete Veris Collection catalog.

Print copies are available — contact your Therma-Tru_® representative for ordering information.



Explore options and see it in your home with our visualizer at **veriscollection.com**.










An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.









Comprehensive warranties for peace of mind.



Uniquely designed by Therma-Tru, Classic Craft. complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at **thermatru.com/warranty**.



Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft, premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door

lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru. Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



**Comparison of R-Values of fiberglass to wood doors (both without glass).



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain, technology.

AccuGrain.

Bottom: Classic Craft Walnut Grain, Door - CCW900L, Finish - Shale



Fir Grain Formerly Classic-Craft American Style Designed to echo the grain of the largest species of American Hemlocks - the Western Hemlock tree - found in lush coastal rainforests of the Pacific Northwest.





most renowned woods in the world.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



Decorative & Specialty Glass Designs

Homeward_™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

GLASS SHAPES





GLASS PRIVACY RATING







Brushed Nickel

Arborwatch.

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines

1 narrow reeded glass, 2 M seedy glass, 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and

6 clear bevels.

GLASS SHAPES



GLASS PRIVACY RATING



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 60 to see an example on a home.



Black Nickel



Brushed Nickel

Augustine

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

GLASS SHAPES



Corresponding sidelites feature Granite glass without wrought iron.

GLASS PRIVACY RATING





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 77 to see an example on a home.

Borrassa_®

A statement of strength and beauty,
Borrassa combines linear and curved
wrought iron with 1 hammered glass
for the ultimate in privacy. Wrought iron
decorative accents add an authentic Old
World feel to this stately design.


GLASS SHAPES



Corresponding sidelites feature Hammered glass without wrought iron.

GLASS PRIVACY RATING





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 46 to see an example on a home.

Decorative & Specialty Glass Designs

Provincial_™

A unique diamond-based motif features

1 double waterglass, 2 clear bevels and
caming surrounded by a 3 gray baroque
glass border. Provincial captivates with
stunning clarity.

GLASS SHAPES



GLASS PRIVACY RATING









Brushed Nickel

Longford™

The traditional design of Longford integrates a hint of a Celtic knot with

1 seeded glass, 2 clear bevels,


3 granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

GLASS SHAPES



GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Lucerna_®

Named for the beauty of light it reflects,
Lucerna glass presents an elegant,
updated fleur-de-lis pattern in a spectrum
of 1 curved, 2 diamond and
3 rectangular bevels surrounded by
smooth, swirling 4 barn wood and
heavily textured 5 diamond border glass.

GLASS SHAPES



GLASS PRIVACY RATING







Brushed Nickel

Zaha

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

GLASS SHAPES



GLASS PRIVACY RATING






Black Nickel



Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

GLASS PRIVACY RATING






Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

GLASS PRIVACY RATING





Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

GLASS PRIVACY RATING





Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

GLASS PRIVACY RATING



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

GLASS PRIVACY RATING





Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

GLASS PRIVACY RATING





Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (►) icon.







Flush-Glazed Sticking Profiles

 ${\tt EnLiten_{\tt m}}\ {\sf flush-glazed}\ {\sf designs}\ {\sf feature}\ {\sf a}\ {\sf seamless}\ {\sf look}\ {\sf with}\ {\sf simple}\ {\sf profile}\ {\sf around}\ {\sf the}\ {\sf glass}.$

Look for the (♠) and (♠) icons.



Detailed StickingLook for the (♠) icon.



Square StickingLook for the (**△**) icon.

EnLiten_™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 123 for details.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs Sidelites – S1170SL, Clear Glass Transom – 19220T; Clavos Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Finish – Lynx; Strap Hinges



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.





Full Lites



Canvas

Key

- Brushed Nickel Caming (1C)
- X Wrought Iron (1W)

HOMEWARD...







CCR9925SL

12" x 6'8" 14" x 6'8"



CCV9925 3'0" x 6'8"



Canvas CCV911SL

12" x 6'8" 14" x 6'8"

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)

ARBORWATCH_®



Mahogany CCR1423 3'0" x 6'8"



Mahogany

CCR1423SL 12" x 6'8" 14" x 6'8"



Canvas

CCV1423 3'0" x 6'8"



Canvas

CCV1423SL 12" x 6'8" 14" x 6'8"

AUGUSTINE,×



CCR30027 3'0" x 6'8"



CCR3400XNSL

12" x 6'8" 14" x 6'8"



CCV10027 3'0" x 6'8'



CCV100XNSL


12" x 6'8" 14" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.







Full Lites

continued



Canvas

Kev

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 56-57.

XK = Reeded XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.

ZAHA



Mahogany CCR1851

3'0" x 6'8"




Mahogany CCR1851SL

12" x 6'8" 14" x 6'8"



Canvas

CCV1851 3'0" x 6'8"



Canvas

CCV1851SL 12" x 6'8" 14" x 6'8"

TEXTURED ŏ













CCA2300_

3'0" x 6'8"

4

CCA82330_ CCA2330_ **▲ ③ E** 3'0" x 8'0"








CCA2380_ CCA82380_ **▲ ⑤** 3'0" x 6'8" **▲ 5 E** 3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.



♦ 5 E 3'0" x 8'0"

∆ 5 3'0" x 6'8"

♦ E 3'0" x 8'0"

∆ 3'0" x 6'8"

Full Lites

continued



Key

Flush-Glazed Glass with Square Sticking (FG)

* Low-E Glass (LE)

Simulated Divided Lites (SDLF3)

Simulated Divided Lites (SDLF4)

Simulated Divided Lites (SDLF5)

E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

 $\begin{array}{ll} XK = Reeded & XJ = Chinchilla \\ XE = Satin Etch & XR = Rainglass \\ XC = Chord & XN = Granite \\ \end{array}$

PRIVACY & TEXTURED CCA82310__SL CCA2300__SL CCA82300__SL CCA2310__SL CCA2320__SL CCA82320__SL ▲ 4 12" x 6'8" 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0" ▲ 3 12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8" 14" x 6'8" Fir CCA2340__SL CCA2330__SL CCA82330__SL CCA82340__SL CCA2400__SL CCA82400__SL 12" x 6'8" 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0" 12" x 8'0" 14" x 8'0" 14" x 6'8" OW-E

For transoms, see page 102.

Note: Product images show exterior side of door.

CCA2300

♦ # 4 3'0" x 6'8" CCA82300

♦ * □ E 3'0" x 8'0"

Fir

CCA82310

♦ * □ E 3'0" x 8'0"

CCA2310 ** 4 3'0" x 6'8" Fir

CCA82320

♦ * ■ E 3'0" x 8'0"

CCA2320

♦ ★ ③ 3'0" x 6'8"





















Full Lites

continued



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- Simulated Divided Lites (SDLF6)
- E Elevated 10" Bottom Rail Options



For transoms, see page 102.

Note: Product images show exterior side of door.

Right Page Bottom: Classic Craft American Style Collection, Low-E Glass with SDLs, Doors - CCA4940





CCA2340SL * 3 12" x 6'8" 14" x 6'8"






CCA2400SL **≜ *** 12" x 6'8" 14" x 6'8"

♦ * 12" x 8'0" 14" x 8'0"

CCA82400SL





Mahogany

CCR30020 3'0" x 6'8"



Mahogany



Mahogany

CCR3400SL





Canvas CCV10020

3'0" x 6'8"



CCV950SL

12" x 6'8" 14" x 6'8"



CCV100SL

♦ * 12" x 6'8" 14" x 6'8"



3/4 Lites



Canvas

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)



Mahogany CCM2801 CCM82801

♦3'0" x 6'8" | **♦**3'0" x 8'0"



CCM9923 3'0"x 6'8"



Mahogany

CCR9925SL 12" x 6'8" 14" x 6'8"

CCR89925SL 12" x 8'0" 14" x 8'0"

Key

Flush-Glazed Glass with Square Sticking (FG)



CCV9922 CCV89922 3'0" x 6'8" 3'0" x 8'0"



CCV911SL CCV8111SL

12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"



CCM81418 3'0" x 8'0"



CCM1419 3'0"x 6'8"



CCR1423SL 12" x 6'8"

14" x 6'8"

Mahogany

CCR81423SL 12" x 8'0" 14" x 8'0"



CCV1418 CCV81418 3'0" x 6'8" 3'0" x 8'0"



CCV1423SL 12" x 6'8" 14" x 6'8"

CCV81423SL **▲** 12" x 8'0" 14" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.





Mahogany CCM805027 3'0" x 8'0"



CCM1485

3'0"x 6'8"



CCM1495 3'0" x 6'8"



Mahogany

CCR3400XNSL 12" x 6'8" 14" x 6'8"

CCR8000XNSL 12" x 8'0" 14" x 8'0"



CCV805027 CCV05027 3'0" x 6'8" 3'0" x 8'0"



Canvas

CCV100XNSL 12" x 6'8" 14" x 6'8"

CCV8100XNSL 12" x 8'0" 14" x 8'0"





Mahogany

CCM81519 3'0" x 8'0"



Mahogany

CCM1475 3'0" x 6'8"



Mahogany

CCM1465 3'0" x 6'8"



Mahogany

12" x 6'8" 14" x 6'8"


CCR3400XHSL | CCR8000XHSL 12" x 8'0" 14" x 8'0"



CCV1519 3'0" x 6'8" CCV81519 3'0" x 8'0"



12" x 6'8" 14" x 6'8"





Mahogany

CCM892 3'0" x 8'0"



CCM203

3'0"x 6'8"



Mahogany

CCM303 3'0" x 6'8"

3/4 Lites

continued



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XK = Reeded XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = ChordXN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.







CCM3303SL

12"x 6'8"

14"x 6'8"



CCR3407SL

12" x 6'8"

14" x 6'8"



CCR8007SL

12" x 8'0"

14" x 8'0"



Canvas CCV05023 CCV805023 3'0" x 8'0" 3'0" x 6'8'



CCV103SL	CCV8103S
12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

LUCERNA



Mahogany CCM82802 CCM2802 **♦**3'0" x 6'8" | **♦**3'0" x 8'0"



CCR8102SL CCR3412SL

12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"



CCM204 3'0"x 6'8"



Mahogany CCM302 3'0"x 6'8"



Mahogany CCM3302SL 12"x 6'8" 14"x 6'8"




Canvas CCV05022 CCV805022 3'0" x 6'8" 3'0" x 8'0"



Canvas CCV3412SL CCV8102SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.























CCR81851SL 12" x 8'0" 14" x 8'0"

CCM1844 3'0"x 6'8"

CCM1842 3'0"x 6'8"

12"x 6'8" 14"x 6'8" 3'0" x 6'8" 3'0" x 8'0"

12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8"



CCM82804__*

3'0" x 8'0"

6

CCM2804__*

3'0" x 6'8"







CCM82806__* **6** 3'0" x 8'0"

CCM2812__* 3'0" x 6'8"

CCM82815__* **6** 3'0" x 8'0"

3/4 Lites

continued



Canvas

Key

Flush-Glazed Glass with Detailed Sticking (FG)

Flush-Glazed Glass with Square Sticking (FG)

* Low-E Glass (LE)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

XJ = Chinchilla

For transoms, see page 102.

Note: Product images show exterior side of door.

PRIVACY & TEXTURED



CCM200<u>XC</u> CCM200<u>XN</u> 3'0"x 6'8"



CCM300<u>XC</u> CCM300<u>XN</u> 3'0" x 6'8"



Mahogany

CCR2025_SL | CCR82035_SL

↓ □
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Mahogany



CCV05020XC CCV05020XN 3'0"x 6'8"

LOW-E





CCV100_SL | CCV8100_SL*

12" x 6'8" 12" x 8'0" 14" x 6'8" 12" x 8'0"



Mahogany

*Not available with Satin Etch (XE) glass.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door - CCM2806, Finish - Acorn







Mahogany

CCM2800

CCM82800 **♦ * 3**'0" x 6'8" **3**'0" x 8'0"



Mahogany



Mahogany

CCR3400SL | CCR8000SL

♦ **
12" x 8'0"
14" x 8'0" **♦ *** 12" x 6'8" 14" x 6'8"



Mahogany

CCM200

3'0"x 6'8"



Mahogany

CCM300

3'0" x 6'8"



Mahogany

CCM3300SL

10"x 6'8" 12"x 6'8" 14"x 6'8"



Canvas

CCV05020

3'0" x 6'8"

CCV805020

3'0" x 8'0"



CCV950SL ♦ ₩ ■ 12" x 6'8" 14" x 6'8"



Canvas

CCV100SL CCV8100SL **♦ *** 12" x 6'8" 14" x 6'8"

♦ * 12" x 8'0" 14" x 8'0"





Canvas



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Optional Accessories



Clavos

Strap Hinge



Mahogany

CCR9921 3'0" x 6'8"

CCR89921 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR9919 3'0" x 6'8" CCR89919 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR9918 3'0" x 6'8"

CCR89918 3'0" x 8'0"





CCR822218 3'0" x 8'0" 3'6" x 8'0"

Mahogany



CCV9919 3'0" x 6'8"



Canvas

CCV89919 3'0" x 8'0"



Canvas

CCV9918 3'0" x 6'8"

CCV89918 3'0" x 8'0"





CCR1417 3'0" x 6'8"

Mahogany CCR81417 3'0" x 8'0" 3'6" x 8'0"



CCR1415 3'0" x 6'8' CCR81415 3'0" x 8'0" 3'6" x 8'0"



CCR1414 3'0" x 6'8"

CCR81414 3'0" x 8'0"

For transoms, see page 102.



Mahogany

CCR822214 3'0" x 8'0" 3'6" x 8'0"



Canvas

CCV1415 3'0" x 6'8"

CCV81415 3'0" x 8'0"



Canvas

CCV1414 3'0" x 6'8" CCV81414 3'0" x 8'0"



Mahogany

CCR04027 3'0" x 6'8" CCR804027 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20527 3'0" x 6'8" CCR820527 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20027 3'0" x 6'8" CCR820027 3'0" x 8'0"



Mahogany


CCR822227 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR04037 3'0" x 6'8" CCR804037 3'0" x 8'0" 3'6" x 8'0"


AUGUSTINE Continues on next page.



continued



Canvas





Mahogany

CCR20537 3'0" x 6'8"

CCR820537 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20037 3'0" x 6'8"

CCR820037 3'0" x 8'0"



Mahogany

CCR20537A 3'0" x 6'8"

CCR820537A 3'0" x 8'0" 3'6" x 8'0"

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (W)

Optional Accessories





Strap Hinge



Mahogany

CCR20037A | CCR820037A 3'0" x 6'8"

3'0" x 8'0"



Canvas

CCV20527 3'0" x 6'8"

CCV820527 3'0" x 8'0"



Canvas

CCV22027 3'0" x 6'8" CCV822027 3'0" x 8'0"



CCV20537 3'0" x 6'8"

CCV820537 3'0" x 8'0"



CCR1518 3'0" x 6'8"

CCR81518 3'0" x 8'0" 3'6" x 8'0"



CCR1516 3'0" x 6'8"

CCR81516 3'0" x 8'0" 3'6" x 8'0"

For transoms, see page 102.



Mahogany

CCR1515 3'0" x 6'8"

CCR81515 3'0" x 8'0"



Mahogany

CCR822215 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1514 CCR81514 3'0" x 8'0" 3'6" x 8'0" 3'0" x 6'8"



Mahogany

CCR1512 3'0" x 6'8"

CCR81512 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1511 3'0" x 6'8"

CCR81511 3'0" x 8'0"



Mahogany

CCR1512A 3'0" x 6'8"

CCR81512A 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1511A 3'0" x 6'8"

CCR81511A 3'0" x 8'0"



Canvas

CCV1516 3'0" x 6'8"

CCV81516 3'0" x 8'0"



CCV1515

CCV81515 3'0" x 6'8" 3'0" x 8'0"



CCV1512 | CCV81512 3'0" x 6'8" | 3'0" x 8'0" CCV81512



CCR804028 3'0" x 8'0"

Mahogany



Mahogany

CCR820528 3'0" x 8'0"

continued



Canvas



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Optional Accessories





Strap Hinge

PROVINCIAL.



Mahogany

CCR820028 3'0" x 8'0"



Mahogany

CCR822228 3'0" x 8'0"



Canvas

CCV820528 3'0" x 8'0"



Canvas

CCV822028 3'0" x 8'0"



Mahogany

CCR04023 3'0" x 6'8" CCR804023 3'0" x 8'0"



Mahogany

CCR20523 3'0" x 6'8"

CCR820523 3'0" x 8'0"



Mahogany

CCR20023 3'0" x 6'8"

CCR820023 3'0" x 8'0"



Mahogany

CCR822223 3'0" x 8'0"



CCV20523 3'0" x 6'8" CCV820523 3'0" x 8'0"



CCV22023 CCV822023 3'0" x 6'8" 3'0" x 8'0"

For transoms, see page 102.



Mahogany

CCR04022 3'0" x 6'8"

CCR804022 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20522 3'0" x 6'8"

CCR820522 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20022 3'0" x 6'8"

CCR820022 3'0" x 8'0"



Mahogany

CCR822222 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR804032 3'0" x 8'0"



Mahogany

CCR820532 3'0" x 8'0"



Mahogany

CCR820032 3'0" x 8'0"



Mahogany

CCR820532A 3'0" x 8'0"



Mahogany

CCR820032A 3'0" x 8'0"



CCV20522 3'0" x 6'8"

CCV820522 3'0" x 8'0"



CCV22022

CCV822022 3'0" x 6'8" 3'0" x 8'0"



Canvas

CCV820532 3'0" x 8'0"



CCR81841 3'0" x 8'0" CCR1841 3'0" x 6'8"

continued



Canvas



Mahogany

CCR1839 CCR81839 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR1838 CCR81838 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR822238 3'0" x 8'0"

Key

Flush-Glazed Glass with Square Sticking (FG)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch XR = Rainglass

XC = ChordXN = Granite



Mahogany

CCR81847 3'0" x 8'0"



Mahogany

CCR81846 3'0" x 8'0"



Mahogany

CCR81845 3'0" x 8'0"



CCR81846A 3'0" x 8'0"

Optional Accessories







Strap Hinge



CCR81845A 3'0" x 8'0"



CCV1839 CCV81839 3'0" x 6'8" 3'0" x 8'0"



CCV1838

CCV81838 3'0" x 6'8' 3'0" x 8'0'



CCV81846 3'0" x 8'0"

For transoms, see page 102.















CCR820530__* 3'0" x 8'0"



CCR820030__* 3'0" x 8'0"



CCR820530A__* 3'0" x 8'0"



CCV20520__* 3'0" x 6'8" CCV820520__* 3'0" x 8'0"







CCV820530__* 3'0" x 8'0"



CCM302L__ | CCM302R__ **∆** 3'0" x 6'8" 3'0" x 6'8"



continued



Key



Flush-Glazed Glass with Square Sticking (FG)





Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch XR = Rainglass XC = ChordXN = Granite

TEXTURED ŏ PRIVACY



CCM304L__ **∆ 6** 3'0" x 6'8"

CCM304R_ **6** 3'0" x 6'8"



CCM8304L__ **6** 3'0" x 8'0"

CCM8304R__ **6** 3'0" x 8'0"





Mahogany

CCM303L__ **∆ 6** 3'0" x 6'8"

CCM303R__ **▲ 6** 3'0" x 6'8"



Mahogany

CCM8303L_

CCM8303R__ **▲ 6** 3'0" x 8'0"



CCM301CAL__

3'0" x 6'8"

CCM301CAR_ **∆** 3'0" x 6'8"





Mahogany CCM8301CAL_ **∆** 3'0" x 8'0"

CCM8301CAR_ 3'0" x 8'0"

For transoms, see page 102.























continued




Canvas



Strap Hinge





















Mahogany CCM301CAR CCM301CAL **♦ *** 3'0" x 6'8" **♦ *** 3'0" x 6'8"



CCM8301CAL CCM8301CAR **♦ *** 3'0" x 8'0" **♦ *** 3'0" x 8'0"



CCM305CAL ♦ ※ 6 3'0" x 6'8" CCM305CAR ♦ * © 3'0" x 6'8"







	Mah
CCM83060	AL

1/2 Lites



Canvas





CCM9926 3'0" x 6'8"



CCV9926 3'0" x 6'8"

ARBORWATCH_° Mahogany

CCM1424 3'0" x 6'8"



CCV1424 3'0" x 6'8"

Key

Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch





CCV06028 3'0" x 6'8"





CCM603 3'0" x 6'8"



CCV06023 3'0" x 6'8"





CCM612 3'0" x 6'8'



CCV06022 3'0" x 6'8'



CCM600XE 3'0" x 6'8'



CCV06020XE 3'0" x 6'8"

For transoms, see page 102.





Craftsman Lites



Canvas



- Flush-Glazed Glass with
- Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XC = ChordXR = Rainglass XN = Granite XJ = Chinchilla

Craftsman-lite doors.

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.









CCA211 3'0" x 6'8" 3'0" x 8'0"



- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Square Sticking (FG)
- **Brushed Nickel Caming (1C)**



CCA87112 3'6" x 8'0"



CCA3401SL CCA3501SL 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"



CCA211SL 12" x 6'8" 14" x 6'8"



CCV931 **3**'0" x 6'8"




CCV911 3'0" x 6'8"

Optional Dentil Shelves

Available for all Classic Craft













CCA87131 3'6"x 8'0"



Craftsman Lites

continued



Canvas



Flush-Glazed Glass with **Detailed Sticking (FG)**

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch

XR = Rainglass

XC = Chord

XN = Granite

XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.







3'0" x 8'0"



3'6" x 8'0"



CCA3450__SL* 12" x 6'8" 14" x 6'8"

CCA3560__SL* **12**" x 8'0" 14" x 8'0"



CCA3400__SL* 12" x 6'8" 14" x 6'8"

CCA3500__SL* 12" x 8'0" 14" x 8'0"



Fir CCA220__SL* 12" x 6'8" 14" x 6'8"



CCA210__SL* 12" x 6'8" 14" x 6'8"



CCV920__* 3'0" x 6'8"



CCV930__* 3'0" x 6'8"



CCV940__* 3'0" x 6'8"



CCV960__* **3**'0" x 6'8"

*Not available with Satin Etch (XE) glass.

Note: See page 285 for important product details that may help with your purchase decision.



Craftsman Lites

continued



Canvas



- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf



4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.

















CCA210SL 12" x 6'8" 14" x 6'8"



♦ ≈ 3'0" x 6'8"





Note: See page 285 for important product details that may help with your purchase decision. Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven





Solid Panels



Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- **9** WBDR Options
- E Elevated 10" Bottom Rail Options



CCA1125 5 9 3'0" x 6'8" CCA81125 3'0" x 8'0"


CCA1149 CCA81149 **5 6 E** 3'0" x 6'8" 3'0" x 8'0"



CCA81127 9 E 3'0" x 8'0"



CCA4905 3'0" x 6'8" CCA84905 **9 E** 3'0" x 8'0"



CCA4915L 3 9 3'0" x 6'8" CCA4915R 3'0" x 6'8"



CCA84915L 3'0" x 8'0"

CCA84915R **6** E 3'0" x 8'0"





CCA4925L | CCA4925R | 5 6 3'0" x 6'8"

For transoms, see page 102.


















12"x 6'8" 14"x 6'8"

12" x 8'0" 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.









Solid Panels



Key

Low-E Glass (LE)

WBDR Options

E Elevated 10" Bottom Rail Options



Walnut

CCW1000 **9 E**

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW81000

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW900L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900L

0") 2'6" x 8'0" 0") 2'8" x 8'0" 2'10" x 8'0" 0") 3'0" x 8'0" 0") 3'6" x 8'0"



Walnut

CCW900R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW901L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

ÇCW8901L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW901R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



CCW8901R 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



wan

CCW902L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8902L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door - CCW902R; Low-E Glass Direct Set Sidelites - DRS2131SL, Transoms - 19200T, 19210T, Finish - Shale

Right Page: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelites - DRS82131SL, Finish - Tumbleweed



Walnut

CCW8902R

CCW902R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0" 3'6" x 6'8" (7'0")



Walnut

CCW8903

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

CCW903

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



Walnut

CCW904L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW904R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

CCW8904R



Walnut

CCW905

9E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



9E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW906L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8906L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW906R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8906R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW907L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8907L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"





Walnut

CCW907R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8907R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"





Direct Set

DRS2131SL

DRS82131SL

Solid Panels



Canvas



Flush-Glazed Glass with Square Sticking (FG)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF6)

WBDR Options

WBDR / HVHZ Options

Optional Accessories



Clavos



Strap Hinge



Mahogany

CCR100 3'0" x 6'8" | CCR8100 3'0" x 8'0" 3'6" x 8'0" 3'6" x 8'0"



Mahogany

CCM890 6 3'0" x 8'0"



Mahogany

CCR8222 5 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR100R 3'0" x 6'8" | CCR8100R 3'0" x 8'0" 3'6" x 8'0" 3'6" x 8'0"



Mahogany

CCR8005A 3'0" x 8'0"



Mahogany

CCR205A 3'0" x 6'8"

CCR8205A 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR200A | CCR8200A 3'0"x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225 5 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR8005 5 3'0" x 8'0"

For transoms, see page 102.







CCR205 CCR8205 6 3'0" x 6'8" 3'6" x 8'0" 3'6" x 8'0"



CCR200 | CCR8200 | 6 | 3'0" x 8'0"



CCM60 5 3'0" x 6'8"


















Transoms

Transoms can be stained or painted to match Classic Craft. door systems.

HOMEWARD™ ◆::



HWRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T

3'0" Door Only

ARBORWATCH. • ::



ABRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



AB30T

3'0" Door Only

LONGFORD_{TM} • ::



LFET

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



I FRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



I F30T 3'0" Door Only

PROVINCIAL™ ◆ ::



CC040T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC420T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC400T 3'0" Door Only

LUCERNA. • ::



LCET

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LCRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LC30T 3'0" Door Only

ZAHA. • ::



ZHRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

LOW-E



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

3'0" Door Only



19210T

12" & 14" Sidelite Only

Key





Brushed Nickel Caming (1C)



Classic Craft_® Hinged Patio Doors



A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

GRAIN & TEXTURE OPTIONS



Fir GrainFormerly Classic-Craft American Style




Mahogany GrainFormerly Classic-Craft Mahogany & Rustic



Canvas

GLASS OPTIONS



Low-E Glass



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.


EnLiten™ Flush-Glazed Warranty Riders


See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

I = Available	Classic Craft
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites	•
Privacy & Textured Glass with and without Divided Lites	•
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	•
Privacy & Textured Glass with and without Divided Lites	-
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	

AVAILABLE CONFIGURATIONS







EnLiten™ Flush-Glazed Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft_® Fir Grain
- · Classic Craft. Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




AVAILABLE COLLECTIONS

- Classic Craft_® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft_® Mahogany Grain
- Classic Craft_® Canvas

AVAILABLE DOOR STYLES




AVAILABLE CONFIGURATIONS





Fiber-Classic. & Smooth-Star. Fiberglass Doors




Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM86240, Sidelites – FCM86201SL, Finish – Acorn Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door - FC678, Finish - Barley

Right Page: Smooth-Star Door - S3501, Finish - Golden Wheat















Fiber-Classic₀ Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic_®
Oak Collection_™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star.

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



SEE THE DIFFERENCE COLOR CAN MAKE.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuarda premium finish and Same-Daya Stain color options on pages 258–264.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 114.
- Lite frame options include Advanta, lite frame with no screw plugs and a standard Lip-lite frame, starting on page 139. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten flush-glazed designs with 25–27" wide glass, starting on page 124.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.*
Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru_{*} fiberglass doors insulate against cold and heat for exceptional energy efficiency.

^{*}Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

^{**}Comparison of fiberglass to wood doors (both without glass).

Additional Options

- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- Fire-Rated Options: Available on solid-panel doors. See pages 240–243.

Flush-Glazed Options: Look for these icons (♠♠) to find doors styles with flush-glazed glass. See pages 124–137.

Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 285 for more information.

- ▲ Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners. See page 123 for more information.
 - Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense. Warranty Rider when properly assembled and installed with all Therma-Truspecified system components, in accordance with the Rider. See page 18–19 for details.



■ = Available • = Not Applicable S = Stain P = Paint	Fiber-Classic。 Mahogany Collection。	Fiber-Classic。 Oak Collection	Smooth-Star.		
Door Widths					
2'0"					
2'4"					
2'6"					
2'8"					
2'10"					
3'0"					
3'6"					
Door Heights					
6'6"					
6'8"					
7'0"					
8'0"					
Glass Options					
Decorative	16	16	16		
Privacy & Textured	6	6	6		
Internal Blinds					
Flush-Glazed					
Screen Vented					
Simulated Divided Lites					
Grilles Between Glass					
Low-E					
Clear					
Additional Options					
Finish	S/P	S/P	Р		
Vented Sidelites					

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 210–215.

6'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140 Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the () icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white – are designed for worry-free use.

AVAILABLE SIZES

Width	
12"	14"



AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Decorative & Specialty Glass Designs


Blackstone

Traditional English design meets
clear curved bevels, rainglass
and caming to create the distinctive
styling of Blackstone. Entries get

the best of both privacy and simple refinement.









Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with

- 1 glue chip glass, 2 glue chip bevels,
- 3 clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel





Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

- 1 slump glass, 2 clear bevels,
- 3 clear artique glass and caming.



Glass Privacy Rating





Brushed Nickel

Black Nickel

Salinas_®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.





Wrought Iron


Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Glass Privacy Rating







Brushed Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 10 clear bevels,

2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.



Black Nickel





Texas Star

Beautifully crafted with 10 clear bevels,

- 2 curved bevels, 3 clear waterglass,
- 4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Black Nickel





Brushed Nickel


Wellesley_{TM}

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.



Glass Privacy Rating

Black Nickel





Brushed Nickel



Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Wrought Iron




Concorde_™

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.







Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its

- 1 clear bevels, 2 glue chip glass,
- 3 granite glass and caming.





Brushed Nickel

Black Nickel

Pembridge_{TM}


Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.

Black Nickel





Brushed Nickel



Brass*

Axis.

Simple and smart, Axis combines

narrow reeded glass in horizontal
and vertical arrangements to create
contrast and modest privacy. A vertical
band of clear glass bevels completes
this linear design, ideal for Modern
home styles.





Black Nickel

Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.



Black Nickel





Brass


Latitude

Latitude showcases seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.



Black Nickel





Brushed Nickel



Brass


^{*}See your Therma-Tru seller for details on product availability.

Echelon

Echelon provides 1 clear glass accented with eased angles and and clean edges infused with elements of diamonds and triangles.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.







Brushed Nickel



Brass

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.







Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



REEDED



Glass Privacy Rating



CHINCHILLA



Glass Privacy Rating



SATIN ETCH





RAINGLASS





CHORD





GRANITE



Also Available: Low-E & Clear Glass

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.







^{*}Almond and Bronze GBGs available in flat bars only.


^{**}Available in Special Quote Program.

Note: See page 285 for important product details that may help with your purchase decision.





SDL BAR OPTIONS





Key

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*

Smooth-Star. 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T,

Finish – Acorn; Dentil Shelf



EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.





Flush-Glazed Glass

Lip-Lite Frame

WARRANTY RIDERS FOR PEACE OF MIND

EnLiten... Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

SEE THE DIFFERENCE

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking Look for the (•) symbol.



Flush-Glazed Glass with Square Sticking Look for the (•) symbol.



Lip-Lite Frame

EnLiten™ Flush-Glazed Full Lites



TRANSOMS

For transoms, see page 209.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



FC1205_

2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC1207_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2010_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2050_ 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2050_SL 12" x 6'8' 14"x 6'8"



FC5700_ FC85700_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC5710_ **2** 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC85710_ **2** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC5720_ **2** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC85720 **2** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"




FC691_ FC8691_ **2 2** 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8" x 8'0" 3'0" x 6'8" 2'10" x 8'0"

3'0" x 8'0"



FC685L **2** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2

XR = Rainglass

XN = Granite

2 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8685R **2** 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

Note: See page 285 for important product details that may help with your purchase decision.



Oak
FC5700_SL
12" x 6'8"
14" x 6'8"



FC5710_SL 12" x 6'8" 14" x 6'8"



FC5720_SL 12" x 6'8" 14" x 6'8"



\$1205_ ♦ \$\bigsize \bigsize \bizeta \bizeta

3'0" x 6'8" 1





S2010_ ♠ ■ E 9 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å





\$5705_ \$\bigseteq \bigseteq \bigset

S85705

♦ (1) E (5)

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"






\$85715_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"









S2000_SL-4C*

► E
10"x 6'8"
12" x 6'8"
14"x 6'8"
15"x 6'8"

15"x 6'8"
15"x 6'8"





S5710_ △ ☑ E ∮ 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å



S85710 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continues on next page.

Key





- Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- WBDR Options
- E Elevated 10" Bottom Rail Options

NEW

S3400L **▲ 🛛 E** 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"





S3400R_

△ 2 3 E 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83400R_ **▲ 2 E 9** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



S3300_ **△ 2 E 9** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

\$83300_ **♦ 2 E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S3500L **△ 23 E 9** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83500L **▲ 2 E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S3500R **≜ ≥ E 6** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83500R **▲ 2 E 9** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S685L APE 6 2'6"x 6'8" A 2'8" x 6'8" A 2'10" x 6'8" A

3'0" x 6'8" 🛕

S8685L **△ 2 E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S685R 4 2 E 9 2'6"x 6'8" A 2'8" x 6'8" 🗴 2'10" x 6'8" Å

S8685R 4 2 E 9 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" 1



S3600L **△ 2 E 9** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"

S83600L **▲ 23 E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"



S3600R **4 2 E 9** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83600R **▲ 23 E** 9 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S5700_SL **▲ 2** ● E

S85227_SL **▲ 2 E** 12" x 8'0" 14" x 8'0"



S5710 SL

S85228 SL **▲ 2** E 12" x 8'0" 14" x 8'0"



S5720 SL

S85229 SL 12" x 8'0"





Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS ****



8000_

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

2000_ 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2000_SL 12" x 6'8" 14"x 6'8"







14" x 8'0"

INTERNAL BLINDS **A**

S82600 ▲ ** E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES




FCM1205SL


** * * * * * E

12" x 6'8" (7'0")

14" x 6'8" (7'0")



FCM1206SL • * • • • • E 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM1204SL • * • • • • E 12" x 6'8" (7'0") 14" x 6'8" (7'0")



S8000_

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

▲E 9

FCM2009SL

* * * * * • E

12" x 6'8" (7'0")


14" x 6'8" (7'0")














2050


** • † †

2'6" x 6'8"


2'8" x 6'8"

3'0" x 6'8"





8000-18 • * • • • • 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC1205SL ** • • • • 12" x 6'8" 14" x 6'8"



FC1206SL * * • • • 12" x 6'8" 14"x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key


- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- ****** Low-E Glass (LE)
- Simulated Divided Lites (SDL)
 Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options

6

- WBDR Options
- E Elevated 10" Bottom Rail Options
- Å 6'6" Height Available

Fiber-Classic. & Smooth-Star.

CLEAR GLASS WITH DIVIDED LITES Continued



12" x 6'8"

14" x 6'8"

Oak 2050SL **△ * № ♦**

12" x 6'8"

14"x 6'8"





14"x 6'8"





8000-9 2009 **≜** * ↑ ↑ ↑ 2'0"x 8'0" **▲** * • • • 2'0"x 6'8" 2'6"x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 3'0" x 6'8"



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8" **♦ * 2** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







FC691 FC8691 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" **≜ * 2** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FC685L FC8685L **♦ * 2** 2'6"x 6'8" **≜ * 2** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 3'0" x 6'8"



FC685R FC8685R **≜ * 2** 2'6"x 6'8" **♦ * 2** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FC5700SL ***** 2 12" x 6'8" 14"x 6'8"



FC5710SL **♦ * 2** 12" x 6'8" 14"x 6'8"



FC5720SL **♦ * 2** 12" x 6'8" 14"x 6'8"



S1205 ♦E 6 2'10" x 6'8" A 3'0" x 6'8" 🛕



S1206 **▲** * * * * * E 2'6" x 6'8" \(\frac{1}{2} \) 2'10" x 6'8" \$ 3'0" x 6'8" A

Smooth



S1207 3'0" x 6'8" 🗴




S2010 **≜** * **≥** † † † † **E** 6 2'10" x 6'8" A 3'0" x 6'8" 🗴



\$1204 **△ * ↑ ↑ ↑ E** 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å



S2050 **≜*** **■** † † † † **E** 9 3'0" x 6'8" ₺







Smooth

\$5710

■ * □ E 6

2'6" x 6'8" Å

2'8" x 6'8" Å

2'8" x 6'8" Å

2'10" x 6'8" Å

3'0" x 8'0"

3'0" x 8'0"



Smooth

\$5720

■ ★ □ E 6

2'6" x 6'8" Å

2'8" x 6'8" Å

2'10" x 6'8" Å

3'0" x 8'0"

3'0" x 8'0"

3'0" x 8'0"





Smooth

\$3400L

\$83400L

\$8400L

\$83400L

\$8440L

\$84

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- ***** Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- **9** WBDR Options
- E Elevated 10" Bottom Rail Options
- **Å** 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES Continued



S3400R **♦ * № E 9** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

S83400R **♦ * № E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S3300 **△** * 🔁 E 🥎 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Smooth

S3500L **△** * **№ E 9** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"





Smooth

S3500R **♦ * № E 9** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S85227SL

♦ * № E

12" x 8'0"

14" x 8'0"



Smooth

S685L **♦ * № E 9** 2'10" x 6'8" Å

3'0" x 6'8" ₺

S8685L **♦** * 🔁 E 🥱 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S685R **♦ * № E** 9 2'10" x 6'8" Å

S8685R **♦ * № E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 1 3'0" x 8'0"



S3600L **♦** * 🔁 E 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S3600R **♦ * 🛛 E 9** 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83600R

♦ * **2** E 9

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



S5700SL **♦ * 🔯 ● E**



Smooth

S5710SL **♦ * 🔯 ● E**

S85228SL **▲ * 2** E



S85229SL S5720SL **♦ * №** E

♦ * 2 E 12" x 8'0" 14" x 8'0" 14" x 6'8" \$\(\bar{\Delta}\) (7'0")



2'0"x 8'0"

2'6"x 8'0"

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

2000 2'0"x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

Oak

2000SL 12" x 6'8" 14"x 6'8"



S2000 S8000 **▲** * E 6 **▲** * E 6 2'0"x 6'8" A 2'0"x 8'0" 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 🕹 2'8" x 8'0" 2'10" x 6'8" A 2'10" x 8'0"



S2000SL 14" x 6'8" \$\(\bar{\Delta}\) (7'0")

XR = Rainglass

XN = Granite

S85225SL 12" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

3'0" x 6'8" A

XC = Chord XJ = Chinchilla

3'0" x 8'0"

EnLiten™ Flush-Glazed 3/4 Lites



TRANSOMS

For transoms, see page 209.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES **♦**



S2103_

2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S82103_ 2'6" x 8'0" 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



S2104_

2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$82105_ \$\bigsim \bigsim \big 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth S82106_

2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S2250

2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S82107_

2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S84886_SL

12" x 8'0" 14" x 8'0"





S2103_SL 12" x 6'8" 14"x 6'8"



S2104_SL 12" x 6'8" 14"x 6'8"



S2250_SL 12" x 6'8" 14"x 6'8"

PRIVACY & TEXTURED GLASS **\(\)**



S2200_

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S8000_SL 12" x 8'0" 14" x 8'0"

Smooth



Smooth

S2200_SL 12" x 6'8" 14"x 6'8"

Key


Flush-Glazed Glass with Detailed Sticking (FG)



Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF1)

- Simulated Divided Lites (SDLF2)
- **Vented Sidelite Options**
- **WBDR Options**
- Elevated 10" Bottom Rail Options



2'6"x 8'0"

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

CLEAR GLASS WITH DIVIDED LITES **\(\)**



S2103 **△** * **≥** 1

S82103 **♦ * ≈ 13 †** * * * 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S2104 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S82104 **♦ * ♦ ♦ ♦ 2**'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S2105 S82105 **△** * **≥** † **△** * **♦ ♦ ♦** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S2250 S82250 **△** * **≥** 1 **△** * ♦ ♦ ♦ 2'6"x 8'0" 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



S82106 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S82107 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth S84886SL **♦ * □** 12" x 8'0" 14" x 8'0"



S2103SL **△** * **≥** † 12" x 6'8" 14"x 6'8"



S2104SL 12" x 6'8" 14"x 6'8"



S92SL ***** * * * * * 12" x 6'8" 14"x 6'8"



S1401 S81401 2'6"x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8"



S1401SL **♦ * ♦ ♦ ♦ 12"** x 6'8" 14" x 6'8"

CLEAR GLASS ****



S2200 S82200 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S8000SL 12" x 8'0" 14" x 8'0"



Smooth S90SL 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch XJ = Chinchilla XC = Chord

XR = Rainglass

XN = Granite

EnLiten™ Flush-Glazed 1/2 Lites



TRANSOMS

For transoms, see page 209.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES |



S4200 **å** ₽ E 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0")

3'0" x 6'8"(7'0")

S84200 **≜** N E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6200 A RII E 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0")

S86200 A RIE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8"(7'0") 3'0" x 8'0"

NEW



S9200 A RIE 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8"(7'0")

S89200 A RIE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S4200_SL S84200_SL A RUE **♦ F E** 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



S6200_SL S86200_SL **å ₽** E **♦ F I** E

PRIVACY & TEXTURED GLASS **\(\)**



S3200_ S83200 2'8" x 6'8"(7'0") 2'8" x 8'0" 2'10" x 6'8"(7'0") 2'10" x 8'0" 3'0" x 6'8"(7'0") 3'0" x 8'0"

NEW S3200_SL

♦E

S83200 SL 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") | 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



S1350 **≜ * □** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8" Smooth

S2150 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



Smooth 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- E Elevated 10" Bottom **Rail Options**

CLEAR GLASS WITH DIVIDED LITES Continued



S6200

NEW NEW Smooth **♦ * 📦 E**

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

NEW NEW Smooth

S89200 **♦ * □ E** 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0'

NEW NEW Smooth

S4200SL S84200SL 14" x 6'8" (7'0") 14" x 8'0"

NEW NEW Smooth

S6200SL S86200SL **♦ * □ E**12" x 6'8" (7'0")
14" x 6'8" (7'0")

14" x 8'0"

CLEAR GLASS **•**

2'10" x 8'0"

3'0" x 8'0"

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



S2100 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



S3200 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Smooth

S83200 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

NEW NEW Smooth

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

S3200SL S83200SL 12" x 6'8" (7'0") | 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 285 for important product details that may help with your purchase decision.

^{*}Not available with Reeded (XK) glass.

EnLiten™ Flush-Glazed Craftsman Lites



SARATOGA™ ♦ ♦



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES **♦**



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- ▼ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continued



FCM4812_SL* | FCM84812_SL* 12" x 6'8"(7'0") 12" x 8'0" 14" x 6'8"(7'0") 14" x 8'0"



Smooth

S84812_*

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

S4812_* A DIE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

2'8" x 8'0"

S4813_* A RIE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") | 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



A RIE



S4814_* S84814 ' 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



Smooth

S4816 * A RIE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") | 3'0" x 8'0"

S84816_* 2'8" x 8'0" 2'10" x 8'0"

S2010_SL ▲ 📜 🚺 • S84812_SL* S84886 SL S4812_SL* 12" x 6'8" (7'0") 12" x 8'0" 10"x 6'8" \$ 12" x 8'0" 12" x 6'8" \$\(\delta\) (7'0") 14" x 8'0" 14" x 6'8" (7'0") | 14" x 8'0"



FCM84810_* FCM4810_* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM2000_SL FCM8000_SL 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



FCM4810_SL* | FCM84810_SL* 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES **\(\)**



14" x 6'8" \$\(\frac{1}{2}\) (7'0")

S4810 * \$84810 * **♦ E** 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0"

3'0" x 6'8" (7'0") | 3'0" x 8'0"

Smooth S2000_SL S8000 SL 10"x 6'8" Å 12" x 8'0" 12" x 6'8" \$ (7'0") 14" x 8'0"

Smooth S4810_SL* S84810_SL*

Mahogany FCM4812 FCM84812 **♦ * 🕅 E** 2'8" x 6'8" (7'0") 2'8" x 8'0"

2'10" x 6'8" (7'0") 2'10" x 8'0"

3'0" x 6'8" (7'0") 3'0" x 8'0"

Mahogany FCM84813

FCM4813 **♦ * N** E 2'8" x 6'8" (7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"

2'8" x 8'0" 2'10" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

14" x 6'8" 1 (7'0")

XK = Reeded XE = Satin Etch XC = ChordXJ = Chinchilla XR = Rainglass XN = Granite



Mahogany

FCM4814 **♦ * 📦 E**

۵ * انا 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"

FCM84814



Mahogany

FCM4816 **♦ * 🔁 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM2050SL | FCM84886SL 12" x 6'8"(7'0") 14" x 8'0"



FCM4812SL FCM84812SL **♦ * 1**12" x 6'8" (7'0")
14" x 6'8" (7'0")
14" x 8'0"



Smooth

S4812 S84812 **♦ # N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

♦ * □ 2'8" x 8'0"



Smooth

S4813 **♦ * N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"

S84813 2'8" x 8'0" 2'10" x 8'0"



Smooth S4814

♦ * N E 2'8" x 6'8" (7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM84816

2'8" x 8'0"

2'10" x 8'0"

S84814 **♦ ₩ 🔃** 2'8" x 8'0" 2'10" x 8'0"



Smooth

S4816 **♦ * N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"





Smooth

S84886SL

12" x 8'0"

14" x 8'0"

♦ * №

S2010SL • 10"x 6'8" A 12" x 6'8" \$\(\frac{1}{4}\)(7'0")
14" x 6'8" \$\(\frac{1}{4}\)(7'0")



Smooth

S4812SL S84812SL 12" x 6'8"(7'0") | 12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"

CLEAR GLASS ****



FCM4810 FCM84810

**E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")
3'0" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany FCM2000SL FCM8000SL

12" x 6'8"(7'0") | 12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"



Mahogany FCM4810SL FCM84810SL

12" x 6'8"(7'0") | 12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"



S4810 **♦ ** E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

S84810 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S2000SL

Smooth

S8000SL



Smooth

S4810SL S84810SL

Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **Vented Sidelite Options**
- Elevated 10" Bottom **Rail Options**
- **Å** 6'6" Height Available

Lite Frames

Therma-Tru₀ doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.







Advanta_® Lite Frame*

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the () symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	Advanta Lite Frame	Standard Lite Frame
Flat Option		
Scrolled Option		
Plugless Design	•	
Buff Option	•	-
White Option (Alpine Color-Matched)	•	•
Durable Weather- Resistant Material		•

^{*}See your Therma-Tru seller for details on product availability.

Note: See page 285 for important product details that may help with your purchase decision.

Full Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



FCM871

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

46

FCM108 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany

FCM310 ■**1**9E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM816

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

4

FCM871SL **12**"x 8'0" 14" x 8'0"



FCM808SL FCM81918SL **•• - 1 1 6** ■●⊿116 10"x 6'8" 12"x 8'0" 12" x 6'8" (7'0") | 14" x 8'0" 14" x 6'8" (7'0")



81918P FC108 9 **I** E **4**6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0")



FC310 ■ 16 E 2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")





FC108SL 116 10" x 6'8" 12"x 6'8" 14"x 6'8"





FC808SL 81918SL 12"x 6'8" \(\(\frac{1}{2} \) (7'0") 12"x 8'0" 12"x 8'0" 14" x 8'0"



S6002 S85892 **566 E**2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S310 3'6"x 6'8"



S85892SL S6002SL 12" x 6'8" **12**"x 8'0" 14" x 6'8" 14" x 8'0"



S4570SL S85927SL ■●⊿16 10"x 6'8"



Key















Rail Options

S816

a 4 6

2'6"x 8'0" 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6"x 8'0"



FCM8114

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

46

Mahogany FCM16 **4**9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM668 FCM814 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FCM8114SL **1 1 6** 12" x 8'0" 14" x 8'0"



FCM18101SL FCM81800SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 8'0" **•• • • •** 14"x 6'8" (7'0")



81800P FC16 **1**6€ **4**9 2'8" x 6'8" (7'0") | 2'8" x 8'0" 2'10"x 6'8" (7'0") | 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FC668

FC814 2'8" x 6'8" Å (7'0") 2'10"x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0" x 6'8" Å (7'0") 3'0" x 8'0"



81800PSL FC46SL 1 16 **1 1 6** 12" x 8'0" 10" x 6'8" 12" x 6'8" 14" x 8'0" 14" x 6'8"



81800SL 18101SL --116 14" x 8'0"



S814 S916 **16** E 16 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S668 S815 ■ **2 5 E** 2'8" x 6'8" Å (7'0") 2'10"x 6'8" Å (7'0") **1**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" \$ (7'0") 3'0" x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S916SL S814SL 116 116 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S6130SL S84586SL **-0116** ••1 12" x 8'0" 10" x 6'8" 12" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 8'0"

SEDONA ♦



FCM100 FCM872 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



FCM241 FCM822 ■ 🛮 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10"x 8'0"



FCM872SL 14" x 8'0"



FCM816SL FCM81968SL 10"x 6'8" 12" x 8'0" 12" x 6'8" (7'0") 14" x 8'0" 14" x 6'8" (7'0")



Oak FC100 2'6"x 6'8"



81968P 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 8'0" 2'10"x 8'0"



FC241 FC822 2'8" x 8'0" ■ 🖊 E 3'0" x 6'8" \$ (7'0")



81968PSL FC100SL **_ _** 10" x 6'8" 12" x 8'0" 12" x 6'8" 14" x 8'0" 14" x 6'8"



FC816SL 81968SI



S139 **∡ E** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S241 2'10"x 6'8" \$ (7'0") 3'0" x 6'8" \$ (7'0") 3'6"x 6'8"



S139SL **_** 12" x 6'8" 14"x 6'8"



S604SL 10"x 6'8' 12" x 6'8" \$\(\begin{array}{c} (7'0") \\ 14" x 6'8" \$\(\beta\) (7'0")

SALINAS. X



FCM113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM873 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FCM369 FCM817 ■ **16** E 2'6" x 6'8" (7'0")

1 2'6"x 8'0" 2'8" x 6'8" (7'0") | 2'8" x 8'0" | 2'10" x 6'8" (7'0") | 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0'



FCM814SL **--1 6** 10"x 6'8"

FCM81919SL **--1 6** 12" x 8'0" 12" x 6'8" (7'0") | 14" x 8'0" 14" x 6'8" (7'0")



FCM873SL **-1 1 6** 12" x 8'0" 14" x 8'0"



FC113 **1**6E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")





FC369 ■ **1** 6 E 2'6" x 6'8" \(\frac{1}{2} \) (7'0") 2'8" x 6'8" \(\frac{1}{2} \) (7'0") 2'8" x 6'8" \(\frac{1}{2} \) (7'0") 2'10" x 6'8" \(\frac{1}{2} \) (7'0") 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



FC817



FC113SL 81919PSL ⊿ 🛮 6 **4** 6 10" x 6'8" 12" x 8'0' 12" x 6'8" 14" x 8'0" 14"x 6'8'



FC814SL 81919SL ■●→■6 **9 9 9** 12" x 6'8" \$ (7'0") 12" x 8'0' 14" x 6'8" \$\(\frac{1}{4}\) (7'0") 14" x 8'0"



S85893 **16** € **4**6 2'6"x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0' 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S369 S817 ■ 16 E **4 9** 2'6"x 6'8" A 2'6"x 8'0" 2'8" x 8'0" 2'8" x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 2'10" x 8'0" 3'0" x 6'8" Å (7'0") 3'0" x 8'0' 3'6"x 6'8" 3'6"x 8'0



S6008SL S85893SL **⊿ 4 6 4** 6 12" x 6'8" 12" x 8'0' 14" x 6'8" | 14" x 8'0"



S6134SL S85931SL ■ ● → ¾ 6 **■●**⊿**¼**6 10"x 6'8" 12" x 8'0" 12" x 6'8" \$\delta\$ (7'0") | 14" x 8'0" 14" x 6'8" \$ (7'0")




Key No Stile Lines















Mahogany

FCM900 **4**6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM1006 ■ **1**6 E 2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Mahogany FCM812SL **•• 1 6**

12" x 6'8" (7'0") 14" x 6'8" (7'0")

10"x 6'8"

Oak

FC900 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC1006 ■**1**9E 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$ (7'0")



FC900SL 16 10"x 6'8" 12" x 6'8" 14"x 6'8"



FC812SL **•• 1 6** 12" x 6'8" Å (7'0") 14" x 6'8" \$ (7'0")



S6100 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S1006

■ 16 E 2'8" x 6'8" \$\(\delta\) (7'0") 2'10" x 6'8" \$\(\delta\) (7'0") 3'0" x 6'8" \$ (7'0") 3'6"x 6'8"



S6100SL

116 12" x 6'8" 14"x 6'8"



S6131SL **9** 9 10"x 6'8" 12" x 6'8" \$ (7'0") 14" x 6'8" \$\(\hat{\chi}\) (7'0")





Mahogany

FCM905 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany FCM6093

■ 16E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM815SL

FCM81986SL **- - 1 6 - - 1 6** 12" x 8'0" 14" x 8'0" 10"x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM893SL 116 12" x 8'0" 14" x 8'0"



FC905 **16** €

2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")

Oak



FC6093 ■**1**6E 2'6"x 6'8" \$ (7'0") 2'8" x 6'8" 1 (7'0")

2'10" x 6'8" \$\hat{\Lambda} (7'0")

3'0" x 6'8" \$ (7'0")



FC905SL 81986PSL **⊿** 🛮 6 **⊿** 🛮 6 12" x 8'0" 14" x 8'0" 10"x 6'8" 12" x 6'8" 14" x 6'8'



FC815SL 16 **--1**46 14" x 8'0"



S154 **16** € 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6093 ■ 16E 2'6"x 6'8" Å 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8'



S154SL S8602SL **4** 6 116 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"

TEXAS STAR ♦



\$85932\$L 10" x 6'8" 12" x 6'8" \(\frac{7}{0}'' \) (7'0") 14" x 6'8" \(\frac{7}{0}'' \) (7'0")



FCM142 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1029

E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FCM817SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



FC142

E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC1029

E
2'8" x 6'8" \$\(\begin{array}{ccc} (7'0") \\ 2'10" x 6'8" \$\(\beta\) (7'0") \\ 3'0" x 6'8" \$\(\beta\) (7'0")

WELLESLEY_™ ◆ **:**: ❖



FC142SL 10"x 6'8" 12" x 6'8" 14"x 6'8"



FC817SL 2 12" x 6'8" \$ (7'0")

14" x 6'8" (7'0")



\$6070 **■ E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$1029 ■ E 2'8" x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0" x 6'8" Å (7'0") 3'6" x 6'8"



S6070SL 12" x 6'8"

14"x 6'8"





Mahogany

FCM104

6
2'8" x 6'8"
2'10" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 8'0"



FCM6094

2 6 E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
2'10" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
2'10" x 8'0"
3'0" x 6'8" (7'0")
3'0" x 8'0"



FCM818SL

0 6
10"x6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM874SL

6
12" x 8'0"
14" x 8'0"





FC6094

6 E
2'6" x 6'8" Å (7'0")
2'8" x 6'8" Å (7'0")
2'10" x 6'8" Å (7'0")
3'0" x 6'8" Å (7'0")



WELLESLEY Continues on next page.

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)
Brass Caming (1A)



Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites. Vented Sidelite Options

WBDR Options
WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

Å 6'6" Height Available





FC818SL 81921SL 925 12" x 6'8" Å (7'0") 14" x 6'8" Å (7'0") 14" x 8'0"



\$155 **1 6 E** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"





\$155\$L \$85896\$L 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"



FCM574
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 6'8"
3'0" x 8'0"
3'0" x 8'0"





FCM572SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM8572SL

12" x 8'0"

14" x 8'0"

Mahogany

FCM8573SL

12" x 8'0"

14" x 8'0"



FC574 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10' x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC571

FC871

FC871

FC8871

G'S E

2'6" x 6'8" \((7'0") \)
2'10" x 6'8" \((7'0") \)
3'0" x 6'8" \((7'0") \)
3'0" x 8'0"





FC572SL 12" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 8'0"



\$8574 2 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S571 ■ 🛮 🤇 E 3'6"x 6'8"



3'6"x 8'0"



S573SL S8573SL **1 1 1 9 1 2 " x 8 0 " ⊿** 🛮 6 12" x 6'8" 14" x 8'0' 14"x 6'8"



S572SL ■ ● → ¾ 6 10"x 6'8" 12" x 6'8" Å (7'0") 14" x 6'8" \$\frac{1}{\Delta} (7'0")



■●⊿ ¼ 6

12" x 8'0"

14" x 8'0"

Mahogany

FCM910 16 16 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

CONCORDE™ ◆ ## ❖

FCM890 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FCM6095 FCM820 ■ **1**9E **4 4 9** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0" x 8'0"



FCM809SL **-1**6

FCM81928SL ■●146 10"x 6'8" 12" x 8'0" 12" x 6'8" \$\(\frac{1}{2}\) (7'0") | 14" x 8'0" | 14" x 8'0"



Mahogany FCM890SL 12" x 8'0" 14" x 8'0"



FC910 **16** € 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



FC6095 **■** 🛮 6 E 2'6"x 6'8" 1 (7'0") 2'8" x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0")



FC910SL 81928PSL 12" x 8'0" 16 10"x 6'8" 14" x 8'0" 12" x 6'8" 14"x 6'8"



FC809SL ■ ●146

81928SL **9 9 1 9** 12" x 6'8" \$ (7'0") 12" x 8'0" 14" x 6'8" \$\(\hat{A}\) (7'0") 14" x 8'0"



S6090 **1**6 €

16 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0' 3'0" x 6'8" (7'0") | 3'0" x 8'0"

S85895



81928P

46

S6095

■ 16 E 2'6"x 6'8" A 2'8" x 6'8" \$\(\Delta\) (7'0") 2'10"x 6'8" \$\(\Delta\) (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"

S820

= 16

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0'

3'0" x 8'0"

3'6"x 8'0"



4 9

2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

S416SL S85895SL **⊿** 🛮 6 **4 6** 12" x 6'8" | 12" x 8'0' 14" x 6'8" | 14" x 8'0"



S4070SL **-16**

10"x 6'8" 12" x 6'8" \$\(\frac{1}{2}\) 12" x 8'0" 14" x 8'0" 14" x 6'8" \$\(\frac{1}{2}\) (7'0")



Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)



Flat Lite Frame



Vented Sidelite Options



★ 6'6" Height Available



Mahogany

FCM148 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM626

■ 19E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM813SL **9 9** 10"x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



Oak

FC148

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak FC626

■ 19E



Oak

FC148SL 10"x 6'8" 12" x 6'8" 14"x 6'8"



Oak

FC813SL 12" x 6'8" \$\(\Delta\) (7'0")
14" x 6'8" \$\(\Delta\) (7'0")



S160 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S626

3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



Smooth S160SL

12" x 6'8" 14"x 6'8"



S6132SL

- 4 10"x 6'8" 12" x 6'8" \$\(\frac{1}{2}\) (7'0")
14" x 6'8" \$\(\frac{1}{2}\) (7'0")

FC86550

2'8" x 8'0"



PEMBRIDGE™ ◆ ## ❖

Mahogany

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6500 ■ **4 5 E** 2'4"x 6'8' 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")



FCM86500

4 6 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")



Mahogany

FCM86550SL **1**46 12"x 8'0" 14" x 8'0"



FCM6500SL **--1 6** 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

FCM86500SL **--1 6** 12"x 8'0" 14" x 8'0"



FC6550 **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FC6500 ■ **1** 9 E 2'4"x 6'8" 2'6"x 6'8" (7'0") 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10" x 8'0
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 8'0" 3'0" x 6'8" \$ (7'0")



FC86500 **4** 9 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"




FC6550SL FC86550SL **4** 6 12"x 8'0" 14" x 8'0"

4 6

10"x 6'8"

12"x 6'8"

14"x 6'8



FC6500SL





S6550

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

S86550



S86500

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

S6500

2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 8'0' 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 8'0" 3'0" x 6'8" 1 (7'0") 3'6"x 6'8"



S6550SL S86550SL 116 116 12"x 6'8" 12"x 8'0" 14" x 8'0"



S6500SL 4456

10"x 6'8" 14"x 6'8" 1 (7'0")



4456789911<l

12"x 8'0"

14" x 8'0"

2'10" x 6'8" 3'0" x 6'8"



AXIS.

FCM1652 **16** 2'8" x 6'8" FCM81652 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



3'0" x 6'8" (7'0")

FCM1651 ■ **1**9E 2'4"x 6'8" 2'6" x 6'8" (7'0") | 2'8" x 8'0" 2'8" x 6'8" (7'0") | 2'10" x 8'0" 2'10" x 6'8" (7'0") | 3'0" x 8'0"

FCM81651 **4 4 9**

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"



FCM81651SL

--1 6

FCM1651SL **--1 6**

10" x 6'8" 12" x 8'0" 12" x 8'0" 14" x 8'0" 14" x 6'8" (7'0")



Mahogany

12" x 8'0" 14" x 8'0"



FCM81652SL

FC1652 **1**6€ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")



FC§1652 16

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")



FC1651 ■ **1**6 E

3'0" x 6'8" \$ (7'0")



3'0" x 8'0'

FC1652SL **4**46 10" x 6'8" 12" x 6'8" 14"x 6'8"





FC1651SL

FC81651SL 12" x 6'8" \$\(\delta\) (7'0") 12" x 8'0" 14" x 8'0"



S1652 **1**6 €

16 2'6"x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0' 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") | 2'10" x 8'0 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S1651 ■ **1** 9 E

2'4"x 6'8" A 2'6"x 6'8" 🕸 2'8" x 6'8" \$\(\begin{array}{c} (7'0") \\ 2'10" x 6'8" \$\(\beta\) (7'0") 3'0" x 6'8" \$ (7'0") 3'6"x 6'8"



S81651 **4 9**

2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 8'0'



S1652SL S81652SL **⊿ 4 6 4 4 6** 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S1651SL

■ ● ⊿ ¾ 6 10"x 6'8" 12" x 6'8" \$\(\Delta\) (7'0") 14" x 8'0" 14" x 6'8" \$ (7'0")

S81651SL 12" x 8'0"

Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)



Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites

S81652



Vented Sidelite Options WBDR Options 6

WBDR / HVHZ Options



Å 6'6" Height Available

CALIX ♦ # ❖



FCM2223 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Mahogany

FCM82389

2'8" x 8'0" 2'10" x 8'0"

19

FCM2389 ■ 16 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM2389SL FCM82389SL **9 9 4 9 •• 4 6** 10" x 6'8" 12"x 8'0" 12" x 6'8" (7'0") 14" x 8'0" 14" x 6'8" (7'0")



Mahogany

FCM82223SL 12" x 8'0" 14" x 8'0"



FC2223 **1**6€ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"

FC82223 **16** 2'8" x 8'0" 2'10" x 8'0"



FC2389

FC2389


| 3 | E
| 2'8" x 6'8" \(\(\) (7'0" \) | 2'10" x 6'8" \(\) (7'0" \) | 2'10" x 8'0"
| 3'0" x 6'8" \(\) (7'0" \) | 3'0" x 8'0"

FC82389



FC2223SL 106

FC82223SL 12" x 8'0" 10" x 6'8" 12" x 6'8" 14" x 6'8" 14" x 8'0"




FC2389SL

FC82389SL 12" x 6'8" \$ (7'0")

LATITUDE 🔷 🎞 💠




S2223 S82223 32223 3 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0" 2'10" x 8'0"



S2389

■ **1 5 E**2'8" x 6'8" **\(\(\)** (7'0")
2'10" x 6'8" **\(\)** (7'0") 3'0" x 6'8" \$ (7'0") 3'6"x 6'8"

S82389 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 8'0"



S2223SL S82223SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"



S2389SL **20**6 10"x 6'8" 12" x 6'8" 🛕 (7'0") 14" x 6'8" \$\(\bar{\Delta}\) (7'0")





FCM2213 FCM82213 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM2382 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")



I 4 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FCM2382SL 10"x6'8"

12" x 6'8" (7'0") 14" x 6'8" (7'0")

FCM82382SL

• • 1 6 12"x 8'0" 14" x 8'0"

1 6

12" x 8'0" 14" x 8'0"



Mahogany

FCM82213SL 12" x 8'0" 14" x 8'0"



FC2213

16 € 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0 3'0" x 6'8" (7'0") 3'0" x 8'0"



Oak

FC82382

2'8" x 8'0"

2'10" x 8'0"

146

FC2382 ■ 16E 2'8" x 6'8" 1 (7'0") 2'10" x 6'8" \$\hat{\(\bar{\(2\)}\)(7'0") 3'0" x 6'8" \$\(\delta\) (7'0") | 3'0" x 8'0"



FC2213SL

FC82213SL 10"x 6'8" 12" x 8'0" 14" x 8'0" 12"x 6'8" 14" x 6'8"



FC2382SL **1 6** 12" x 6'8" **Å** (7'0") 14" x 6'8" \$\overline{\Delta} (7'0") | 14" x 8'0"



FC82382SL **- 4 6** 12" x 8'0"



S2213 S82213 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FC82213

S2382

3'0" x 6'8" Å (7'0") 3'6"x 6'8"



S2213SL 6 12" x 6'8"

S82382

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6"x 8'0"

\$82213\$L 46 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S2382SL

■1●6 1 9 14" x 6'8" \$\(\bar{\Delta}\) (7'0")



Mahogany FCM2233

46 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM82233 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM2385 ■ 16E

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM2385SL **• • 4** 6

FCM82385

2'8" x 8'0"

2'10" x 8'0"

4



FCM82233SL

12" x 8'0" 14" x 8'0"



FC2233



S82382SL

FC82233

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0"



FC2385

■ **3 5 E**2'8" x 6'8" ★ (7'0")
2'10" x 6'8" ★ (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") | 3'0" x 8'0"

FC82385 2'8" x 8'0" 2'10" x 8'0"

ECHELON Continues on next page.

Key

No Stile Lines

 Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**

Brass Caming (1A)

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites

FCM82385SL

• • 4 6


Vented Sidelite Options

E Elevated 10" Bottom Rail Options

WBDR Options




FC2233SL FC82233SL 10"x6'8" 12" x 8'0" 14" x 8'0" 14" x 8'0"




FC2385SL FC82385SL FC82385SL FC82385SL FC82385SL FC82385SL FC82385SL 70'0' 12" x 8'0" 14" x 8'0" 14" x 8'0"



\$2233 **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") \$28" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



S2385SL ■ 2 6 10"x 6'8" 12" x 6'8" Å (7'0") 14" x 8'0" 14" x 8'0"



FCM138_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1285_ E2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM18_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1284_ E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM12102_SL

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



FCM6124_SL*

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM6125_SL*

10"x 6'8"

12" x 6'8" (7'0")

14" x 6'8" (7'0")



FCM6126_SL*

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



FC138_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





FC18_ E2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





1284_______ **E**2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite











Simulated Divided Lites (SDL)

Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

Scrolled Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

Vented Sidelite Options

E Elevated 10" Bottom Rail Options WBDR Options

♦ WBDR / HVHZ OptionsÅ 6'6" Height Available





Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

3'0" x 6'8" (7'0")

XK = Reeded XE = Satin Etch


XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite



1286 ■ * **1** 6 E *** 4 9** 2'10" x 8'0" 3'0" x 6'8" Å (7'0")



FC141SL | 81225PSL * **1**6 *** 2 6** 12" x 8'0" 10"x 6'8" | 12" x 8'0" | 12" x 8'0" | 14" x 8'0" 14"x 6'8"



1286SL 81225SL 12865L

12" x 6'8" \(\frac{1}{2} \) (7'0")

14" x 6'8" \(\frac{1}{2} \) (7'0")

14" x 8'0"



S130 S829 *** 1** 6 *** ■ 9 E** 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'0" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 8'0"



S6061 S81225 * 4 5 E 2'4"x 6'8" \$ 2'6"x 6'8" \$ ■ *** 2 6** 2'6"x 8'0" 2'6" x 6'8" \$\frac{1}{\lambda}\$ 2'8" x 6'8" \$\frac{1}{\lambda}\$ (7'0") 2'10" x 6'8" \$\frac{1}{\lambda}\$ (7'0") 3'0" x 6'8" \$\frac{1}{\lambda}\$ (7'0") 3'6" x 8'0" 3'6"x 6'8"



S130SL S829SL *****⊿**1**6 *⊿16 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S6128SL S85928SL ■ * ● J ¥ 6 10"x 6'8" **4**6 12" x 6'8" \$ (7'0") | 12" x 8'0" 14" x 6'8" \$ (7'0") | 14" x 8'0"



FCM1209 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany



FCM1201 ■ * † † *** ! E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM1211 ***** ♦ ♦ ♦ 🗾 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1202 ■ * † † *** ≥** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM1212 2'8" x 6'8' 2'10" x 6'8" 3'0" x 6'8"



FCM1203 ■ * † † † **|** E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7[']0")



FCM138 *** ≥** † † † **≥** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1285 ■* **■ † † † 4 9 E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM1208 * * * * **4 4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1200 ■ * * * * * 1 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM18 * Pat + + 1 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

No Stile Lines

Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options ★ 6'6" Height Available



16

12" x 8'0"

14" x 8'0"



* † † † 🛮 **6**

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

10"x 6'8"

12" x 6'8" \$ (7'0")

14" x 6'8" \$\(\hat{\lambda}\) (7'0")



10"x 6'8"

12" x 6'8" \$ (7'0")

14" x 6'8" 🛕 (7'0")



12" x 8'0"

14" x 8'0"





10"x 6'8"




10"x 6'8"



10"x 6'8"







CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

- No Stile Lines
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)

 Flat or Contour White Grilles
 Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
 - Flat Bronze Grilles Between Glass (GBGF)
- Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

 & 6'6" Height Available



FC06188SL

* 10"x 6'8"
12" x 6'8"
14"x 6'8"







FC06185SL

** \(\bigcirc \)

12" x 6'8" \(\bigcirc \) (7'0")

14" x 6'8" \(\bigcirc \) (7'0")



Oak
FC06190SL
* 2
10"x 6'8"
12" x 6'8"
14"x 6'8"



FC06186SL

* • • 1

12" x 6'8" \$\frac{1}{2}\$ (7'0")

14" x 6'8" \$\frac{1}{2}\$ (7'0")





1289

** * * * * * * 5 E

2'6" x 6'8" \$\(\) (7'0")


2'8" x 6'8" \$\(\) (7'0")

2'10" x 6'8" \$\(\) (7'0")

3'0" x 6'8" \$\(\) (7'0")



FC198SL * • • • • 1 10"x 6'8" 12" x 6'8" 14"x 6'8"





\$1209 * • • • • • IE 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Smooth





\$1211 * • • • • • • • E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





\$1212 ****** ♦ ♦ ♦ ♦ *** Z** E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")











\$1200 * * * * * * * * * 5 E 2'6" x 6'8" \(\Lambda \) (7'0") 2'10" x 6'8" \(\Lambda \) (7'0") 3'0" x 6'8" \(\Lambda \) (7'0") 3'6" x 6'8"




\$108

* • • • • • • •

\$\frac{6}{5} \infty
2'6" \times 6'8" (7'0")
2'10" \times 6'8" (7'0")
3'0" \times 6'8" (7'0")





CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key



Low-E Glass (LE)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.

14" x 6'8" 🛕 (7'0")



2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

Vented Sidelite Options



2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")

3'0" x 6'8" \$ (7'0") 3'6"x 6'8"





^{*}Available with Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.

3/4 Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



FCM765 16 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM765SL | FCM882SL 12"x 6'8" **116** 12"x 8'0" 14" x 8'0" 14"x 6'8"



FC765 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC770 81952P 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0" **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CRYSTALLINE™ ◆ ##



81952PSL FC765SL **4 6** 12" x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S975 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S979 **16** 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Smooth S894 **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$894\$L 12"x 8'0" S975SL 12"x 6'8" 14"x 6'8" | 14" x 8'0"



FCM38 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM38SL | FCM8105SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



FC38 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC772 81953P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 8'0"

CRYSTALLINE Continues on next page.

Key

- No Stile Lines
- Low-E Glass (LE)
- Turtle Glass Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- **Flat or Contour White Grilles** Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)



WBDR Options

- **Vented Sidelite Options**
- **Rail Options** ★ 6'6" Height Available

WBDR / HVHZ Options

Elevated 10" Bottom

CRYSTALLINE™ ◆ **::** Continued



FC38SL 81953PSL 4 6 12" x 6'8" 12" x 8'0" 14" x 8'0"



\$977 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





SEDONA ♦



FCM131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM131SL | FCM883SL 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



FC131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC773 | 81954P 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



FC131SL | 81954PSL | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



\$95 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$91 | \$887 | 2'8" x 6'8" | 2'8" x 8'0" | 2'10" x 6'8" | 3'0" x 6'8" | 3'0" x 8'0"



\$91\$L 12" x 6'8" 14" x 6'8" 14" x 8'0"

SALINAS. X



FCM115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM115SL FCM884SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



FC115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC775
2 '8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 6'8"
3'0" x 8'0"



FC115SL 81955PSL 4 6 12" x 6'8" 12" x 8'0" 14" x 8'0"



\$6009 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6010 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

S895 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6009SL S895SL 12" x 6'8" 12" x 8'0" 14" x 8'0" Mahogany

MAPLE PARK. • ::

FCM902 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM902SL | FCM887SL 12" x 6'8" 12" x 6'8" 14" x 6'8" 14" x 8'0"



FC902 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC777 81957P **16** 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



81957PSL FC902SL 12" x 6'8" 14" x 6'8" 14" x 8'0"



S6102 **4**6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S6103 **1**6 2'8" x 6'8" 2'10"x 6'8"

S85898 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S85898SL S6102SL 12" x 6'8" 12" x 8'0" 14" x 8'0"





FCM907 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM907SL 12" x 6'8" FCM889SL 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC907 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC776 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

81956P **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Oak 81956PSL FC907SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S6092 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S891

46

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S982 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S6092SL |S891SL 12" x 6'8" 14" x 6'8" 14" x 8'0"

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR Options

WBDR / HVHZ Options



FCM143 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM143SL FCM8103SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC143 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC778 81958P 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



FC143SL 81958PSL 12" x 6'8" 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S6071 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6072 S85901 **4**6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0 3'0" x 6'8" | 3'0" x 8'0" 2'10" x 8'0"



S6071SL 6 12" x 6'8" 85901SL 12" x 8'0" 14" x 6'8" | 14" x 8'0"



FCM147 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM147SL | 6 | 6 | 12" x 6'8" | FCM885SL 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC147 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81959P 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FC147SL 81959PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S6091 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S983 S892 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



S6091SL S892SL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"

RISERVA. X



Mahogany FCM543 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC779

FCM545SL FCM8545SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC543 **2**'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8529

46

FC529 **4**6 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

FC545SL FC8545SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8"



S543 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8529 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



S545SL S8545SL 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"

CONCORDE™ ◆ ****** ❖



FCM912 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM912SL | FCM892SL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



FC912 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC780 81960P 2'8" x 6'8" **4**6 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC912SL 81960PSL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S912 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S97 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$757\$L 4 6 12" x 6'8" S85902SL 12" x 6'8" 12" x 8'0" 14" x 8'0"

KENSINGTON™ ◆



FCM156 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1442SL FCM8107SL 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"



FC156 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC20042 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

81961P **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

KENSINGTON Continues on next page.

Key

Black Nickel Caming (1D)

S85902

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

Brushed Nickel Caming (1C)

Brass Caming (1A) X Wrought Iron (1W) Flat Lite Frame

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



KENSINGTON™ ◆ **::** Continued



FC1442SL 81961PSL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S20042 S902 2'8" x 6'8" 2'10" x 6'8" **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S156 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




S1442SL S902SL 12" x 6'8" 14" x 6'8" 14" x 8'0"

PEMBRIDGE™ ◆ ****** ❖



FCM6582 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6580SL

12"x 6'8"

14"x 6'8"

FCM86580SL 12"x 8'0" 14" x 8'0"



FC6582 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC6580 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86580 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC6580SL FC86580SL 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S6582 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6580 S86580 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6580SL S86580SL 12"x 6'8" 12"x 8'0" 14" x 8'0" 14"x 6'8"





FCM1647 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1646SL FCM81646SL 12" x 6'8" 14" x 6'8" **4 4 9** 12" x 8'0" 14" x 8'0"



FC1647 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC1646 FC81646 **16 4**6 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FC1646SL | FC81646SL 16 **4 4 6** 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1646 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S81646 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$1646\$L | \$81646\$L | \$12" x 6'8" | 12" x 8'0" | 14" x 8'0"

CALIX ♦ # ❖



FCM389 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM4521SL | FCM84521SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC389 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC4521

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

FC84521 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC4521SL | FC84521SL 16 16 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S389 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S4521 S84521 16 16 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



S4521SL S84521SL 12" x 6'8" 12" x 8'0" 14" x 8'0"





FCM476 **∡ 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM4525SL | FCM84525SL 16 12" x 8'0" 14" x 8'0" 12" x 6'8" 14"x 6'8"

16



FC476 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC4525 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FC84525 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC4525SL FC84525SL 12" x 6'8" **4**6 12" x 8'0" 14" x 6'8" 14" x 8'0"



S476 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S84525

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

16

S4525 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S4525SL S84525SL 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

WBDR Options



MBDR / HVHZ Options







FC84527 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC84527SL 6 12" x 8'0" 14" x 8'0"



\$84527 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$84527\$L 4 9 12" x 8'0" 14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES





14"x 6'8"



14" x 8'0"









\$881__ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

\$822_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth S82_SL \$881_SL 12" x 6'8" 14" x 6'8" 14" x 8'0"












Flat Lite Frame









FCM2106 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM2107 * • • • 🛮 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




FCM2108 * 🕈 🕈 🗸 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM82 * **■ ↑ ↑ ↑ 2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1089SL | FCM8311SL * 🕈 🕈 🗸 * 🕈 🕴 🗸 12" x 8'0" 12" x 6'8" 14"x 6'8" 14" x 8'0"



FCM2101SL ***** ♦ ♦ ♦ **3** 6 FCM8313SL *** ♦ ♦ ♦** ▮ 12" x 8'0" 14" x 8'0" 12" x 6'8" 14"x 6'8"



Mahogany 14" x 8'0"

14" x 6'8"



FCM8101SL *****≥††† 12" x 8'0" 14" x 8'0"



FCM81900SL 12"x 8'0" 14" x 8'0"



FCM81947SL ***** ■ <u>/</u> 12"x 8'0" 14" x 8'0"



FCM81949SL ***** ■ **!** 12"x 8'0" 14" x 8'0"



FCM1402 * • • • • 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1400SL| FCM81944SL ***** ♦ ♦ ♦ ∡ 12" x 6'8" ***** ♦ ♦ ♦ **1**2" x 8'0' 14"x 6'8" 14" x 8'0"



FC2106 ***** ♦ ♦ ♦ 🗾 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC2107 * + + + 1 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC2108 ***** ♦ ♦ ♦ 🔏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC82 *** ≥** † † † **2** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC1089 FC8311 ***** ♦ ♦ ♦ 🗾 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



Oak	
FC2101 * • • • • • • • • • • • • • • • • • •	FC8313 * • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC2102 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8" | 3'0" x 8'0"





81945P * 📦 🕈 🕈 🗸 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC92 FC8310 * • • • 🛮 **6 4**6 2'8" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



81946P * 📦 🕈 🕯 🧸 🌀 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC1089SL FC8311SL ***** ♦ ♦ ♦ ∡ 12" x 8'0" * • • • 🔏 12" x 6'8" 14"x 6'8" 14" x 8'0"



FC2101SL | FC8313SL ***** ♦ ♦ ♦ ∡ 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC92SL FC8310SL * **■ † † †** * * * * * 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



81946PSL ***≥**††† 12" x 8'0" 14" x 8'0"



81900PSL 12"x 8'0" 14" x 8'0"



81947PSL 12"x 8'0" 14" x 8'0"



81949PSL 12"x 8'0" 14" x 8'0"



FC1402 * • • • 🗸 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC1400 * • • • 2 2'8" x 6'8" 81944P * • • • 2 6 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FC1400SL | 81944PSL * • • • **/** 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S2106 * • • • • 🛮 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S2107 * + + + + 1 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S2108 * • • • • 🔏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S82 * 📦 + + + + 🛮 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8311 3'0" x 6'8" 3'0" x 8'0"

S1089 * • • • • 🛚 ***** • • • • 🗾 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0"


CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key






- **Flat or Contour White Grilles** Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Scrolled Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **WBDR Options WBDR / HVHZ Options**



12" x 8'0" 14" x 8'0"





14" x 8'0"





81943P * **a b 5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







\$80 * **4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S90

S880 *** 1 6** * *** 4 6** 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



\$751\$L *** 4 6** 12" x 6'8" S880SL * **26** 12" x 6'8" 14" x 6'8" 14" x 8'0"



Key

Low-E Glass (LE)



Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
 - Flat Lite Frame

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.



Not available for 2'4" and 2'6" doors or 10" sidelites.



WBDR / HVHZ Options

Oval Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



FCM110

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM164

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC714

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC164

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Oak

FC794 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S771

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S6085

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

WELLESLEY™ ◆ ******



S997

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM106

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC713

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC163 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC796

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S774





S6082

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 6'8"

3'0" x 6'8"

S999 2'8" x 6'8"



FCM916

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany



CONCORDE™ ◆ # ❖

FCM915

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC916

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC915

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC797

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Smooth

S773 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6084

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1000

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth





Mahogany

FCM151 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM789

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC709

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC151

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC798

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S709

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S163

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1001

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE™ ◆ ## ❖



Mahogany FCM6577

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"




Mahogany

FCM6575 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE Continues on next page.

Key







Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



FC6577

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC06575

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC6576

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S6577



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S6575



S6576 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



FCM80 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM160

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC710

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Oak



Oak FC160



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Oak

FC789 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S770 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S6080



S992

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Note: See page 285 for important product details that may help with your purchase decision.

1/2 Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



Mahogany

FCM109 16 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM863 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM6032 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6052 16 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"



Mahogany

FCM109SL FCM863SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14" x 8'0"



FC109

81933P

3'0" x 8'0"

46 2'8" x 8'0" 2'10"x 8'0"

16 E2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



81975P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC109SL 12"x 6'8"

81933PSL 12"x 8'0" 14" x 6'8" 14" x 8'0"



S81933P

2'8"x 8'0"

2'10"x 8'0"

16

S6000 **1**9€ 2'6"x 6'8"

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6032 **1**6 €

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S86032 **1**6€

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

\$4314 **2 6 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$84314 2'5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6052 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S972 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S85905 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



12"x 6'8" 14"x 6'8"

S6000SL S85912SL 12"x 8'0" 14"x 8'0"

Key

Low-E Glass (LE)




Brass Caming (1A)











Mahogany

FCM898 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM898SL 12" x 8'0" 14" x 8'0"



81935P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81977P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



81935PSL 12" x 8'0" 14" x 8'0"



\$81935P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$86027 **6** E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$84319 **2** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$85907 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$85914\$L 26 12" x 8'0" 14" x 8'0"



FCM101 | FCM864 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



FCM6025 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6045 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM101SL | FCM864SL | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



FC101

E
2'6" x 6'8"
2'8" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



81978P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC101SL | 81936PSL | 12" x 6'8" | 12" x 8'0" | 14" x 6'8" | 14" x 8'0"



S211 | S81936P | 2'8" x 6'8" | 2'8" x 8'0" | 2'10" x 6'8" (7'0") | 2'10" x 6'8" (7'0") | 3'0" x 8'0" |



S6025

2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") | 3'0"x 8'0"

S86025



\$4328 **E** 2'8" x 6'8" 2'10" x 6'8" S84328 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6045

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S35

S833 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S294SL

S85915SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"

SALINAS. X



FCM114 16 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

FCM865 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6031 16 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM6051 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM114SL 2 6 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"





FC114 81937P 16E 16 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



81980P 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

81937PSL FC114SL 12" x 6'8" | 12" x 8'0"



14" x 6'8" 14" x 8'0"

S6006 S81937P **16** € 16 2'6"x 6'8" 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0"x 8'0"

3'0" x 6'8" (7'0")



S6031 S86031 **16** € 16E 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") | 3'0"x 8'0"



S4325 **6 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84325 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"




S6051 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options



Elevated 10" Bottom Rail Options

SALINAS_® X Continued



\$973 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$893 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$6006\$L | \$85916\$L | \$6 | \$12" x 6'8" | 12" x 8'0" | 14" x 8'0"

MAPLE PARK. • ::



FCM901 FCM886
2'8" x 6'8" 2'8" x 8'0"
2'10"x 6'8" 2'10" x 8'0"
3'0" x 6'8" 3'0" x 8'0"



FCM6107 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM6108 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM901SL FCM886SL 6 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"



81939P

2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"



81982P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC901SL 81939PSL 6 12" x 6'8" 12" x 8'0" 14" x 8'0"



S6101 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"



S6107 | S86107 | \$6 E | 2'8" x 6'8" (7'0") | 2'10"x 6'8" (7'0") | 2'10"x 6'8" (7'0") | 3'0"x 8'0" | 3'0"x 8'0"



\$4324 **6** E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



S6108 2'6 2'8'x 6'8" 2'10"x 6'8"

3'0" x 6'8"



S6106 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8" S85897 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



S6101SL S85918SL 6 12" x 6'8" 12" x 8'0" 14" x 8'0"



SARATOGA_™ ◆ **!!**

Mahogany

FCM906
6
2'8" x 6'8"
2'10"x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 8'0"



FCM6029 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6049 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM906SL | FCM888SL 12" x 6'8" **16** 12" x 8'0"

14"x 6'8"

14" x 8'0"



81938P FC906 **2'6"** x 6'8" 2'8" x 6'8" (7'0") 19 2'8" x 8'0" 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



81981P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC906SL 81938PSL 12" x 6'8" 16 12" x 8'0" 14"x 6'8" | 14" x 8'0"



S81938P S213 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



S86029 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") **19 E** 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S4327 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S6049 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S85908 S41 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S291SL S85917SL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



TEXAS STAR ♦ #

FCM144 FCM899 **16 4**6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6074 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6075

16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM899SL 16 12" x 8'0" 14" x 8'0"



FC144 **2'8"** x 6'8" (7'0") 2'10"x 6'8" (7'0")

81940P **4**6 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



81983P **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81940PSL 12" x 8'0" 14" x 8'0"



S6073 S81940P 16E **4**6 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S6074 **36 E** 2'8" x 6'8" (7'0")

S86074 **46** E 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

TEXAS STAR Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



WBDR / HVHZ Options

Elevated 10" Bottom Rail Options

TEXAS STAR ♦ **■** Continued



S4329 **⊿**6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84329 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6075 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6076 S81983 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



85919SL 12" x 8'0" 14" x 8'0"

WELLESLEY™ ♦ :: ❖



FCM105 FCM866 **4**6 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6030 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6050 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM866SL FCM105SL | 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"



81941P FC105 **1**6€ **16** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0"



81984P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC105SL 81941PSL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S81941P S214 **19** € **16** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0"



S6030 S86030 16E 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"

49 E



NEW

S4330 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S6050 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S85909 S42 16 **1**6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



S292SL S85922SL 14"x 6'8" | 14" x 8'0"

RISERVA. X



FCM581 FCM8581 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM575 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM577 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM583SL | FCM8583SL 12" x 6'8"





Oak

FC581 **19** € 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





FC8579 **16** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC583SL

FC8583SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S581 **2'6"** x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S575 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





S4326 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84326 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S577

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S579 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8579 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S583SL S8583SL

12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"





FCM911 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Mahogany FCM891 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FCM6026 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6046 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




FCM911SL | FCM891SL

12" x 6'8" 14" x 8'0" 14" x 8'0"

CONCORDE Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options



E Elevated 10" Bottom Rail Options



FC911

2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")

81942P



81985P 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FC911SL 81942PSL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S426 **1**9E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S81942P

2'8" x 8'0" 2'10"x 8'0"

46



S6026 **1**9 € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

S86026 **1**9 E 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S4316 **49** € 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84316 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6046 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S37 S837 16 16 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



\$430\$L | \$85920\$L | \$6 | \$12" x 6'8" | 12" x 8'0" | 14" x 8'0"

KENSINGTON™ ◆



FCM149 FCM8149 2'8" x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6036 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6056 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM149SL FCM867SL 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"



FC149 FC8149 **46 E** 2'8" x 6'8" (7'0") **4**6 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



FC89701 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC149SL FC8867SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S161 S8149 2'8" x 8'0" **46** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S6036

S86036 **19E 49E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S84320

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S4320

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6056 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8'



S43 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S89701 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$161SL | \$867SL | \$6 12" x 6'8" | 12" x 8'0" | 14" x 6'8" | 14" x 8'0"

PEMBRIDGE_™ ◆ **::** ❖



FCM6560 **4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM86560 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6565 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6568 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6565SL FCM86560SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14" x 8'0"



FC6560 **1**9€ 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



FC86536 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC6565SL 16 12"x 6'8"

FC86560SL 12"x 8'0" 14" x 6'8" 14" x 8'0"



S6560 **2'6"**x 6'8" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")

S86560 2'8" x 8'0" 2'10" x 8'0"

S6565 S86565 **36 E** 2'8" x 8'0" **1**9 E 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"

S4323 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84323 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC86560

2'8" x 8'0" 2'10" x 8'0"

16

S6568 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

PEMBRIDGE Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A) X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
 - 9 WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



S6536 **1**6 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S86536 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S86560SL S6565SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14" x 8'0"

AXIS.



FCM1654 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM81654 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM1656 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1658 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1656SL 4 6 12" x 6'8" FCM81654SL 12" x 8'0" 14" x 8'0"

14"x 6'8"



FC1654 FC81654 **16** € **4**6 2'8"x 8'0" 2'6"x 6'8" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")



FC81653 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC1656SL | FC81654SL 12" x 6'8" 12" x 6'8" 12" x 8'0" 14" x 8'0"



S1654 S81654 2'8" x 8'0" 2'10" x 8'0" **19** € 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S1656 S81656 **16** € **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

CALIX • :: *



S4311 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84311 **4**6 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



S1658 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1653 S81653 **1**6 **16** 2'8" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

Smooth



FCM8386

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

46

FCM386 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany

FCM387 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM394 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM387SL FCM8386SL 5 9 12" x 6'8" 12" x 8'0" 14" x 8'0"





FC8392 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC387SL FC8386SL 6 12" x 6'8" 12" x 8'0" 14" x 8'0"



\$386 26" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





S84310

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

S4310 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S394 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$392 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$8392 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



LATITUDE • :: •



FCM8498 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM8498SL 5 12" x 8'0" 14" x 8'0"



FC8498 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8489
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC8498SL 12" x 8'0" 14" x 8'0"



\$8498 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8467 **6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

LATITUDE Continues on next page.

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

LATITUDE ◆ **::** ❖ Continued

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



\$84322 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8489 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8498\$L 2 9 12" x 8'0" 14" x 8'0"



FCM65_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6022_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM65_SL 12" x 6'8" 14" x 6'8"



FCM3487_SL
12" x 8'0"
14" x 8'0"



FC65_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC832_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC63_SL 12"x 6'8" 14"x 6'8"



FC3487_SL 12" x 8'0" 14" x 8'0"



\$262_ **E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



\$6022_ **E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



\$6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$32_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$8321_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"




\$86022_ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$832_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS





FCM62_ FCM862_ 2'8" x 8'0" **∡6** 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6021_ **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM104_ ■ **4 5 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM62_SL | FCM862_SL | 4 9 | 12" x 6'8" | 12" x 8'0" 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC62_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")

81929P_



FC104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81971P_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





S81929P_ 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S206_

16 €



S6021_ **9 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" y 6'8" (7'0")
2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S4305 S84305 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S104 ■16E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S30_ S830 2'8" x 8'0" **1**6 2'8" x 6'8" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8"



S210_SL S85910_SL 12" x 8'0" 14" x 8'0" 12" x 6'8" 14"x 6'8"

Key













FCM678 **₩ 1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8678 * **4** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6035 # **1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6055 * **4 6** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM116 ■ * 16 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM678SL FCM8678SL * **4 6** 12" x 8'0" 14" x 6'8" 14" x 8'0"



FC8678 *** ■** 6 E * 🛮 6 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



FC116 ■ * **1**6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8971 * **4 5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC678SL FC8678SL * 2 6 12" x 6'8" 14" x 6'8" 14" x 8'0"



S132 S8132 * **4 5** 2'8" x 8'0" 2'10" x 8'0" 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0")



S6035 S86035 ** **3 6 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
2'10" x 6'8" (7'0")
2'10" x 8'0"
2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S4308 S84308 *** □ 6 E** 2'8" x 6'8" *** 4 6** 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6055 * 🛮 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S131 ■ * **3**6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S971 S8971 *** 4 6** * 🛮 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"





SCREEN VENTED LITES*



S243 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



S6054 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S137 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM8322 k 🛊 🛊 🖟 🌠 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



FCM8323 * * * * **1** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM8324 * 🕈 🖟 🗾 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



FCM65 ***≈**†††**1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6022 ***≈**♦♦♦**∡**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6042 *** ■ † † † 3 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



FCM8321 * 🖿 🕈 🖟 💆 🝎 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany FCM8675SL ***** ♦ ♦ ♦ ∡ 12" x 8'0" 14" x 8'0"



FCM7125SL FCM65SL *****■††† 12" x 6'8" 14" x 8'0" 14" x 6'8"



FCM3487SL 16 12" x 8'0" 14" x 8'0"



FCM1408 FCM8145 ***** • • • **/ *** • • • 🗸 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM1405 * • • • **3** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1406 * • • • 🗾 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1405SL | FCM8145SL * • • • 🗸 ***** • • • 🔏 12" x 8'0" 12" x 6'8" 14"x 6'8" 14" x 8'0"



FC8322 * • • • 🗾 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8323 * * * * * **1** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8324 * * * * **1** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC65 * **■ ↑ ↑ 1 6 E**2'6" x 6'8"
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8321 * **■ † ↑ † 2 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key





WBDR Options







FC8318 * • • • 🗾 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8319 3'0" x 8'0"



FC8320 * • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



*** ≥** † † † **2** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8675SL *** • • •** 12" x 8'0" 14" x 8'0"



FC63SL ***≥**††† 12" x 6'8" 14" x 6'8" 14" x 8'0"





FC3487SL 14" x 8'0"



FC1408 ***** ♦ ♦ ♦ **I** E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")

2'8" x 8'0"

2'10" x 8'0"



FC8144 * • • • 2 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1408SL | FC8145SL ***** ♦ ♦ ♦ ▼ | ***** ♦ ♦ ♦ ▼ 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



\$8322 ***** ♦ ♦ ♦ ▼ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$8326 ***** ♦ ♦ ♦ ♦ *** E** 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



\$84318 ***** ♦ ♦ ♦ ₽ **Z** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



2'10"x 8'0" 3'0"x 8'0"



S8327 * * * * * * 1 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S84313 * • • • • 🛮 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8324 * • • • • 🗾 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8328 * ♦ ♦ ♦ ♦ **]** E 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S84309 * • • • • 🔽 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S262 * 📦 † † † † 🔷 🗾 **9E** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6022 # **■** † † † † ♦ 🛮 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





3'0" x 6'8"













\$8320 * • • • • • 2 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$32 * • 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"











\$3487\$L \$1 * 6 2'6 12" x 8'0" 2'8 14" x 8'0" 2'1 3'0



\$1408 ★ ↑ ↑ ↑ ↑ ▲ E 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"





\$4321 * • • • • • • E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



\$1406 * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$1407 \$1407 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$100 x 6'8"



Smooth

\$1405\$L

* ↑ ↑ ↑ ↑

12" x 6'8"

14" x 6'8"

14" x 8'0"

Key

***** Low-E Glass (LE)



S81405

≢

* • • •

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

9 WBDR Options





FCM62 * 🛮 6

FCM862 ***** 🛮 6 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FCM6021 * **2 6** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



Mahogany FCM6041 * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM670 ■* **1**6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM62SL | FCM862SL * **3 5** * **3 6** 12" x 6'8" 14" x 8'0" 14" x 8'0"



FC62 *** 3 9 E** 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

* **2 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC670 ■*** 4 5 E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81971P * **2 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC48SL 81929PSL * **26** 12" x 6'8" 14" x 6'8" 14" x 8'0"



*** 1** 6 E *** 4 6** 2'6"x 6'8" 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")



S6021 S86021 * **4 5 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") *** 3 9 E** 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S4315 *** ∠ E** S84315 **☀** ✓ 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



S6041 *** 4** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S104 ■* **3**6 E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S105 ■ * **I** E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S830 S30 * **2 6** 2'8" x 8'0" 2'10" x 8'0" * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



S85910SL S210SL *** 4 6 * 4 6** 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"

Twin 1/2 Lites







\$6013 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SEDONA ♦ ::



\$294 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS. X



\$6014 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK. • ::



S6104 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SARATOGA™ ♦



\$291 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WELLESLEY™ ♦ :: ❖



\$292 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

RISERVA. X



\$585 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CONCORDE™ ♦ :: ❖



Smooth

\$430
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key





- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)









Smooth \$162 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE™ ◆ :: ❖



S6572 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 6'8"







\$807_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS



\$289_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES





CLEAR GLASS



\$289 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Center Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



FC80943 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC86243 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9343 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83143 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SEDONA +::



FC80952 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9352 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS. X



\$83152 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80953 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86253 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9353 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83153 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

MAPLE PARK. • ::



FC80955 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86255 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
 - Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Simulated Divided Lites (SDL)

 Flat or Contour White Grilles
 Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

MAPLE PARK. • ::



S9355

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83155

3'0"x 8'0"

46 2'8"x 8'0" 2'10" x 8'0"

SARATOGA™ ◆ ******



FC80954 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Oak

FC86254 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9354 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83154 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

WELLESLEY™ ◆ *****



FC80949 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC86249 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9349 2'8" x 6'8"



2'10" x 6'8" 3'0" x 6'8"



S83149 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

RISERVA. X



FC507 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC549 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S507 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

KENSINGTON™ ◆ ##

CONCORDE_™ ◆ **!!** ❖



S549 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC80947 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86247 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9347 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83147 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80942 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86242 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite



\$9342 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83142 **6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



PEMBRIDGE_™ ◆ :: ❖

FC6534 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86533 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$6534 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$86533 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





FC1655 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC81649

6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



\$1655 **6**2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S81649 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





FC393 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8390 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S393 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



\$8390 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC809203_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862203_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$93203_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$831203_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key





Brass Caming (1A)



Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



PRIVACY & TEXTURED GLASS

FC80920_ **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86220_ 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9320_ **1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83120_ **1**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

INTERNAL BLINDS



FC925 **₩¥∮** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8972 * 🛮 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth S925 *** 1** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



S8972 * 🛮 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



* 📦 † † 🖟 🌀 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862203 * 🖿 🕈 🖠 💪 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



S93203 * 🖿 🕈 🗎 🔞 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S831203 3'0" x 8'0'



FC1404 * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8141 * • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS



S1404 * • • • • 🗾 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



* • • • • 🗾 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80920 * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86220 * 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9320 *** 1** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83120 *** ■ 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

- *Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
- **Available with flat lite frame or Advanta flat lite frame only.
- ***Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only. Note: See page 285 for important product details that may help with your purchase decision.

Craftsman Lites



TRANSOMS

For transoms, see page 209.

OPTIONAL DENTIL SHELVES*

4-Block Dentil Shelf Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf Available for all Craftsman-lite Smooth-Star doors.

SEDONA +



S2650** S82650** 🔟 🛮 E **_** 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8'



FCM604 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S604 S8604 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"

MAPLE PARK. • ::



S2630*** _1 4 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"

S82630*** **-146** 2'8" x 8'0" 2'10" x 8'0"



FCM609 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8609 S609 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

SARATOGA_™ ◆ **:**:



FCM602 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S2660*** S82660*** **1 1 9 E** 2'8" x 6'8" **⊿**⊈6 2'8" x 8'0" 2'10" x 8'0' 2'10" x 6'8' 3'0" x 6'8" 3'0" x 8'0'



S602 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8602 **1**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

RISERVA. X



FCM508 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S2670*** _1 4 6 E 2'8" x 6'8" 2'10" x 6'8"

S82670*** 146 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

RISERVA Continues on next page.

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
 - Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 - **Flat Almond Grilles** Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites
- **Scrolled Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.









RISERVA. X Continued





PEMBRIDGE™ ◆ ## ❖







3'0" x 6'8"

AXIS.

46 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



S2640* _146 E 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

146 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CALIX • :: •

2'8"x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S82620*

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

146

S2620* _ 4 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"









-146 E 146 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6975

2'8" x 6'8"

3'0" x 6'8"

S86975 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

2'10" x 6'8"

3'0" x 6'8"



FCM605_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM606_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 8'0"

3'0" x 8'0"

FCM607_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM608_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S605_ S8605_ 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S606_ S8606_ 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch XC = Chord

XJ = Chinchilla XN = Granite XR = Rainglass

PRIVACY & TEXTURED GLASS



S607_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8607_ 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



S608_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8608_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM601_ **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

\$2610_* 10 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S601_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8600_ **1**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



FCM605 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM606 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM607 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM608 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S607 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8607 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



S608 S8608 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM601 *** 4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S2610* S82610* * ⊿ 🛭 6 E ***** _ **1 4 9** 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S8601 *** 4 6 *** 🛮 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

Key



Brushed Nickel Caming (1C)

Brass Caming (1A) X Wrought Iron (1W)

- Flat Lite Frame Scrolled & Flat

Simulated Divided Lites (SDL)

- Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Minimal Lites



TRANSOMS

For transoms, see page 209.



MAPLE PARK. • ::



FCM736 2'8" x 6'8" 2'10" x 6'8"

FCM8736 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC736 FC8736 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S736 S8736 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")

SARATOGA™ ♦



FCM707 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8707 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC707 FC8707 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

WELLESLEY™ ♦ ## ❖



S707

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany FCM721 FCM8721 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



FC721 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S721 S8721 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDE™ ◆ :: ❖



FCM735

FCM8735 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8' 2'10"x 6'8' 3'0" x 8'0" 3'0" x 6'8"



FC735 FC8735 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S735 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")

S8735 2'8" x 8'0" 2'10" x 8'0"

PEMBRIDGE™ ◆ ## ❖



FCM745 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8745 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC745 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"

Oak

FC8745 2'8" x 8'0" 2'10" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



S745

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8745 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



Mahogany

FCM752 *** • • • •** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8752 * • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC752 *** • • • •**

FC8752 * • • • • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S752 * * * * • E

* • • • • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

S8752



Mahogany

FCM704 * • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8704 * 🄷 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FC704

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"

Oak

FC8704 2'8" x 8'0" 2'10" x 8'0"



S704

* 🔷 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8704 * 🔷 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS



Mahogany

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM708

FCM8708 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC708

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") | 3'0" x 8'0"

FC8708 2'8" x 8'0" 2'10" x 8'0"



S708

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0 3'0" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0"

S8708

Key



Black Nickel Caming (1D) **Brushed Nickel Caming (1C)** Brass Caming (1A)

Simulated Divided Lites (SDL)

Flat Lite Frame

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Rail Options





FC917 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S454 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



FC23 *** • • • •** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S255 * • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



FC803 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S256 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



S236 S8317 2'8" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



S237 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (Scalloped Lite Frame)

PEMBRIDGE_™ ♦ **::** ❖



FCM6570 FCM86570 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



ΔE 2'6"x 6'8" (7'0") 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



S86570 S6570 **∡**E 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0"

AXIS.



FCM1645 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8' 3'0" x 6'8" 3'0" x 8'0"



FC1645 FC81645 ∡E 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0")



S1645	S81645
∡ E	
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite



FCM61 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM861 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC61 FC861 ∡E 2'6" x 6'8" (7'0") 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



ΔE 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS



FCM61 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM861 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC61 FC861 * Z 2'8" x 8'0" * 🛮 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0")

* 🛮 E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")

S296 S896 * 🛮 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"



Noise Reduction Doors

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



S140STC ■ * E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

S8140STC 2'6"x 8'0" 2'8" x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")

S141STC ■ * **♦ E**2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S6063STC ■ * + E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

Key

No Stile Lines

Low-E Glass (LE)

Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**

- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 - Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat White Grilles Between Glass Only (GBGFW)



Not available for 2'4" and 2'6" doors or 10" sidelites.

E Elevated 10" Bottom **Rail Options**

Solid Panel



TRANSOMS

For transoms, see page 209.





FCM31 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM220 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM600 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM60 FCM860 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM1000

9 E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FC31 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM81000

2'0"x 8'0" 2'4"x 8'0"

2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"



FC809 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC60 **6 E**2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1000 **6** 2'0"x 8'0" ■ 9 E 2'0"x 6'8" 2'4"x 6'8" A 2'6" x 6'8" \$ (7'0") 2'6" x 8'0" 2'8" x 6'8" \$\(\hat{\chi}\) (7'0") 2'8" x 8'0" 2'10" x 6'8" \$\hat{\(\)} (7'0") 2'10" x 8'0" 3'0" x 6'8" \$ (7'0") 3'0" x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'4"x 8'0"



S45 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S220 S8200 6E **9E** 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



\$1100 **9 E** 2'8" x 6'8" \$81100 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S3301 S83301 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$3401L 2'8" x 6'8" 2'10" x 6'8" S83401L 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S83401R 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S3501L 2 6 E 2'8" x 6'8" 2'10" x 6'8" \$83501L 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



\$3501R 2'6 E 2'8" x 6'8" 2'10" x 6'8" \$83501R 2'5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S3601L 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83601L 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

NEW NEW

S3601R S83601R 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

NEW NEW

\$5701 2'5 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S85701 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

NEW NEW

\$5721 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S85721 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SOLID PANEL Continues on next page.

Key

No Stile Lines

Door Divider Bars (DDBF2)

WBDR Options

WBDR / HVHZ Options

6'6" Height Available

E Elevated 10" Bottom Rail Options















Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.









* 2 12" x 8'0" 14" x 8'0"



* 2 12" x 8'0" 14" x 8'0"



S8120

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

6E

\$120 **9 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S200 6 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S205 S8201 **5** 2'8" x 6'8" **6** 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$831 **6** 2'8" x 8'0" S31 **5** 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S960 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S4800 S84800 **9E** 2'8" x 6'8" 6 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S600 S8600 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S210 S810 бE 2'6"x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S100 S81000 ■ 9 E **=** 6 2'0"x 6'8" \$ 2'4"x 6'8" \$ 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 6'8" 3'6"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

Transoms


Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

BLACKSTONE. • ::



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

SEDONA 🔷 🏭



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SALINAS, X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

MAPLE PARK. • ::



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SARATOGA... • ::



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only





3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

RISERVA. X



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

CONCORDE_™ ◆ :: ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

KENSINGTON™ ◆



KNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

PEMBRIDGE_™ ◆ **!!!** ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

AXIS.





AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

CALIX • :: *



CXRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



CX30T 3'0" Door Only

LATITUDE • :: •



LTRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



LT30T 3'0" Door Only

ECHELON ♦ **::** ❖



ECRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



FC30T 3'0" Door Only

CLEAR GLASS





19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

3'0" Door Only

19210T

12" & 14" Sidelite Only

Key





Flush-Glazed Glass with Low-E Glass (LE)

- Simulated Divided Lites (SDLF2) Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A) Wrought Iron (1W)
- WBDR Options
- WBDR / HVHZ Options Ż. 6'6" Height Available
- E Elevated 10" Bottom Rail Options

Fiber-Classic, Smooth-Star, Profiles™ & Traditions



Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx Bottom: Smooth-Star, Clear Glass, Doors – S118

DOOR SELECTIONS







Fiber-Classic. Oak Collection_{TM}



Smooth-Star.



Profiles_™ & Traditions

(Wood-grained images shown in Driftwood stain.)

GLASS SELECTIONS



Low-E / Clear



Simulated Divided Lites

Divided Lites



For details on divided lite options, see pages 120–121.



Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30-31 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed **Warranty Riders**

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

= Available	Fiber-Classic.	Smooth-Star.	Profiles™	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds		•		
Low-E Glass with and without Divided Lites	•	•		
Clear Glass with and without Divided Lites		•		
Privacy & Textured Glass with and without Divided Lites		•		
Lip-Lite Glass Selections				
Internal Blinds				
Low-E Glass with and without Divided Lites	•	•	•	•
Clear Glass with and without Divided Lites	•	•	•	•
Privacy & Textured Glass with and without Divided Lites	•	•	•	•
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"
Double Widths	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options		•	•	•
Tru-Defense Eligible				

EnLiten™ Flush-Glazed Internal Blinds ♦




AVAILABLE COLLECTIONS

■ Smooth-Star。

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Internal Blinds




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Fiber-Classic Oak
- Smooth-Star。
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites ▶


■ Fiber-Classic • Oak

■ Smooth-Star_®


AVAILABLE COLLECTIONS

Colonial Style





AVAILABLE CONFIGURATIONS




Prairie Style




AVAILABLE COLLECTIONS

- Fiber-Classic Oak
- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



213

EnLiten™ Flush-Glazed Low-E / Clear Glass •




AVAILABLE COLLECTIONS

- Fiber-Classic Oak
- Smooth-Star。

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass with Divided Lites

Colonial Style




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Profiles™
- Fiber-Classic_⋄ Oak
- Traditions
- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Prairie Style




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Fiber-Classic_∗ Oak
- Smooth-Star。
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic Mahogany
- Fiber-Classic Oak
- Smooth-Star.
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Profiles™ Steel Doors





Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Profiles™ & Traditions Steel

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210 Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 240–243.



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.







Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.
All 8'0" doors are 24-gauge steel with standard embossments.







■ = Available - = Not Applicable P = Paint	Profiles	Traditions						
Door Widths								
2'0"								
2'4"								
2'6"								
2'8"								
2'10"								
3'0"								
3'6"		•						
Door Heights								
6'6"								
6'8"								
7'0"		•						
8'0"	•							
Glass Options								
Decorative	16	16						
Privacy & Textured	6	6						
Internal Blinds								
Screen Vented Lites								
Simulated Divided Lites								
Grilles Between Glass								
Fixed Grilles								
Low-E								
Clear								
Frame Options								
Advanta Lite Frame								
Standard Lite Frame								
Impact Lite Frame								
Additional Options								
Finish	Р	Р						

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 210–215.

5'0" Patio Opening = (2) 2'4" Doors


6'0" Patio Opening = (2) 2'10" Doors

^{*}Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

^{**}Decorative glass designs are shown in Profiles only.

^{***}Brass caming not available for Impact.

Decorative & Specialty Glass Designs**



Blackstone. Glass Privacy Rating: 7



Crystalline_™ Glass Privacy Rating: 7



Sedona Glass Privacy Rating: 7



Wrought Iron Salinas_® Glass Privacy Rating: 10



Black Nickel **Brushed Nickel**



Black Nickel Saratoga_™





Texas Star

Black Nickel

Glass Privacy Rating: 5



Black Nickel



Wellesley_m Glass Privacy Rating: 6

Maple Park. Glass Privacy Rating: 6



Riserva. Glass Privacy Rating: 10



Glass Privacy Rating: 7

Concorde_™ Glass Privacy Rating: 8



Kensington™ Glass Privacy Rating: 8





Brass***

Pembridge_™ Glass Privacy Rating: 7



Axis. Glass Privacy Rating: 7



Calix Glass Privacy Rating: 1



Latitude Glass Privacy Rating: 2



Echelon Glass Privacy Rating: 1

Also Available:

Internal Blinds Screen Vented **Glass Privacy Rating Scale**



Clear

Opaque

Privacy & Textured Glass



Reeded (XK)
Glass Privacy Rating: 7



Satin Etch (XE) Glass Privacy Rating: 10



Chord (XC) Glass Privacy Rating: 10



Chinchilla (XJ) Glass Privacy Rating: 10



Rainglass (XR) Glass Privacy Rating: 8



Granite (XN) Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites Clear Glass



Note: See page 285 for important product details that may help with your purchase decision. Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Full Lites

BLACKSTONE. • ::



310 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

3'6" x 6'8" (7'0")



310SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CRYSTALLINE™ ♦



916 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



916SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SEDONA ♦ #



139 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



139SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SALINAS. X



369 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



369SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

MAPLE PARK. • ::



1006 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1006SL 2 5 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SARATOGA™ ♦



610 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



610SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

TEXAS STAR 🔷 🎞



1029 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1029SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

WELLESLEY™ ♦ ## ❖



620 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



620SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

RISERVA. X



571 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



TS572SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Key



Brushed Nickel Caming (1C)



Å 6'6

CONCORDE™ ◆ **::** ❖



1028 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



416SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

KENSINGTON™ ♦



626 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



626SL 2 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PEMBRIDGE™ ◆ ## ❖



6500HD 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



6500SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

AXIS. 🔷



1651HD 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1651SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CALIX ♦ # ❖



2389HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2389SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

LATITUDE • :: .



2382HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2382SL 26 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

ECHELON ♦ # ❖



2385HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2385SL 5 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



128_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



108_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



6184_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6185_SL*

10" x 6'8"
7'0") 12" x 6'8" (7'0")
14" x 6'8" (7'0")



6186_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



632_SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS





100_SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

INTERNAL BLINDS



130
** 6
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



CLEAR GLASS WITH DIVIDED LITES



1201

* • • • • • • 2

2'6" x 6'8" (7'0")

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

3'6" x 6'8" (7'0")



1202
** * * * * * * * *
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1203
** * * * * * * * * *
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



128
**** (7'0")
2'8" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")





2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1201SL * • • • • • 1 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



1202SL * • • • • • 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")





10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



* **\[\]**10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

6184SL





* 10" x 6'8" 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")





198SL * • • • • • 1 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CLEAR GLASS



118

2'0" x 6'8"**
2'4" x 6'8"**
2'6" x 6'8" (7'0")**
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



Key







- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF
 - Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.





BLACKSTONE. • ::



1037HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1037SLHD 16 12" x 6'8" 14" x 6'8"

CRYSTALLINE™ ◆



1042HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SEDONA ♦



965HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



965SLHD 12" x 6'8" 14" x 6'8"

SALINAS. X



968HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



971SLHD 12" x 6'8" 14" x 6'8"

MAPLE PARK. • ::



1009HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1009SLHD 16 12" x 6'8" 14" x 6'8"

SARATOGA_™ ◆ **!**:



1039HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



956SLHD

12" x 6'8"

14" x 6'8"

1039SLHD 12" x 6'8" 14" x 6'8"

TEXAS STAR ◆ **!**



1040HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





12" x 6'8" 14" x 6'8"

WELLESLEY_™ ◆ **∷** ❖



1041HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1041SLHD 12" x 6'8" 14" x 6'8"

RISERVA. X



544HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



546SLHD 12" x 6'8" 14" x 6'8"

CONCORDE™ ◆ # ❖



967HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



967SLHD 12" x 6'8" 14" x 6'8"

KENSINGTON™ ◆



03142HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



966SLHD 12" x 6'8" 14" x 6'8"

PEMBRIDGE_™ ◆ **∷** ❖



6582HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



6580SLHD 12" x 6'8" 14" x 6'8"





1644HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1644SLHD 6 12" x 6'8" 14" x 6'8"

CALIX ♦ # ❖



391HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



391SLHD 4 6 12" x 6'8" 14" x 6'8"

LATITUDE • :: •



469HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



469SLHD 2 6 12" x 6'8" 14" x 6'8"

PRIVACY & TEXTURED GLASS



961HD_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



959HD_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6720HD_SL 12" x 6'8" 14" x 6'8"



959HD_SL 2 6 12" x 6'8" 14" x 6'8"

INTERNAL BLINDS



5425 * **4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



5425SL * **5** 12" x 6'8" 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



2109HD * • • • • • 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2110HD * • • • • • 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2111HD * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





1089SLHD * • • • • • 1 12" x 6'8" 14" x 6'8"







1403HD ****** ♦ ♦ ♦ ♦ ****** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



1400SLHD * • • • • • 1 12" x 6'8" 14" x 6'8"

CLEAR GLASS



* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



959SLHD * **4 6** 12" x 6'8" 14" x 6'8"

Key

- ***** Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- 6 WBDR / HVHZ Options

BLACKSTONE₀

♦ ::



1025HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WELLESLEY™ → :: ❖



1022HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

$CONCORDE_{TM}$



1024HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

KENSINGTON_{TM}



630HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE_{TM}



6578HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEARGLASS



1020HD ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1/2 Lites

BLACKSTONE. • ::



309HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1001HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1117HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



311SLHD 26 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SEDONA +::



211HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



996HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



294SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SALINAS. X



374HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1002HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1115HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



371SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

MAPLE PARK. • ::



1007HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1011HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1116HD 2'5 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1007SLHD 2 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SARATOGA™ ♦



613HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



988HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1112HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



615SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

TEXAS STAR ♦



1032HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1035HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1111HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WELLESLEY™ ♦ :: ❖



623HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



989HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1120HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



625SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

RISERVA. X



582HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



576HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



578HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



584SLHD 2 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CONCORDE™ ◆ ## ❖



426HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



999HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1118HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



430SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

KENSINGTON™ ◆



627HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



631HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1113HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



628SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Key





Wrought Iron (1W)

Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

Brass Caming (1A)

- Scrolle
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options



6560HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



6565HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6568HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6565SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

AXIS.



1660HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1657HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1659HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1657SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CALIX ♦ :: ❖



835HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



395HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



397HD 3 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



395SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



262HD_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



982HD__ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



263SLHD_ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



206HD_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



980HD_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1101_HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



210SLHD_ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

INTERNAL BLINDS



132HD * 6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



984HD ** **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

SCREEN VENTED LITES*



1121HD * 26 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





132SLHD * 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")



243HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1004HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1102HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



137 **E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES









115HD

★ ◆ E

2'6" x 6'8" (7'0")

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





1408HD ** ♦ ♦ ♦ ♦ ▼ 2 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1405HD ★ ♦ ♦ ♦ ↓ ☑ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1406HD * • • • • • 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



1405\$LHD * • • • • 1 12" x 6'8" (7'0") 14" x 6'8" (7'0")







* 2'5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





105 **E**2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



210SLHD * **4 5** 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
 - Fixed Grilles (FXG)
- Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.



E Elevated 10" Bottom Rail Options

BLACKSTONE_®





311HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SEDONA





294HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SALINAS.



371HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

MAPLE PARK®

##



1008HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SARATOGATM

- :::



615HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

WELLESLEY_{TM}





625HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

RISERVA



588HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDETM





430HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

KENSINGTON_{TM}



628HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PEMBRIDGE





6572HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

AXIS.



1662HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CALIX) III 💠



396HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PRIVACY & TEXTURED

GLASS



263HD_

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



289HD_

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Privacy & Textured Glass OptionsAdd the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

CLEAR GLASS WITH DIVIDED LITES



263HD

* • • • • • • 2'
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1411HD

* • • • • • •
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS



289HD * 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Craftsman Lites

SEDONA





604HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK





609HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SARATOGATM





602HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

RISERVA.





508HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE_{TM}





6520HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

AXIS.





1650HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CALIX • :: •



6975HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



605HD_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



608HD_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key





- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles
 Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)



Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.





PRIVACY & TEXTURED GLASS



601_HD* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



605HD

* \[
\bigsize \bigsize \bigsize \bigsize
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





607HD

* \bigsize \frac{7}{2}
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD ***** ■ 1 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



Minimal Lites





736HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SARATOGATM



707HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



721HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDE_{TM}



735HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PEMBRIDGE_{TM}





745HD2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



752HD ** ↑ ↑ ↑ ◆2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



CLEARGLASS



708HD ** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDE_{TM}





454HD2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



255HD ***** ♦ ♦ ♦ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CLEAR GLASS



256HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



* • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") (Scalloped Lite Frame)

PEMBRIDGE_{TM}





6570HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



6570SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

AXIS.



1643HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1643SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



296HD_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



296SLHD_ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CLEAR GLASS



12" x 6'8" (7'0") 14" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Solid Panel



969HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1005HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



205HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



203HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



210HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



100 **5 E** 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

Key





- **Brushed Nickel Caming (1C)** Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG) Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites



Elevated 10" Bottom Rail Options

Full Lites

PRIVACY & TEXTURED

GLASS WITH DIVIDED LITES



TS128 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS108 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6184_SL* 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



6185_SL* 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



6186_SL* 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



1 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



PRIVACY &

TEXTURED GLASS

TS118 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

818 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





100_SL 818_SL 10" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8" (7'0")

INTERNAL BLINDS



2'10" x 8'0"

3'0" x 8'0"

* **2 6** 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



14" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



TS1201 ***** ♦ ♦ ♦ ↓ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS1202 * • • • • • 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



* • • • • 🗾 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS1200 * * * * * * 1 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS108 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



828 * • • • • 16 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



808 * * * * * * **3** 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



1201SL ***** • • • • 🗾 10" x 6'8" 12" x 6'8" (7'0") 12" x 6'8" (7'0")



1202SL * • • • • 🗸 10" x 6'8"

14" x 6'8" (7'0") 14" x 6'8" (7'0")



12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

^{*}Not available with Reeded (XK) glass.

^{**}Available with Impact-rated life frame only.







1/2 Lites









- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.



INTERNAL BLINDS

8132

* **16** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

TS132 *** ■** 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS131 * 2 6 E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS132SL ***1**6 12" x 6'8" 14" x 6'8"

SCREEN VENTED LITES*



TS243 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS137 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



8322 * • • • • • 2' 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





8324 * • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



3'0" x 6'8"





TS115 *** ♦ E** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS263SL ***≥**†††† 12" x 6'8" 14" x 6'8"





CLEAR GLASS



***1**6

TS206 8206 2'6" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8'



TS104 *** 3 6 E** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 🗘 3'0" x 6'8"



TS105 **E** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 🗘 3'0" x 6'8"



TS210SL * **2 6** 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

14" x 6'8"

Twin 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS263_

2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS263 k 📦 🕴 🛊 🛊 🔏

2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS1411 *** • • •** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

PRIVACY & TEXTURED GLASS



TS289_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



TS289 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Minimal Lites

PRIVACY & TEXTURED GLASS



2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8"





TS296 SL 12" x 6'8" 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS752 * ♦ ♦ ♦ ♦
2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



2'10" x 8'0"

3'0" x 8'0"



TS704 ***** ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'10" x 8'0" 3'0" x 8'0"



TS255 * • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS236 2'8" x 6'8"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.


Key





- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.





CLEAR GLASS WITH DIVIDED LITES



CLEAR GLASS



2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

TS708 ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



2'6" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



Solid Panel



TS210 5 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 810 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



TS100 **E** 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 800 **5** E 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Transoms

Transoms can be painted to match a Profiles, or Traditions door system.

BLACKSTONE. + ::



BSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

SEDONA ♦



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SALINAS. X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

MAPLE PARK. • ::



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SARATOGA... • ::



19750T 3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

WELLESLEY_™ ◆ :: ❖



3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

RISERVA. X



RSRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

CONCORDE™ ◆ ## ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

KENSINGTON™ ◆



KNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

PEMBRIDGE™ ♦ ## ❖



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

AXIS.



AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

CALIX • :: .



CXRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



CX30T 3'0" Door Only

LATITUDE • :: .




LTRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



1T30T 3'0" Door Only

ECHELON ♦ **::** ❖



ECRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



EC30T 3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied






3'0" Door Only

12" & 14" Sidelite Only

Key





Brushed Nickel Caming (1C) Brass Caming (1A)










Fire Doors Smooth-Star_® & Steel



Therma-Tru_® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

Smooth-Star_{*} 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

ADDITIONAL OPTIONS

 Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 243.

For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

Left: Smooth-Star Door - SSF120

^{*}To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

^{**}Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style. Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.



20-Minute Fire-Rated Wood Edge – Fiberglass



SSF93 **5** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF45 **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$\$F220 **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"







SSF200 | SSF8200 | 9 | 2'6" x 6'8" | 2'8" x 8'0" | 2'10" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0" |



SSF205 | SSF8205 | SSF8205



SSF755 5 2'10" x 6'8" 3'0" x 6'8"






Smooth SSF960 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

SSF4800 **5 E**2'8" x 6'8"
2'10" x 6'8"
2'10" x 6'8"
3'0" x 8'0"
3'0" x 8'0"



20-Minute Fire-Rated Wood Edge – Steel

PROFILES_{IM}



969HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



205HD - 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



100 **6** E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8"

TRADITIONS



TS210 **6** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"


Key





PULSE

MODERN DESIGN, UPBEAT LIVING










Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.















The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.








1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



2 CHOOSE A MATERIAL

Each style is available in any of these material choices.



Mahogany or Oak (Shown in Driftwood stain.)


Fiberglass

3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.




Low-E also available.

Decorative Glass

Available for Línea



Available for Ari.



Available for Echo.



- 1 Blackstone_®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas_®
- 5 Saratoga™
- 6 Riserva_®
- 7 Pembridge™
- 8 Axis.
- 9 Calix
- 10 Latitude
- 11 Echelon

4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style. Available in Advanta,* and Standard lite frames.



Flat Profile Lite Frame





Scrolled Profile Lite Frame


Pulse. Size Options								
	Wood-Grained Fiberglass		Smooth Fiberglass		Steel			
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"		
Doors	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" \circ 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ° 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"		

- Available in full-lite sidelites only. Available in Línea and Echo only.





















Línea

Note: Product images show exterior side of door.













It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

































LÍNEA Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
 Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
 ✗ Wrought Iron (1W)
- Scrolled & Flat
 Advanta Lite Frame

 WBDR / HVHZ Options


































It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Steel































ECHO Continues on next page.

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite


Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options























It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

































ECHO Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Key

****** Low-E Glass (LE)


Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Scrolled & Flat
Advanta Lite Frame

E Elevated 10" Bottom Rail Options








































Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: Product images show exterior side of door.



SIDELITES Continue on next page.

Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246. XK = Reeded XC = Chord XR = Rainglass XE = Satin Etch XJ = Chinchilla XN = Granite

Key

46


***** Low-E Glass (LE)

Sidelites

Black Nickel Caming (1D)

16

- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- **Vented Sidelite Options**
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options





Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.





Finishing Options











ADD CURB APPEAL WITH COLOR

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuardo premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru_® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft_® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.







Topcoat



Fiber-Classic, Smooth-Star, Pulse & Steel

Application













Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the () symbol.









Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru_® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

PrismaGuard Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru₀ fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru₀ door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- **5** A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

PrismaGuard_® Premium Paint

Add a pop of color to Therma-Tru_® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine









COLOR MATCHES AVAILABLE.



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

SAME-DAY. **STAIN**

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru_® fiberglass doors and composite door frames.



Shown on Classic Craft Fir Grain.















All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*

Visit **thermatru.com/samedaystain** for ordering information and easy-to-follow instructions.





For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

Door System Components





Engineered to work together.

A Therma-Tru_® door with genuine Therma-Tru components is more than a beautiful door - it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology





COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **a** LVL core to provide additional structural support and stability and feature a **b** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

^{*}See your Therma-Tru seller for details on product availability.

^{**}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{***}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

AVAILABLE TEXTURES





Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry
 - no sanding or priming required.





White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is no painting required.
 Or finish with stain or paint to complement the entry – no sanding or priming required.

THE ADVANTAGE IS CLEAR

Performance	
Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting	✓
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture	✓
Resists Insects – Help Protect from Wood-Ingesting Insects	✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**	✓
Impact and 20-Minute Fire Code Compliant***	✓
Aesthetics	
Ready to Finish - No Sanding or Priming Required	✓
Ready-to-Install Option – No Finishing Required – White Smooth	✓
Universal Grain Complements a Wide Range of Wood Species – Buff Grained	✓
Screw Plugs Match Frame Material and Conceal External Fasteners	✓
Warranty	

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft _® Door + Components	LIFETIME LIMITED WARRANTY TRANSFERABLE	Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic _* , Smooth-Star _* , Pulse _* Fiberglass Door + Components	LIFETIME LIMITED WARRANTY	10-Year Transferable Full-System Rider
Composite Door Frame Only	LIFETIME LIMITED WARRANTY	

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.






Mullions





■ Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim







Mull Casing







Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor Face Adaptor (Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap




Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions




Engineered as part of Therma-Tru's complete entry door system, our composite door frame is more reliable and up to 50% stronger on average than standard wood door frames* when withstanding a simulated forced entry attempt by kicking in the door.*



7/16" x 5/16" Cove Mould

Transom Sills





CODE-COMPLIANT OPTIONS

Therma-Tru_® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

^{*}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{**}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-True seller for a complete list of options.

INSWING OPTIONS


Composite Adjustable Sill (Premium)

- Thick wood-grained
 - composite cap and nosing. U-shaped weather seal.

 - · Adjustable flush screws.
 - · Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Hardwood Adjustable Sill



- U-shaped weather seal.
- · Adjustable flush screws.

Basic Composite Adjustable Sill (Economy)



- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.

OUTSWING OPTIONS



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Aluminum Sill with Thermal Break



- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.

Coastal Sill (For Coastal Regions)



- · All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Value Composite Adjustable Sill (Economy)



- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.


Public Access Sill

Public Access Sill with Thermal Break**

(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Inswing Sill Extenders



^{*}See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.




Tru-Defense Eligible

^{**}Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs. ***For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.

SILL FINISHES



Mill



Bronze

CAP COLORS



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

Mill Bronze Cap Colors			Value Composite Adjustable (Economy)	Outswing Options	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
Bronze										
Cap Colors										
Lightwood										
Darkwood					÷					
Hardwood	-		-		-					
Sill Configurations										
Single										
French										
Double Patio										
Triple Patio										
Lineal										
Sidelite Configurations										
Boxed Sidelites										
Single with Sidelites								-		
French with Sidelites								-		
Single Vented Sidelites								-		
French Vented Sidelites		•	•		•	٠	٠			·
Depths										
4-9/16"										
5-3/4"								-		
6-9/16"										
7-3/4"					•					·
Substrates										
Composite Extruded										
Composite Injection Molded										
Treated Pine										٠
Other Options										
Integrated Thermal Break										
Screen Rail Available										
Sill Extenders Available										
Sill Covers Available										
Tru-Defense Eligible***							-	-		
With Anchor Holes Without Anchor Holes	-									

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

INSWING OPTIONS



Composite Adjustable Hardwood Adjustable Value Composite Adjustable

Colors: Bronze White



OUTSWING OPTIONS







ADA / REPLACEMENT



Sill Protection



Sill Covers (Recommended)

- · Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- · Available in a variety of options to fit our sills.

See page 271 for availability.



Engineered with sloped channels to help collect and drain moisture away.


Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)




Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.



Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.



Key

Hardware


Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

GRIP-STYLE MPLS ❖

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)





Tongue Heights: 6'8"

7'0"

8'0"

Configurations: Inswing Outswing

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

Key







LEVER-STYLE MPLS •

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue Heights:

6'8"

8'0"

Configurations: Inswing Outswing



Shootbolt

(For door systems with an astragal.) Heights: 6'6"

6'8" 7'0" 8'0"

Configurations: Inswing Outswing



Vented Sidelite MPLS







Tongue (Included in vented sidelite units.)

Exterior view of door.

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru_® door styles from traditional to contemporary.






FINISH OPTIONS







Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichomate A genuine Therma-Tru_® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- 1 Wraps around the door jamb for added support and an exact fit.
- 2 2-1/2" screws fully engage with the frame of the house for added strength.

Hinges

Adjustable Hinge 💠

(Recommended for Classic Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft_® Ball-Bearing •

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft_® Ball-Bearing -Staggered Hole Pattern 🖶

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.





Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning 💠

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems.

Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab 💠

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded 💠

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



HINGE FINISH OPTIONS



= Available= Not ApplicableHinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing – Staggered Hole Pattern	Classic Craft Ball-Bearing - Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass				•					
Brushed Nickel									
Black Nickel				•					
Polished Chrome				•					
Oil-Rubbed Bronze			-	•	-		•		
Stainless Steel									
Zinc Dichromate			-	•					

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Astragal



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.





TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Oak Grain





Fir Grain

Aluminum








White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors - CCR804028 Right Page, Top: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - 8000-12, Finish - Raven Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors - CCA211, Finish - Driftwood Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - FC8313, Finish - Barley



Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.







Special Quote GBG Color Options


DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

CLASSIC CRAFT.

8'0" Door Styles Glass Designs							
Homeward₁₁							
Arborwatch _®							-
Augustine	•	•	•	•	•	•	
Borrassa _®	•	•	•	♦	♦	•	
Lucerna。	•		•			•	
Rainglass							
Low-E	•					•	

Key

- Classic Craft_®
 Artíssa Collection_™
- ◆ Classic Craft。 Founders Collection™
- ▲ Classic Craft_® Visionary Collection_™
- * Smooth-Star.
- ▶ Profiles™ & Traditions

6'8" & 8'0" Solid-Panel Door Styles



SMOOTH-STAR, PROFILES, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles						All Puls	e Styles					
Glass Designs			B						Ī	1		
Blackstone _®	*)	*			*)	*						
Crystalline™	*)	*			*)	*						
Sedona	*)		*)	*	*)	*						
Salinas _®	*)	*			*)	*						
Maple Park	*)											
Saratoga™	*)		*)	*	*)	*						
Texas Star	*)											
Wellesley™	*)	*										
Riserva _®	*)	*	*)	*	*)	*						
Concorde™	*)	*										
Kensington™	*)											
Pembridge™	*)	*	*)	*	*)	*	*)	*	*)	*		
Axis	*)	*	*)	*	*)	*	*)	*	*)	*		
Calix	*)	*	*)	*	*)	*						
Latitude	*)	*			*)	*						
Echelon	*)	*	*)	*	*)	*						
Privacy & Textured Glass	*)	*	*)	*	*)	*	*)	*	*)	*		
Internal Blinds	*)	*										
Divided Lites	*)	*										
Clear	*)	*	*)	*	*)	*	*)	*	*)	*		
Solid Panel											*)	*

7'0" Height Door Style Options


Door Styles		П	П	П	П							
Glass Designs												
Blackstone _®	VA *)	A *)	*		•							
Crystalline™	VA * D				•							
Sedona	VA * D	A *)	*		•							
Salinas。	VA * D	A *)	*		•							
Maple Park	VA *)	A *)	*		•			A*				
Saratoga™	VA * D	A *)	*		•		▼*	A*				
Texas Star	VA *)	A *)	*		•							
Wellesley™	VA *)	A *)	*		•			A*				
Riserva	VA *)	A *)	*		•							
Concorde™	VA *)	A *)	*		•			A*	•			
Kensington™	VA *)	A *)	*		•							
Pembridge™	VA *)	A *)	*		•			•		A D		
Axis ₀	VA *)	A *)	*		•					A *D		
Calix	VA *)	A *)	*									
Latitude	VA *)											
Echelon	VA *)											
Privacy & Textured Glass	VA *)	A *)	*	VA *)	•		▼*			* *		
Internal Blinds	VA *)	A *)	*	VA *)								
Screen Vented		*)	*	*)								
Divided Lites	VA *)	A *)	*		•	*)	▼*	A *)	•		•	
Clear	VA *)	A *)	*	VA * D	•	*)	▼*	A *)	•	A *)		
Solid Panel												

6'6" Height Door Style Options

5			
Door Styles Glass Designs			
Blackstone	*	*	
Crystalline™	*	*	
Sedona	*	*	
Salinas _®	*	*	
Maple Park	*	*	
Saratoga™	*	*	
Texas Star	*	*	
Wellesley™	*	*	
Riserva	*	*	
Concorde™	*	*	
Kensington™	*	*	
Pembridge™	*	*	
Axis.	*	*	
Calix	*	*	
Latitude	*	*	
Echelon	*	*	
Privacy & Textured Glass	*	*	
Internal Blinds	*	*	
Screen Vented			
Divided Lites	*	*	
Clear	*	*	
Solid Panel			A*

Key

- ▲ Classic Craft_® Visionary Collection_™
- ▼ Fiber-Classic_® Mahogany Collection_™
- ▲ Fiber-Classic_® Oak Collection_™
- * Smooth-Star.
- ▶ Profiles™ & Traditions







Entry & Patio Door Systems

Feature	Classic Craft₀	Fiber-Classic。 & Pulse。 Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles _™ & Pulse₅ Steel (6'8")	Traditions & Pulse₅ Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High- Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel - Top Rail	Composite	Composite	Composite	Wood	Wood
Panel - Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3- ¹⁵ / ₁₆ " Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3- ¹⁵ / ₁₆ " Full-Length Engineered Lumber	1-¼" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1⁄2" Wood	12-1/2" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame, PVC Frame	Advanta Frame, Standard Frame, PVC Frame	Standard Frame, PVC Frame	Standard Frame, PVC Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip - Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip - Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	-	_
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru_® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct suplicit

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges - Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru_{*} Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft_{*}, Fiber-Classic_{*}, Smooth-Star_{*} and Pulse. Door Systems; Steel – Pulse_{*}, Profiles_{**}, and Traditions Door Systems
- Therma-Tru_a Tru-Defense_a Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft_a, Fiber-Classic_a, Smooth-Star_a and Pulse_a Fiberglass Door Systems
- EnLiten... Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten... Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star., and Pulse. Door Systems; Steel – Pulse., Profiles... and Traditions
- Same-Day_e Stain 5-Year Limited Warranty: Same-Day_e Stain and Topcoat for Use on Therma-Tru_e Fiberglass Door Systems and Fypon_e Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru_{*} Composite Door Frame featuring Tru-Guard_{**} Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic_{*}, Smooth-Star_{*} and Pulse_{*} Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft_®

19020T	102	CCA2320XNSL	66	CCA3401SL	90	CCA8220XR	91	CCA82360XN	65	CCA84940XN	65
19200T		CCA2320XR		CCA3450SL		CCA8230		CCA82360XR		CCA84940XR	
19210T		CCA2320XRSL		CCA3450XCSL		CCA82300		CCA82370		CCA84945	
19220T		CCA2330		CCA3450XJSL		CCA82300SL		CCA82370XC		CCA87100	
AB30T		CCA2330SL		CCA3450XNSL		CCA82300XC		CCA82370XE		CCA87100XR	
ABRT		CCA2330XC		CCA3450XRSL		CCA82300XCSL		CCA82370XJ		CCA87111	
CC040T		CCA2330XCSL		CCA3500SL		CCA82300XE		CCA82370XN		CCA87112	
CC400T		CCA2330XE		CCA3500XCSL		CCA82300XESL		CCA82370XR		CCA87131	90
CC420T		CCA2330XESL		CCA3500XJSL		CCA82300XJ		CCA82380		CCA87132	
CCA1100		CCA2330XJ		CCA3500XNSL		CCA82300XJSL		CCA82380XC		CCA87200	
CCA1125		CCA2330XJSL		CCA3500XRSL		CCA82300XK		CCA82380XE		CCA87200XR	
CCA1127		CCA2330XK		CCA3501SL		CCA82300XKSL		CCA82380XJ		CCA87300	
CCA1133		CCA2330XKSL		CCA3560SL		CCA82300XN		CCA82380XK		CCA87300XR	
CCA1145		CCA2330XN		CCA3560XCSL		CCA82300XNSL		CCA82380XN		CCA87400	
CCA1147		CCA2330XNSL		CCA3560XJSL		CCA82300XR		CCA82380XR		CCA87400XR	
CCA1149		CCA2330XR		CCA3560XNSL		CCA82300XRSL		CCA8240	93	CCA87600	
CCA1150		CCA2330XRSL		CCA3560XRSL	92	CCA8230XC	91	CCA82400	68	CCA87600XR	92
CCA1158		CCA2340		CCA4900		CCA8230XJ		CCA82400SL		CCA89100	
CCA1166		CCA2340SL		CCA4900XC		CCA8230XN		CCA82400XC		CCA89300	
CCA1423SL	91	CCA2340XC	64	CCA4900XE	65	CCA8230XR	91	CCA82400XCSL	66	CCA9100	91
CCA210	94	CCA2340XCSL	66	CCA4900XJ		CCA8231	90	CCA82400XE	65	CCA9100SL	91
CCA210SL		CCA2340XE	64	CCA4900XN		CCA82310		CCA82400XESL		CCA9300	
CCA210XC	92	CCA2340XESL	66	CCA4900XR	65	CCA82310SL	68	CCA82400XJ	65	CCM1419	70
CCA210XCSL	92	CCA2340XJ	64	CCA4905		CCA82310XC		CCA82400XJSL	66	CCM1424	88
CCA210XJ	92	CCA2340XJSL	66	CCA4910L		CCA82310XCSL		CCA82400XK	65	CCM1465	
CCA210XJSL	92	CCA2340XK	64	CCA4910LXC	65	CCA82310XE	64	CCA82400XKSL	66	CCM1475	71
CCA210XN		CCA2340XKSL	66	CCA4910LXE		CCA82310XESL		CCA82400XN		CCM1485	71
CCA210XNSL		CCA2340XN	64	CCA4910LXJ		CCA82310XJ	64	CCA82400XNSL	66	CCM1495	
CCA210XR	92	CCA2340XNSL	66	CCA4910LXN	65	CCA82310XJSL	66	CCA82400XR	65	CCM1842	73
CCA210XRSL		CCA2340XR		CCA4910LXR		CCA82310XK		CCA82400XRSL		CCM1843SL	
CCA211		CCA2340XRSL	66	CCA4910R		CCA82310XKSL	66	CCA8240XC	91	CCM1844	
CCA211SL	90	CCA2350	67	CCA4910RXC	65	CCA82310XN	64	CCA8240XJ	91	CCM200	75
CCA220	93	CCA2350XC	65	CCA4910RXE		CCA82310XNSL		CCA8240XN	91	CCM200XC	74
CCA220SL		CCA2350XE		CCA4910RXJ		CCA82310XR		CCA8240XR		CCM200XN	
CCA220XC		CCA2350XJ		CCA4910RXN	65	CCA82310XRSL		CCA82410SL		CCM203	
CCA220XCSL		CCA2350XN		CCA4910RXR		CCA82320		CCA82420SL		CCM204	
CCA220XJ		CCA2350XR		CCA4915L		CCA82320SL		CCA8260		CCM2800	
CCA220XJSL		CCA2360		CCA4915R		CCA82320XC		CCA8260XC		CCM2800XC	
CCA220XN		CCA2360XC		CCA4920L		CCA82320XCSL		CCA8260XJ		CCM2800XE	
CCA220XNSL		CCA2360XE		CCA4920LXC		CCA82320XE		CCA8260XN		CCM2800XK	
CCA220XR		CCA2360XJ		CCA4920LXE		CCA82320XESL		CCA8260XR		CCM2800XN	
CCA220XRSL		CCA2360XN		CCA4920LXJ		CCA82320XJ		CCA84900		CCM2800XR	
CCA230		CCA2360XR		CCA4920LXN		CCA82320XJSL		CCA84900XC		CCM2801	
CCA2300		CCA2370		CCA4920LXR		CCA82320XK		CCA84900XE		CCM2802	
CCA2300SL		CCA2370XC		CCA4920R		CCA82320XKSL		CCA84900XJ		CCM2803	
CCA2300XC		CCA2370XE		CCA4920RXC		CCA82320XN		CCA84900XN		CCM2804	
CCA2300XCSL	66	CCA2370XJ	65	CCA4920RXE	65	CCA82320XNSL	66	CCA84900XR	65	CCM2804XC	73
CCA2300XE		CCA2370XN		CCA4920RXJ		CCA82320XR		CCA84905		CCM2804XE	
CCA2300XESL		CCA2370XR		CCA4920RXN		CCA82320XRSL		CCA84910L		CCM2804XK	
CCA2300XJ		CCA2380		CCA4920RXR	65	CCA82330		CCA84910LXC		CCM2804XN	
CCA2300XJSL		CCA2380XC		CCA4925L		CCA82330SL		CCA84910LXE		CCM2804XR	
CCA2300XK		CCA2380XE		CCA4925R		CCA82330XC	64	CCA84910LXJ		CCM2806	
CCA2300XKSL		CCA2380XJ		CCA4930		CCA82330XCSL		CCA84910LXN		CCM2806XC	
CCA2300XN		CCA2380XK		CCA4930XC		CCA82330XE		CCA84910LXR	65	CCM2806XE	
CCA2300XNSL		CCA2380XN		CCA4930XE		CCA82330XESL		CCA84910R	67	CCM2806XK	
CCA2300XR		CCA2380XR	64	CCA4930XJ		CCA82330XJ		CCA84910RXC		CCM2806XN	
CCA2300XRSL		CCA240		CCA4930XN		CCA82330XJSL		CCA84910RXE		CCM2806XR	
CCA230XC		CCA2400	68	CCA4930XR		CCA82330XK	64	CCA84910RXJ		CCM2812	75
CCA230XJ	91	CCA2400SL	69	CCA4935		CCA82330XKSL		CCA84910RXN		CCM2812XC	
CCA230XN	91	CCA2400XC		CCA4940		CCA82330XN		CCA84910RXR		CCM2812XE	
CCA230XR		CCA2400XCSL		CCA4940XC		CCA82330XNSL		CCA84915L		CCM2812XK	
CCA231		CCA2400XE		CCA4940XE		CCA82330XR		CCA84915R		CCM2812XN	73
CCA2310		CCA2400XESL		CCA4940XJ		CCA82330XRSL		CCA84920L		CCM2812XR	
CCA2310SL	68	CCA2400XJ		CCA4940XN	65	CCA82340		CCA84920LXC		CCM300	
CCA2310XC		CCA2400XJSL	66	CCA4940XR	65	CCA82340SL	69	CCA84920LXE		CCM300XC	74
CCA2310XCSL		CCA2400XK		CCA4945		CCA82340XC		CCA84920LXJ	65	CCM300XN	
CCA2310XE	64	CCA2400XKSL	66	CCA81100		CCA82340XCSL	66	CCA84920LXN		CCM301CAL	
CCA2310XESL		CCA2400XN	65	CCA81125	96	CCA82340XE	64	CCA84920LXR	65	CCM301CALXC	84
CCA2310XJ	64	CCA2400XNSL	66	CCA81127	96	CCA82340XESL	66	CCA84920R	68	CCM301CALXE	
CCA2310XJSL		CCA2400XR		CCA81133		CCA82340XJ		CCA84920RXC		CCM301CALXN	
CCA2310XK		CCA2400XRSL	66	CCA81145		CCA82340XJSL		CCA84920RXE		CCM301CALXR	
CCA2310XKSL		CCA240XC	91	CCA81147	97	CCA82340XK	64	CCA84920RXJ	65	CCM301CAR	
CCA2310XN		CCA240XJ		CCA81149		CCA82340XKSL		CCA84920RXN		CCM301CARXC	
CCA2310XNSL		CCA240XN		CCA81150		CCA82340XN		CCA84920RXR		CCM301CARXE	
CCA2310XR		CCA240XR		CCA81158		CCA82340XNSL		CCA84925L		CCM301CARXN	
CCA2310XRSL		CCA2410SL		CCA81166		CCA82340XR		CCA84925R		CCM301CARXR	
CCA2320		CCA2420SL		CCA81423SL		CCA82340XRSL		CCA84930		CCM302	
CCA2320SL		CCA260		CCA8210		CCA82350		CCA84930XC		CCM302L	
CCA2320XC		CCA260XC		CCA8210XC		CCA82350XC		CCA84930XE		CCM302LXC	
CCA2320XCSL		CCA260XJ		CCA8210XJ		CCA82350XE		CCA84930XJ		CCM302LXE	
CCA2320XE		CCA260XN		CCA8210XN		CCA82350XJ		CCA84930XN		CCM302LXN	
CCA2320XESL		CCA260XR		CCA8210XR		CCA82350XN		CCA84930XR		CCM302LXR	
CCA2320XJ		CCA3400SL		CCA8211		CCA82350XR		CCA84935		CCM302R	
CCA2320XJSL		CCA3400XCSL		CCA8220		CCA82360		CCA84940		CCM302RXC	
CCA2320XK		CCA3400XJSL		CCA8220XC		CCA82360XC		CCA84940XC		CCM302RXE	
CCA2320XKSL		CCA3400XNSL		CCA8220XJ		CCA82360XE		CCA84940XE		CCM302RXN	
CCA2320XN	64	CCA3400XRSL	92	CCA8220XN	91	CCA82360XJ	65	CCA84940XJ	65	CCM302RXR	83

	NO INVENTOR	CCR1851SL	72	CCD01E12	70	CCVOEDOZ	71	CCV0100VNCI	71
	8301CARXN 84	CCR200		CCR81512CCR81512A		CCV05027 CCV05028		CCV8100XNSL	
	8301CARXR 84 8302L 86							CCV8100XNSL	
		CCR20020 CCR20020XC		CCR81514		CCV060 CCV06020		CCV8100XRSL	
	8302LXC 83			CCR81515				CCV8100XRSL	
	8302LXE83	CCR20020XN		CCR81516		CCV06020XE		CCV8102SL	
	B302LXN 83 B302LXR 83	CCR20022 CCR20023		CCR81518		CCV06022		CCV8103SL	
				CCR81838		CCV06023		CCV8108SL	
	8302R 86	CCR20027		CCR81839		CCV06028		CCV8111SL	
	8302RXC83	CCR20037		CCR81841		CCV10020		CCV81414	
	8302RXE83	CCR20037A		CCR81845		CCV10022		CCV81415	
	8302RXN83	CCR200A		CCR81845A		CCV10023		CCV81418	
	8302RXR83	CCR2025SL		CCR81846		CCV10027		CCV81423SL	
	8303L 87	CCR2025SL		CCR81846A		CCV10028		CCV81512	
	8303LXC 84	CCR2025XCSL		CCR81847		CCV100SL		CCV81515	
	8303LXE84	CCR2025XESL		CCR81851SL		CCV100SL		CCV81516	
	8303LXN 84	CCR2025XHSL		CCR8200		CCV100SL		CCV81519	
	8303LXR 84	CCR2025XJSL		CCR820020		CCV100XCSL		CCV81838	
	8303R 87	CCR2025XKSL		CCR820020XC		CCV100XCSL		CCV81839	
	8303RXC84	CCR2025XNSL		CCR820020XN		CCV100XESL		CCV81843	
	8303RXE84	CCR2025XRSL		CCR820022		CCV100XESL		CCV81846	
	8303RXN84	CCR205		CCR820023		CCV100XHSL		CCV81851SL	
	8303RXR84	CCR20520		CCR820027		CCV100XHSL		CCV8205	
	8304L 87	CCR20520XC		CCR820028		CCV100XJSL		CCV820520	
	8304LXC 84	CCR20520XN		CCR820030		CCV100XJSL		CCV820520XC	
	8304LXE84	CCR20522		CCR820030A		CCV100XNSL		CCV820520XN	
	8304LXN 84	CCR20523		CCR820030XC		CCV100XNSL		CCV820522	
	8304LXR 84	CCR20527		CCR820030XN		CCV100XNSL		CCV820523	
	8304R 87	CCR20537		CCR820032		CCV100XNSL		CCV820527	
	8304RXC84	CCR20537A		CCR820032A		CCV100XRSL		CCV820528	
	8304RXE 84	CCR205A		CCR820037		CCV100XRSL		CCV820530	
	8304RXN84	CCR30020		CCR820037A		CCV103SL		CCV820530XC	
	8304RXR84	CCR30023		CCR8200A		CCV103SL		CCV820530XN	
	B305CAL 87	CCR30027		CCR82035SL		CCV108SL		CCV820532	
	B305CALXC 85	CCR30028		CCR82035XCSL		CCV108SL		CCV820537	
	B305CALXE 85	CCR3400SL		CCR82035XESL		CCV1414		CCV8220	
	B305CALXN85	CCR3400SL		CCR82035XHSL		CCV1415		CCV822020	
	8305CALXR85	CCR3400XCSL		CCR82035XJSL		CCV1418		CCV822020XC	
	8305CAR87	CCR3400XESL		CCR82035XKSL		CCV1423		CCV822020XN	
	8305CARXC 85	CCR3400XHSL		CCR82035XNSL		CCV1423SL		CCV822022	
	8305CARXE85	CCR3400XHSL		CCR82035XRSL		CCV1423SL		CCV822023	
	8305CARXN 85	CCR3400XJSL		CCR8205		CCV1423SL		CCV822027	
	8305CARXR 85	CCR3400XKSL		CCR820520		CCV1424		CCV822028	
	8306CAL 87	CCR3400XNSL		CCR820520XC		CCV1512		CCV831	
	8306CALXC85	CCR3400XNSL		CCR820520XN		CCV1515	79	CCV8950SL	
	8306CALXE 85	CCR3400XNSL		CCR820523		CCV1516		CCV8950SL	
	8306CALXN 85	CCR3400XRSL	74	CCR820527	77	CCV1519		CCV8950XCSL	. 74
CCM600XE 88 CCM8	8306CALXR85	CCR3407SL	63	CCR820528	79	CCV1528	63	CCV8950XCSL	. 93
	8306CAR87	CCR3407SL	72	CCR820530		CCV1838	82	CCV8950XHSL	
	8306CARXC 85	CCR3408SL		CCR820530A		CCV1839		CCV8950XJSL	
CCM805027 71 CCM8	8306CARXE85	CCR3408SL	73	CCR820530AXC	83	CCV1843	73	CCV8950XJSL	
	8306CARXN 85	CCR3412SL	63	CCR820530AXN	83	CCV1851	64	CCV8950XNSL	
	8306CARXR 85	CCR3412SL		CCR820530XC	83	CCV1851SL	64	CCV8950XNSL	. 93
CCM82800 75 CCM8	890 100	CCR8000SL	75	CCR820530XN	83	CCV1851SL	73	CCV8950XRSL	. 74
	892 71	CCR8000XCSL		CCR820532	81	CCV200		CCV8950XRSL	
CCM82800XE73 CCM9	9923 70	CCR8000XESL	74	CCR820532A	81	CCV205		CCV89918	
CCM82800XK73 CCM9	9926 88	CCR8000XHSL	71	CCR820537	78	CCV20520	86	CCV89919	. 76
CCM82800XN73 CCRO)40 101	CCR8000XJSL	74	CCR820537A	78	CCV20520XC	83	CCV89922	. 70
CCM82800XR73 CCR0-)4020 85	CCR8000XKSL	74	CCR8205A	100	CCV20520XN	83	CCV9010SL	. 95
CCM82801 70 CCRO	04020XC83	CCR8000XNSL		CCR8222		CCV20522	81	CCV9011SL	. 90
)4020XN83	CCR8000XNSL		CCR822214		CCV20523		CCV9020SL	
)4022 81	CCR8000XRSL		CCR822215		CCV20527		CCV910	
)4023 80	CCR8005		CCR822218		CCV20537		CCV910XC	
)4027 77	CCR8005A		CCR822220		CCV220		CCV910XCSL	
)4037 77	CCR8007SL		CCR822220XC		CCV22020		CCV910XJ	
	00100	CCR8008SL		CCR822220XN		CCV22020XC		CCV910XJSL	
	0022 63	CCR8040		CCR822222		CCV22020XN		CCV910XN	
	00R100	CCR804020		CCR822223		CCV22022		CCV910XNSL	
	41476	CCR804020XC		CCR822227		CCV22023		CCV910XR	
	41576	CCR804020XN		CCR822228		CCV22027		CCV910XRSL	
	41776	CCR804022		CCR822238		CCV3412SL		CCV911	
	42362	CCR804023		CCR8225		CCV3412SL		CCV911SL	
	423SL 62	CCR804027		CCR89918		CCV4100		CCV911SL	
	423SL70	CCR804028		CCR89919		CCV4100SL		CCV911SL	
	51179	CCR804030		CCR89921		CCV4300		CCV920	
	511A79	CCR804030XC		CCR89925SL		CCV805020		CCV920XC	
	51279	CCR804030XN		CCR9918		CCV805022		CCV920XCSL	
	512A79	CCR804032		CCR9919		CCV805023		CCV920XJ	
	51479	CCR804037		CCR9921		CCV805027		CCV920XJSL	
	51579	CCR8100		CCR9925		CCV805028		CCV920XN	
	51678	CCR8100R		CCR9925SL		CCV8100SL		CCV920XNSL	
	51878	CCR8102SL		CCR9925SL		CCV8100SL		CCV920XR	
	528 63	CCR81414		CCV050		CCV8100XCSL		CCV920XRSL	
	838 82	CCR81415		CCV05020		CCV8100XCSL		CCV930	
	83982	CCR81417		CCV05020XC		CCV8100XHSL		CCV930XC	
	841 81	CCR81423SL		CCV05020XN		CCV8100XJSL		CCV930XJ	
	85164	CCR81511		CCV05022		CCV8100XJSL		CCV930XN	
CCM8301CARXE84 CCR1	851SL 64	CCR81511A	/9	CCV05023	12	CCV8100XNSL	/1	CCV930XR	. 92

Fiber-Classic. & Smooth-Star.

CCV931		1000		2050XJSL		81938P		81983P		FC131SL	
CCV940	94	1283	158	2050XK	. 124	81938PSL	179	81984P	. 180	FC138	155
CCV940XC	92	1284	155	2050XKSL	. 124	81939P	178	81985P	. 182	FC138XC	150
CCV940XJ	92	1285	155	2050XN	. 124	81939PSL	178	81986PSL	. 142	FC138XE	150
CCV940XN		1286		2050XNSL		81940P		81986SL		FC138XJ	
CCV940XR		1289		2050XR		81940PSL		85901SL		FC138XK	
CCV950SL		2000		2050XRSL		81941P		85919SL		FC138XN	
CCV950SL		2009		8000-12		81941PSL		AXRT		FC138XR	
CCV950SL		2010		8000-12		81942P		BSRT	. 209	FC1400	
CCV950XCSL		2050		8000-9		81942PSL		CNRT	. 209	FC1400SL	
CCV950XCSL		8000		8000XC		81943P		CX30T		FC1402	
CCV950XESL		81000		8000XE		81943PSL		CXRT	. 209	FC1404	
CCV950XESL		81200		8000XJ		81943PXC		DRS2131SL		FC1408	
CCV950XHSL	101	81208	155	8000XK	. 127	81943PXCSL	167	DRS82131SL	. 158	FC1408SL	190
CCV950XJSL	74	81225	153	8000XN	. 127	81943PXE	167	EC30T	. 209	FC141	152
CCV950XJSL	93	81828	155	8000XR	. 127	81943PXESL	167	ECRT	. 209	FC141SL	153
CCV950XNSL	74	12101SL		81200P	. 158	81943PXJ	167	FC10	. 158	FC142	143
CCV950XNSL		12101XCSL		81200PSL		81943PXJSL		FC100	. 140	FC142SL	
CCV950XRSL		12101XESL		81200PXC		81943PXK		FC1006		FC143	
CCV950XRSL		12101XJSL		81200PXCSL		81943PXKSL		FC100SL		FC143SL	
CCV960		12101XKSL		81200PXE		81943PXN		FC101		FC144	
CCV960XC		12101XNSL		81200PXESL		81943PXNSL		FC101SL		FC1442SL	
								FC1029			
CCV960XJ		12101XRSL		81200PXJ		81943PXR				FC147	
CCV960XN		12102SL		81200PXJSL		81943PXRSL		FC104		FC147SL	
CCV960XR		12102XCSL		81200PXK		81944P		FC104SL		FC148	
CCV9918		12102XESL		81200PXKSL		81944PSL		FC104XC		FC148SL	
CCV9919		12102XJSL		81200PXN		81945P		FC104XE		FC149	
CCV9922		12102XKSL		81200PXNSL		81945PXC		FC104XJ		FC149SL	
CCV9925	62	12102XNSL	151	81200PXR	. 152	81945PXE	166	FC104XK	. 187	FC151	173
CCV9926	88	12102XRSL	151	81200PXRSL	. 152	81945PXJ	166	FC104XN	. 187	FC156	163
CCW1000		1283XC	152	81200SL		81945PXK		FC104XR		FC16	140
CCW81000		1283XE		81200XC		81945PXN		FC105		FC160	
CCW8900L		1283XJ		81200XCSL		81945PXR		FC105SL		FC163	
CCW8900R		1283XK		81200XE		81946P		FC108		FC164	
CCW8901L		1283XN		81200XESL		81946PSL		FC1089		FC1645	
		1283XR		81200XJ		81946PXC		FC1089SL		FC1646	
CCW8901R											
CCW8902L		1284XC		81200XJSL		81946PXCSL		FC108SL		FC1646SL	
CCW8902R		1284XE		81200XK		81946PXE		FC109		FC1647	
CCW8903		1284XJ		81200XKSL		81946PXESL		FC109SL		FC1651	
CCW8904L		1284XK		81200XN		81946PXJ		FC10XC		FC1651SL	
CCW8904R	99	1284XN		81200XNSL	. 152	81946PXJSL	166	FC10XE	. 152	FC1652	
CCW8905	99	1284XR	150	81200XR	. 152	81946PXK	166	FC10XJ	. 152	FC1652SL	147
CCW8906L	99	1285XC	150	81200XRSL	. 152	81946PXKSL	166	FC10XK	. 152	FC1654	184
CCW8906R		1285XE		81208P	. 155	81946PXN		FC10XN		FC1655	
CCW8907L		1285XJ		81208PSL	. 155	81946PXNSL		FC10XR		FC1656SL	
CCW8907R		1285XK		81208SL		81946PXR		FC113		FC18	
CCW900L		1285XN		81225P		81946PXRSL		FC113SL		FC18SL	
CCW900R		1285XR		81225PSL		81947PSL		FC114		FC18XC	
CCW901L				81225SL		81949PSL		FC114SL		FC18XCSL	
CCW901R										FC18XE	
		18101SL		81800P		81952P		FC115			
CCW902L		19020T		81800PSL		81952PSL		FC115SL		FC18XESL	
CCW902R		19055T		81800SL		81953P		FC116		FC18XJ	
CCW903		19200T		81900PSL		81953PSL		FC1200		FC18XJSL	
CCW904L		19210T		81918P		81954P		FC1200SL		FC18XK	
CCW904R	99	19220T		81918PSL		81954PSL	160	FC1201	. 154	FC18XKSL	151
CCW905	99	19520T	209	81918SL		81955P		FC1201SL	. 155	FC18XN	150
CCW906L	99	1964P		81919P		81955PSL		FC1202		FC18XNSL	151
CCW906R	99	19720T	209	81919PSL	. 141	81956P	161	FC1202SL	. 155	FC18XR	
CCW907L		19730T		81919SL		81956PSL		FC1203		FC18XRSL	
CCW907R		19740T		81921P		81957P		FC1204		FC198	
DRS2131SL		19750T		81921PSL		81957PSL		FC1204SL		FC198SL	
DRS82131SL		2000SL		81921SL		81958P		FC1205		FC20042	
HW30T		2000XC		81928P		81958PSL		FC1205SL		FC2101	
				81928PSL							
HWRT		2000XCSL				81959P		FC1205XC		FC2101SL	
LC30T		2000XE		81928SL		81959PSL		FC1205XE		FC2102	
LCET		2000XESL		81929P		81960P		FC1205XJ		FC2106	
LCRT		2000XJ		81929PSL		81960PSL		FC1205XK		FC2107	
LF30T		2000XJSL		81929PXC		81961P		FC1205XN		FC2108	
LFET	102	2000XK	127	81929PXCSL		81961PSL		FC1205XR		FC2213	
LFRT	102	2000XKSL	127	81929PXE	. 187	81964P	167	FC1206	. 127	FC2213SL	149
ZHRT		2000XN		81929PXESL		81964PSL		FC1206SL		FC2223	
		2000XNSL		81929PXJ		81968P		FC1207		FC2223SL	
		2000XR		81929PXJSL		81968PSL		FC1207XC		FC2233	
		2000XRSL		81929PXK		81968SL		FC1207XE		FC2233SL	
		2009SL		81929PXKSL		81971P		FC1207XJ		FC23	
										FC2382	
		2010XC		81929PXN		81971PXC		FC1207XK			
		2010XE		81929PXNSL		81971PXE		FC1207XN		FC2382SL	
		2010XJ		81929PXR		81971PXJ		FC1207XR		FC2385	
		2010XK		81929PXRSL		81971PXK		FC1208		FC2385SL	
		2010XN		81933P	. 175	81971PXN		FC1208SL		FC2389	
		2010XR	124	81933PSL	. 175	81971PXR	187	FC1209		FC2389SL	148
		2050SL	128	81935P		81975P		FC1209SL	. 155	FC241	140
		2050XC		81935PSL		81977P		FC1211		FC31	
		2050XCSL		81936P		81978P		FC1211SL		FC310	
		2050YE	12/	81036DSI		91090D	-	EC1212	155	EC32	171

81936PSL.....176

81980P......177

81981P......179

FC32.....

FC32SL......171

FC1289SL......156

FC22VCCI	107	FCEZOOV I	104	F0700	170	FC000	1.45	FC0F70CI	111	FC000	101
FC32XCSL FC32XE		FC5720XJ FC5720XJSL		FC709 FC710		FC820 FC821		FC8573SL FC8574		FC902 FC902SL	
FC32XESL		FC5720XK		FC7125SL		FC822		FC8579		FC905	
		FC5720XKSL		FC713		FC82213		FC8581		FC905SL	
FC32XJ FC32XJSL		FC5720XN		FC714		FC82213SL		FC8583SL		FC9055L	
FC32XK		FC5720XNSL		FC721		FC82223		FC860		FC906SL	
FC32XKSL		FC5720XR		FC735		FC82223SL		FC861		FC9003L	
FC32XN		FC5720XRSL		FC736		FC82233		FC861XC		FC907SL	
FC32XNSL		FC572SL		FC745		FC82233SL		FC861XE		FC910	
FC32XR		FC573SL				FC82382					
FC32XRSL		FC574		FC752 FC755		FC82382SL		FC861XJ FC861XK		FC910SL FC911	
		FC581		FC765				FC861XN		FC911SL	
FC3487SL						FC82385					
FC3487XCSL		FC583SL		FC765SL FC766		FC82385SL FC82389		FC861XR		FC912	
FC3487XESL		FC6093						FC862		FC912SL FC915	
FC3487XJSL				FC766XC		FC82389SL		FC86220			
FC3487XKSL		FC6094 FC6095		FC766XE FC766XJ		FC828		FC862203		FC916	
FC3487XNSL						FC82XC		FC862203XC		FC917	
FC3487XRSL		FC61		FC766XK		FC82XE		FC862203XE		FC92	
FC369		FC61XC		FC766XN		FC82XJ		FC862203XJ		FC925	
FC38		FC61XE		FC766XR		FC82XK		FC862203XK		FC92SL	
FC386		FC61XJ		FC770		FC82XN		FC862203XN		FC92XC	
FC387SL		FC61XK		FC772		FC82XR		FC862203XR		FC92XCSL	
FC389		FC61XN		FC773		FC8310		FC86220XC		FC92XE	
FC38SL		FC61XR		FC775		FC8310SL		FC86220XE		FC92XESL	
FC393		FC62		FC776		FC8311		FC86220XJ		FC92XJ	
FC4521		FC626		FC777		FC8311SL		FC86220XK		FC92XJSL	
FC4521SL		FC62XC		FC778		FC8313		FC86220XN		FC92XK	
FC4525		FC62XE		FC779		FC8313SL		FC86220XR		FC92XKSL	
FC4525SL		FC62XJ		FC780		FC8316		FC86242		FC92XN	
FC46SL		FC62XK		FC789		FC8318		FC86243		FC92XNSL	
FC476		FC62XN		FC794		FC8319		FC86247		FC92XR	
FC47SL		FC62XR		FC796		FC832		FC86249		FC92XRSL	
FC47XCSL		FC63SL		FC797		FC8320		FC86252		FCM10	
FC47XESL		FC63XCSL		FC798		FC8321		FC86253		FCM100	
FC47XJSL		FC63XESL		FC803		FC8321XC		FC86254		FCM1000	
FC47XKSL	. 152	FC63XJSL	186	FC808SL		FC8321XE	186	FC86255	195	FCM1006	142
FC47XNSL	. 152	FC63XKSL	186	FC809	206	FC8321XJ	186	FC86500		FCM101	
FC47XRSL		FC63XNSL		FC80920	198	FC8321XK	186	FC86500SL		FCM101SL	
FC48SL	. 192	FC63XRSL		FC809203	198	FC8321XN	186	FC86533	197	FCM1029	143
FC48XCSL	. 187	FC65	189	FC809203XC	197	FC8321XR	186	FC86536	183	FCM104	143
FC48XESL		FC6500		FC809203XE	197	FC8322	189	FC86550	146	FCM104XC	187
FC48XJSL	. 187	FC6500SL	146	FC809203XJ	197	FC8323	189	FC86550SL	146	FCM104XE	187
FC48XKSL	. 187	FC6534	197	FC809203XK	197	FC8324	189	FC86560	183	FCM104XJ	187
FC48XNSL	. 187	FC6550	146	FC809203XN	197	FC832XC	186	FC86560SL	183	FCM104XK	187
FC48XRSL	. 187	FC6550SL	146	FC809203XR	197	FC832XE	186	FC86570	204	FCM104XN	187
FC507	. 196	FC6560	183	FC80920XC	198	FC832XJ	186	FC86580	164	FCM104XR	187
FC529	. 163	FC6565SL	183	FC80920XE	198	FC832XK	186	FC86580SL	164	FCM105	180
FC5425	. 167	FC6570	204	FC80920XJ		FC832XN	186	FC8675SL	190	FCM105SL	180
FC5425SL		FC6576		FC80920XK		FC832XR		FC8678		FCM106	
FC543		FC6577		FC80920XN		FC8386		FC8678SL		FCM108	
FC545SL	. 163	FC6580		FC80920XR		FC8386SL		FC8685L		FCM1089SL	
FC549		FC6580SL		FC80942		FC8390		FC8685LXC		FCM109	
FC5700		FC6582		FC80943		FC8392		FC8685LXE	124	FCM109SL	
FC5700SL	. 128	FC65XC		FC80947	196	FC84521		FC8685LXJ		FCM10XC	
FC5700XC		FC65XE		FC80949		FC84521SL		FC8685LXK		FCM10XE	
FC5700XCSL	40-	FC65XJ		FC80952		FC84525	405	FC8685LXN	404	FCM10XJ	
FC5700XE		FC65XK		FC80953		FC84525SL		FC8685LXR		FCM10XK	
FC5700XESL		FC65XN		FC80954		FC84527		FC8685R		FCM10XN	
FC5700XJ		FC65XR		FC80955		FC84527SL		FC8685RXC		FCM10XR	
FC5700XJSL		FC668		FC809SL		FC8489		FC8685RXE		FCM110	
FC5700XK		FC670		FC812SL		FC8498		FC8685RXJ		FCM113	
FC5700XKSL		FC678		FC813SL		FC8498SL		FC8685RXK		FCM114	
FC5700XN		FC678SL		FC814		FC8529		FC8685RXN		FCM114SL	
FC5700XNSL		FC685L		FC8141		FC8545SL		FC8685RXR		FCM115	
FC5700XR		FC685LXC		FC8144		FC85700		FC8691		FCM115SL	
FC5700XRSL		FC685LXE		FC8145		FC85700XC		FC8691XC		FCM116	
FC571		FC685LXJ		FC8145SL		FC85700XE		FC8691XE		FCM1200	
FC5710		FC685LXK		FC8149		FC85700XJ		FC8691XJ		FCM1200SL	
FC5710SL		FC685LXN	124	FC814SL		FC85700XK		FC8691XK		FCM1201	
FC5710XC		FC685LXR		FC815SL		FC85700XN		FC8691XN		FCM1201SL	
FC5710XCSL		FC685R		FC816		FC85700XR		FC8691XR		FCM1202	
FC5710XE		FC685RXC		FC81645		FC8571		FC8704		FCM1202SL	
FC5710XESL		FC685RXE		FC81646		FC85710		FC8707		FCM1203	
FC5710XJ		FC685RXJ		FC81646SL		FC85710XC		FC8708		FCM1204SL	
FC5710XJSL		FC685RXK		FC81649		FC85710XE		FC8721		FCM1205SL	
FC5710XK		FC685RXN		FC81651		FC85710XJ		FC8735		FCM1206SL	
FC5710XKSL		FC685RXR		FC81651SL		FC85710XK		FC8736		FCM1208	
FC5710XN		FC691		FC81652		FC85710XN		FC8745		FCM1209	
FC5710XNSL		FC691XC		FC81652SL		FC85710XR		FC8752		FCM12101SL	
FC5710XR		FC691XE		FC81653		FC85720		FC8867SL		FCM12101XCSL	
FC5710XRSL		FC691XJ		FC81654		FC85720XC		FC89701		FCM12101XESL	
FC5720		FC691XK		FC81654SL		FC85720XE		FC8971		FCM12101XJSL	
FC5720SL		FC691XN		FC816SL		FC85720XJ		FC8972		FCM12101XKSL	
FC5720XC		FC691XR		FC817		FC85720XK		FC900		FCM12101XNSL	
FC5720XCSL		FC704		FC817SL		FC85720XN		FC900SL		FCM12101XRSL	
FC5720XE		FC707		FC818SL		FC85720XR		FC901		FCM12102SL	
FC5720XESL		FC708		FC82		FC8572SL		FC901SL		FCM12102XCSL	
	-						-		-		

Fiber-Classic. & Smooth-Star. continued

FCM12102XESL	150	FCM2000XJSL	136	FCM4813XC	135	FCM605XN	200	FCM65XCSL	186	FCM81652	14
FCM12102XJSL		FCM2000XKSL		FCM4813XE		FCM605XR		FCM65XE		FCM81652SL	
FCM12102XKSL		FCM2000XNSL		FCM4813XJ		FCM606		FCM65XESL		FCM81654	
FCM12102XNSL		FCM2000XRSL		FCM4813XN		FCM606XC		FCM65XJ		FCM81654SL	
FCM12102XRSL		FCM2009SL		FCM4813XR		FCM606XE		FCM65XJSL		FCM816SL	
FCM1211		FCM205		FCM4814		FCM606XJ		FCM65XK		FCM817	
FCM1212	153	FCM2050SL		FCM4814XC		FCM606XN		FCM65XKSL	186	FCM817SL	
FCM1283	158	FCM2050XCSL	135	FCM4814XE	135	FCM606XR	200	FCM65XN	186	FCM81800SL	14
FCM1283XC	151	FCM2050XESL	135	FCM4814XJ	135	FCM607	201	FCM65XNSL	186	FCM81828	15
FCM1283XE		FCM2050XJSL		FCM4814XN	135	FCM6074		FCM65XR		FCM81829	
FCM1283XJ		FCM2050XKSL		FCM4814XR		FCM6075		FCM65XRSL		FCM818SL	
				FCM4816				FCM668			
FCM1283XK		FCM2050XNSL				FCM607XC				FCM81900SL	
FCM1283XN		FCM2050XRSL		FCM4816XC		FCM607XE		FCM670		FCM81918SL	
FCM1283XR		FCM2101SL		FCM4816XE		FCM607XJ		FCM678		FCM81919SL	
FCM1284		FCM2106		FCM4816XJ		FCM607XN		FCM678SL		FCM81921SL	
FCM1284XC	150	FCM2107	168	FCM4816XN	135	FCM607XR	200	FCM6975	200	FCM81928SL	14
FCM1284XE	150	FCM2108	168	FCM4816XR	135	FCM608	201	FCM704	203	FCM81944SL	
FCM1284XJ		FCM220		FCM508		FCM608XC		FCM707		FCM81947SL	
FCM1284XK		FCM2213		FCM5425		FCM608XE		FCM708		FCM81949SL	
				FCM5425SL				FCM7125SL			
FCM1284XN		FCM2223				FCM608XJ				FCM81968SL	
FCM1284XR		FCM2233		FCM543		FCM608XN		FCM721		FCM81986SL	
FCM1285		FCM2382		FCM545SL		FCM608XR	200	FCM735		FCM82	
FCM1285XC	150	FCM2382SL	148	FCM571	144	FCM609	199	FCM736	202	FCM820	14
FCM1285XE	150	FCM2385	149	FCM572SL	144	FCM6093	142	FCM745	203	FCM821	14
FCM1285XJ		FCM2385SL		FCM574		FCM6094		FCM752		FCM822	
FCM1285XK		FCM2389		FCM575		FCM6095		FCM755		FCM82213	
		FCM2389SL						FCM765		FCM82213SL	
FCM1285XN				FCM577		FCM61					
FCM1285XR		FCM241		FCM581		FCM6107		FCM765SL		FCM82223	
FCM1286		FCM31		FCM583SL		FCM6108		FCM789		FCM82223SL	
FCM1286SL		FCM310		FCM60		FCM6124SL		FCM80	174	FCM82233SL	
FCM1289		FCM32	170	FCM600	206	FCM6124XCSL	150	FCM8000SL	137	FCM82382	14
FCM1289SL		FCM32SL		FCM601		FCM6124XESL		FCM8000XCSL		FCM82382SL	
FCM131		FCM32XC		FCM601XC		FCM6124XJSL		FCM8000XESL		FCM82385	
FCM131SL				FCM601XE							
		FCM32XCSL				FCM6124XNSL		FCM8000XJSL		FCM82385SL	
FCM138		FCM32XE		FCM601XJ		FCM6124XRSL		FCM8000XKSL		FCM82389	
FCM138XC	150	FCM32XESL		FCM601XN		FCM6125SL	154	FCM8000XNSL	136	FCM82389SL	14
FCM138XE	150	FCM32XJ	167	FCM601XR	201	FCM6125XCSL	150	FCM8000XRSL	136	FCM828	15
FCM138XJ	150	FCM32XJSL	167	FCM602		FCM6125XESL	150	FCM808SL	139	FCM82XC	16
FCM138XK		FCM32XK		FCM6021		FCM6125XJSL		FCM809SL		FCM82XE	
FCM138XN		FCM32XKSL		FCM6021XC		FCM6125XNSL		FCM81000		FCM82XJ	
FCM138XR		FCM32XN		FCM6021XE		FCM6125XRSL		FCM8101SL		FCM82XK	
FCM1400SL		FCM32XNSL		FCM6021XJ		FCM6126SL		FCM8101XCSL		FCM82XN	
FCM1402	168	FCM32XR	167	FCM6021XK	187	FCM6126XCSL	150	FCM8101XESL	166	FCM82XR	16
FCM1405	189	FCM32XRSL	167	FCM6021XN	187	FCM6126XESL	150	FCM8101XJSL	166	FCM8310SL	16
FCM1405SL	189	FCM3487SL	189	FCM6021XR	187	FCM6126XJSL	150	FCM8101XKSL	166	FCM8311SL	16
FCM1406	189	FCM3487XCSL		FCM6022		FCM6126XNSL		FCM8101XNSL		FCM8313SL	
FCM1408		FCM3487XESL		FCM6022XC		FCM6126XRSL		FCM8101XRSL		FCM8321	
								FCM8103SL			
FCM141		FCM3487XJSL		FCM6022XE		FCM61XC				FCM8321XC	
FCM142		FCM3487XKSL		FCM6022XJ		FCM61XE		FCM8105SL		FCM8321XE	
FCM143		FCM3487XNSL		FCM6022XK		FCM61XJ		FCM8107SL		FCM8321XJ	
FCM143SL	162	FCM3487XRSL	186	FCM6022XN	186	FCM61XK	205	FCM8110SL	167	FCM8321XK	18
FCM144	179	FCM369	141	FCM6022XR	186	FCM61XN	205	FCM8114	140	FCM8321XN	18
FCM1442SL	163	FCM38	159	FCM6025	176	FCM61XR	205	FCM8114SL	140	FCM8321XR	18
FCM147		FCM386		FCM6026		FCM62		FCM8115		FCM8322	
						FCM6201SL				FCM8323	
FCM147SL		FCM387		FCM6029				FCM8115SL			
FCM148		FCM387SL		FCM6030		FCM6240		FCM81200		FCM8324	
FCM149		FCM389		FCM6031		FCM6240SL		FCM81200SL		FCM8386	
FCM149SL	182	FCM38SL	159	FCM6032	175	FCM626	146	FCM81200XC	151	FCM8386SL	18
FCM151		FCM394		FCM6035		FCM62SL		FCM81200XCSL	152	FCM84521SL	
FCM156		FCM4521SL		FCM6036		FCM62XC		FCM81200XE		FCM84525SL	
FCM16		FCM4525SL		FCM604		FCM62XCSL		FCM81200XESL		FCM84527SL	
FCM160		FCM476		FCM6041		FCM62XE		FCM81200XJ		FCM84810	
FCM163		FCM4810		FCM6041XC		FCM62XESL		FCM81200XJSL		FCM84810SL	
FCM164		FCM4810SL		FCM6041XE		FCM62XJ		FCM81200XK		FCM84810XC	
FCM1645		FCM4810XC		FCM6041XJ		FCM62XJSL		FCM81200XKSL		FCM84810XCSL	
FCM1646SL	164	FCM4810XCSL	136	FCM6041XK	187	FCM62XK	187	FCM81200XN	151	FCM84810XE	13
FCM1647		FCM4810XE		FCM6041XN		FCM62XKSL		FCM81200XNSL		FCM84810XESL	
FCM1650		FCM4810XESL		FCM6041XR		FCM62XN		FCM81200XR		FCM84810XJ	
FCM1651		FCM4810XJ		FCM6042		FCM62XNSL		FCM81200XRSL		FCM84810XJSL	
		FCM4810XJSL						FCM81208P			
FCM1651SL				FCM6042XC		FCM62XR				FCM84810XN	
FCM1652		FCM4810XN		FCM6042XE		FCM62XRSL		FCM81208PSL		FCM84810XNSL	
FCM1654		FCM4810XNSL		FCM6042XJ		FCM65		FCM81208SL		FCM84810XR	
FCM1656	184	FCM4810XR	136	FCM6042XK	186	FCM6500	146	FCM81225	152	FCM84810XRSL	13
FCM1656SL		FCM4810XRSL		FCM6042XN		FCM6500SL		FCM81225SL		FCM84812	
FCM1658		FCM4812		FCM6042XR		FCM6520		FCM812SL		FCM84812SL	
FCM18		FCM4812SL		FCM6045		FCM6550		FCM813SL		FCM84812XC	
FCM18101SL		FCM4812XC		FCM6046		FCM6560		FCM814		FCM84812XCSL	
FCM18XC		FCM4812XCSL		FCM6049		FCM6565		FCM8145		FCM84812XE	
FCM18XE	150	FCM4812XE	135	FCM605	201	FCM6565SL	183	FCM8145SL		FCM84812XESL	13
FCM18XJ	150	FCM4812XESL	136	FCM6050	180	FCM6568	183	FCM8149	182	FCM84812XJ	13
FCM18XK		FCM4812XJ		FCM6051		FCM6570		FCM814SL		FCM84812XJSL	
FCM18XN		FCM4812XJSL		FCM6052		FCM6575		FCM815SL		FCM84812XN	
FCM18XR		FCM4812XN		FCM6055		FCM6577		FCM816		FCM84812XNSL	
FCM198		FCM4812XNSL	136	FCM6056		FCM6580SL		FCM81645		FCM84812XR	
		FCM4812XR	135	FCM605XC	200	FCM6582	164	FCM81646SL	164	FCM84812XRSL	13
FCM2000SL											
		FCM4812XRSL		FCM605XE		FCM65SL		FCM81651		FCM84813	

FCM84813XE	135	FCM870XJSL	152	FC06186XNSL	151	S1205XK	125	S1655	197	S2103XC	131
FCM84813XJ		FCM870XK		FC06186XRSL		S1205XN		S1656		S2103XCSL	
FCM84813XN		FCM870XKSL		FC06188SL		S1205XR		S1656SL		S2103XE	
FCM84813XR	135	FCM870XN		FC06188XCSL	151	S1206		S1658		S2103XESL	131
FCM84814		FCM870XNSL		FC06188XESL		S1206SL		S1661		S2103XJ	
FCM84814XC		FCM870XR		FC06188XJSL		S1207		S198		S2103XJSL	
FCM84814XE FCM84814XJ		FCM870XRSL FCM871		FC06188XNSL FC06188XRSL		S1207XC S1207XE		S198SL S200		S2103XK S2103XKSL	
FCM84814XN		FCM871SL		FC06189SL		S1207XJ		S2000		S2103XN	
FCM84814XR		FCM872		FC06189XCSL		S1207XK		S2000SL		S2103XNSL	
FCM84816		FCM8721		FC06189XESL		S1207XN		S2000SL		S2103XR	
FCM84816XC		FCM872SL		FC06189XJSL		S1207XR		S2000SL-2C		S2103XRSL	
FCM84816XE		FCM873		FC06189XNSL		S1208		S2000SL-4C		S2104	
FCM84816XJ		FCM8735		FC06189XRSL		S1208SL		S2000XC		S2104SL	
FCM84816XN		FCM8736		FC06190SL		S1209		S2000XCSL S2000XCSL		S2104XC	
FCM84816XR FCM84886SL		FCM873SL FCM874		FC06190XCSL FC06190XESL		S1209SL S1211		S2000XCSL-2C		S2104XCSL S2104XE	
FCM84886XCSL		FCM8745		FC06190XJSL		S1211SL		S2000XCSL-2C		S2104XE	
FCM84886XESL		FCM874SL		FC06190XNSL		S1212		S2000XE		S2104XJ	
FCM84886XJSL		FCM8752		FC06190XRSL		S128		S2000XESL		S2104XJSL	
FCM84886XKSL	135	FCM881SL		FC06575	174	S128XC	151	S2000XESL		S2104XK	131
FCM84886XNSL		FCM881XCSL		FWRT		S128XE		S2000XESL-2C		S2104XKSL	
FCM84886XRSL		FCM881XESL		KNRT		S128XJ		S2000XESL-4C		S2104XN	
FCM8498 FCM8498SL		FCM881XJSL FCM881XKSL		LT30T LTRT		S128XK S128XN		S2000XJ S2000XJSL	. 127	S2104XNSL S2104XR	
FCM8545SL		FCM881XNSL		PBRT		S128XR		S2000XJSL		S2104XRSL	
FCM8571		FCM881XRSL		RSRT		S130		S2000XJSL-2C		S2105	
FCM8572SL		FCM882SL		S100		S130SL		S2000XJSL-4C		S2106	
FCM8573SL		FCM883SL		S1000	173	S131		S2000XK		S2107	
FCM8574		FCM884SL		S1001		S132		S2000XKSL		S2108	
FCM8581		FCM885SL		S1006		S132SL		S2000XKSL		S210SL	
FCM8583SL		FCM886		S100SL		S1350		S2000XN		S210XCSL	
FCM860		FCM886SL		S100XCSL S100XESL		S137		S2000XNSL S2000XNSL		S210XESL S210XJSL	
FCM861 FCM861XC		FCM887SL FCM888		S100XESL		S139 S139SL		S2000XNSL-2C		S210XKSL	
FCM861XE		FCM888SL		S100X3SL		S140		S2000XNSL-2C		S210XNSL	
FCM861XJ		FCM889SL		S100XNSL		S1400		S2000XR		S210XRSL	
FCM861XK		FCM890	145	S100XRSL		S1400SL	170	S2000XRSL	. 127	S211	
FCM861XN	205	FCM890SL	145	S1029	143	S1401	132	S2000XRSL	. 136	S213	179
FCM861XR		FCM891		S104		S1401SL		S2000XRSL-2C		S214	
FCM862		FCM891SL		S104XC		S1402		S2000XRSL-4C		S2150	
FCM86201SL		FCM892SL FCM893SL		S104XE		S1404		S20042		S220	
FCM86240 FCM86240SL		FCM898		S104XJ S104XK		S1405 S1405SL		S2009 S2009SL		S2200 S2200XC	
FCM862SL		FCM898SL		S104XN		S1406		S20093L		S2200XC	
FCM862XC		FCM899		S104XR		S1407		S2010SL		S2200XE	
FCM862XCSL		FCM899SL		S105		S1408		S2010SL		S2200XESL	
FCM862XE	187	FCM900		S108		S1409		S2010XC		S2200XJ	
FCM862XESL		FCM901		S1089		S140STC		S2010XCSL		S2200XJSL	
FCM862XJ		FCM901SL		S1089SL			152	S2010XCSL		S2200XK	
FCM862XJSL FCM862XK		FCM902 FCM902SL		S108XC S108XE		S140XE S140XJ		S2010XE S2010XESL		S2200XKSL S2200XN	
FCM862XKSL		FCM905		S108XJ		S140XK		S2010XESL		S2200XNSL	
FCM862XN		FCM906		S108XK		S140XN		S2010XJ		S2200XR	
FCM862XNSL		FCM906SL		S108XN		S140XR		S2010XJSL		S2200XRSL	
FCM862XR	187	FCM907	161	S108XR	151	S141	156	S2010XJSL	. 136	S2213	149
FCM862XRSL		FCM907SL		S1100		S1411		S2010XK		S2213SL	
FCM863		FCM910		S115		S141STC		S2010XKSL		S2223	
FCM863SL		FCM911 FCM911SL		S1170SL		S141XC		S2010XKSL		S2223SL	
FCM864FCM864SL		FCM912		S1170XCSL S1170XESL		S141XE S141XJ		S2010XN S2010XNSL		S2233 S2233SL	
FCM865		FCM912SL		S1170XJSL		S141XK		S2010XNSL		S2250	
FCM86500		FCM915		S1170XKSL		S141XN		S2010XR		S2250XC	
FCM86500SL		FCM916		S1170XNSL	151	S141XR		S2010XRSL	. 125	S2250XCSL	131
FCM86550		FCM92SL		S1170XRSL		S1442SL		S2010XRSL		S2250XE	
FCM86550SL		FCM92XCSL		S118		S154		S205		S2250XESL	
FCM86560		FCM92XESL		S118XC		S154SL		S2050		S2250XJ	
FCM86560SL FCM86570		FCM92XJSL FCM92XKSL		S118XE S118XJ		S155 S155SL		S2050XC S2050XE		S2250XJSL S2250XK	
FCM86580SL		FCM92XNSL		S118XK		S156		S2050XJ		S2250XK	
FCM865SL		FCM92XRSL		S118XN		S160		S2050XK		S2250XN	
FCM866		FC06184SL		S118XR		S160SL		S2050XN		S2250XNSL	
FCM866SL	180	FC06184XCSL	151	S120		S161	182	S2050XR	. 125	S2250XR	131
FCM8675SL		FC06184XESL		S1200		S161SL		S206		S2250XRSL	
FCM8678		FC06184XJSL		S1200SL		S162		S206XC		S236	
FCM8678SL		FC06184XNSL		\$1201		\$163		S206XE		\$237	
FCM867SL FCM870		FC06184XRSL FC06185SL		S1201SL S1202		S1645 S1646		S206XJ S206XK		S2382 S2382SL	
FCM8704		FC06185XCSL		\$1202 \$1202SL		S1646SL		S206XN		S2385	
FCM8707		FC06185XESL		S1203		S1647		S206XR		S2385SL	
FCM8708		FC06185XJSL		S1204	128	S1650		S210		S2389	148
FCM870SL	158	FC06185XNSL	151	S1204SL	129	S1651	147	S2100	. 134	S2389SL	148
FCM870XC		FC06185XRSL		S1205		S1651SL		S2101		S241	
FCM870XCSL		FC06186SL		\$1205\$L		\$1652		S2101SL		S243	
FCM870XE FCM870XESL		FC06186XCSL FC06186XESL		S1205XC S1205XE		S1652SL S1653		S2102 S2103		S255 S256	
FCM870XJ		FC06186XJSL		S1205XE		S1654		S2103SL		S2600	
		. 000.00/1002				3.00					

Fiber-Classic. & Smooth-Star. continued

S2610	201	S3300XR	126	S430	193	S5700XCSL	126	S6014	193	S606SL	157
S2610XC	201	S3301		S4305XC		S5700XE	125	S601SL		S606XC	200
S2610XE		S3400L		S4305XE	187	S5700XESL	126	S601XC		S606XCSL	151
S2610XJ		S3400LXC		S4305XJ		S5700XJ		S601XCSL		S606XE	
S2610XN		S3400LXE		S4305XK		S5700XJSL		S601XE		S606XESL	
S2610XR		S3400LXJ		S4305XN		S5700XK		S601XESL		S606XJ	
S262		S3400LXK		S4305XR		S5700XKSL		S601XJ		S606XJSL	
\$2620		S3400LXN		S4307		S5700XN		S601XJSL		S606XN	
S262XC		S3400LXR		S4308		\$5700XNSL		S601XKSL		S606XNSL	
S262XE S262XJ		S3400R S3400RXC		S430SL S4310		S5700XR S5700XRSL		S601XN S601XNSL		S606XR S606XRSL	
S262XK		S3400RXE		S4311		S5700XNSL		S601XR		S607	
S262XN		S3400RXJ		S4314		S5705		S601XRSL		S6070	
S262XR		S3400RXK		S4315		S5705XC		S602		S6070SL	
S2630		S3400RXN		S4316		S5705XE		S6021		S6071	
S263SL		S3400RXR		S4320	183	S5705XJ		S6021XC	187	S6071SL	
S263XCSL	187	S3401L		S4321	191	S5705XK		S6021XE	187	S6072	162
S263XESL	187	S3401R	207	S4323	183	S5705XN	125	S6021XJ	187	S6073	179
S263XJSL		S3487SL		S4324		S5705XR		S6021XK		S6074	
S263XKSL		S3487XCSL		S4325		S571		S6021XN		S6075	
S263XNSL		S3487XESL		S4326		S5710		S6021XR		S6076	
S263XRSL		S3487XJSL		S4327		S5710SL		S6022		S607SL	
S2640		S3487XKSL		S4328		S5710XC		S6022XC		S607XC	
S2650		\$3487XNSL		S4329		S5710XCSL		S6022XE		S607XCSL	
S2660 S2670		S3487XRSL S35		S4330 S45		S5710XE S5710XESL		S6022XJ S6022XK		S607XE S607XESL	
S289		S3500L		S4521		S5710XJ		S6022XN		S607XJ	
S289XC		S3500L		S4521SL		S5710XJSL		S6022XR		S607XJSL	
S289XE		S3500LXC		S4525		S5710XK		S6025		S607XN	
S289XJ		S3500LXJ		S4525SL		S5710XKSL		S6026		S607XNSL	
S289XK		S3500LXK		S454		S5710XN		S6029		S607XR	
S289XN		S3500LXN		S4570SL		S5710XNSL		S602SL		S607XRSL	
S289XR		S3500LXR		S476	165	S5710XR		S6030	180	S608	
S291	193	S3500R	130	S4800	208	S5710XRSL	126	S6031	177	S6080	174
S291SL		S3500RXC		S4810		S5715		S6032		S6082	
S292		S3500RXE		S4810SL		S5715XC		S6034		S6084	
S292SL		S3500RXJ		S4810XC		S5715XE		S6035		S6085	
S294		S3500RXK		S4810XCSL		S5715XJ		S6036		S608XC	
S294SL		S3500RXN		S4810XE		S5715XK		S604		S608XE	
S296		S3500RXR		S4810XESL		S5715XN		S6041		S608XJ	
S296XC		S3501L		S4810XJ		S5715XR		S6041XC		S608XN	
S296XE S296XJ		S3501R		S4810XJSL S4810XN		\$5720		S6041XE S6041XJ		S608XR S609	
S296XK		S3540 S3600L		S4810XNSL		S5720SL S5720XC		S6041XK		S6090	
S296XN		S3600LXC		S4810XR		S5720XCSL		S6041XN		S6091	
S296XR		S3600LXE		S4810XRSL		S5720XE		S6041XR		S6091SL	
S30		S3600LXJ		S4812		S5720XESL		S6042		S6092	
S308SL		S3600LXK		S4812SL		S5720XJ		S6042XC		S6092SL	
S308XCSL		S3600LXN		S4812XC		S5720XJSL		S6042XE		S6093	
S308XESL		S3600LXR		S4812XCSL		S5720XK		S6042XJ	186	S6094	144
S308XJSL	151	S3600R	130	S4812XE	136	S5720XKSL	126	S6042XK	186	S6095	145
S308XKSL		S3600RXC		S4812XESL		S5720XN		S6042XN		S6100	
S308XNSL		S3600RXE	126	S4812XJ		S5720XNSL		S6042XR		S6100SL	
S308XRSL		S3600RXJ		S4812XJSL		S5720XR	125	S6045		S6101	
S30XC		S3600RXK		S4812XN		S5720XRSL		S6046		S6101SL	
S30XE		S3600RXN		S4812XNSL		S5721		S6049		S6102	
\$30XJ		\$3600RXR		S4812XR		S5725		S604SL		S6102SL S6103	
S30XK S30XN		S3601L S360RL		S4812XRSL		S5725XC S5725XE		S605 S6050		S6104	
S30XR		S369		S4813 S4813XC		S5725XJ		S6051		S6106	
S31		S37		S4813XE		S5725XK		S6052		S6107	
S310		S386		S4813XJ		S5725XN		S6054		S6108	
S32		S387		S4813XN		S5725XR		S6055		S6124SL	
S3200		S387SL		S4813XR		S572SL		S6056		S6124XCSL	
S3200SL		S389	165	S4814	137	S573SL		S605SL	157	S6124XESL	151
S3200XC		S392		S4814XC		S574		S605XC		S6124XJSL	
S3200XCSL	133	S393		S4814XE		S575		S605XCSL		S6124XNSL	
S3200XE		S394		S4814XJ		S577		S605XE		S6124XRSL	
S3200XESL		S398		S4814XN		S579		S605XESL		S6125SL	
\$3200XJ		S4070SL		S4814XR		S581		S605XJ		S6125XCSL	
S3200XJSL		S41		S4816		S583SL		S605XJSL		S6125XESL	
S3200XN S3200XNSL		S416SL S42		S4816XC S4816XE		S585 S5870SL		S605XN S605XNSL		S6125XJSL S6125XNSL	
S3200XR S3200XRSL		S4200 S4200SL		S4816XJ S4816XN		S6000		S605XR S605XRSL		S6125XRSL S6126SL	
\$32XC		S4200XC		S4816XR		S6000SL		S606		S6126XCSL	
S32XE		S4200XCSL		S507		S6002		S6061		S6126XESL	
S32XJ		S4200XE		S508		S6002SL		S6062		S6126XJSL	
S32XK		S4200XESL		S529		S6006		S6062SL		S6126XNSL	
S32XN		S4200XJ		S5425		S6006SL		S6063		S6126XRSL	
S32XR		S4200XJSL		S5425SL		S6008		S6063STC		S6128SL	153
S3300		S4200XN	133	S543	163	S6008SL	141	S6063XC	151	S6130SL	
S3300XC		S4200XNSL		S545SL		S6009		S6063XE		S6131SL	
S3300XE		S4200XR		S549		S6009SL		S6063XJ		S6132SL	
\$3300XJ		S4200XRSL		S5700		S601		S6063XK		S6134SL	
S3300XK		S426		S5700SL		S6010		S6063XN		S6135SL	
S3300XN	126	S43	183	S5700XC	125	S6013	193	S6063XR	151	S6200	134

S6200SL	134	S8000SL	132	S818XE	152	S82610XC	201	S8321XR	186	S84200XNSL	133
S6200XC		S8000SL		S818XJ		S82610XE		S8322		S84200XR	
S6200XCSL	. 133	S8000XC		S818XK		S82610XJ	201	S8323	190	S84200XRSL	
S6200XE	. 133	S8000XCSL		S818XN	152	S82610XN		S8324	190	S84305XC	187
S6200XESL	. 133	S8000XCSL		S818XR	152	S82610XR		S8325		S84305XE	187
S6200XJ		S8000XE		S81929P		S82620		S8326		S84305XJ	
S6200XJSL		S8000XESL		S81929PXC		S82630		S8327		S84305XK	
S6200XN		S8000XESL		S81929PXE		S82640		S8328		S84305XN	
S6200XNSL		\$8000XJ		S81929PXJ		S82650		S832XC		S84305XR	
S6200XR		\$8000XJSL		S81929PXK		S82660		S832XE		\$84308	
S6200XRSL		\$8000XJSL		S81929PXN		S82670		\$832XJ		\$84309	
S6201SL		\$8000XK		S81929PXR		S828		S832XK		S84310	
S6240		\$8000XKSL		S81933P		S829		\$832XN		S84311	
S6240SL		\$8000XKSL		S81935P		S829SL		S832XR S833		S84312	
\$626		\$8000XN		S81936P S81937P		S82SL S82XC		\$83300		S84313 S84314	
S6500 S6500SL		S8000XNSL S8000XNSL		S81938P		S82XCSL		\$83300XC		S84315	
S6520		S8000XR		S81939P		S82XE		S83300XE		S84316	
S6534		S8000XRSL		S81940P		S82XESL		S83300XJ		S84318	
S6536		S8000XRSL		S81941P		S82XJ		S83300XK		S84319	
S6550		S807		S81942P		S82XJSL		S83300XN		S84320	
S6550SL		S807XC		S81983		S82XK		S83300XR		S84321	
S6560		S807XE		S82		S82XKSL		S83301		S84322	
S6565		S807XJ		S820		S82XN		S83400L		S84323	
S6565SL		S807XK		S8200		S82XNSL		S83400LXC		S84324	
S6568		S807XN	. 194	S8201	208	S82XR	166	S83400LXE		S84325	177
S6570	. 204	S807XR		S8202SL	170	S82XRSL	167	S83400LXJ	126	S84326	181
S6572	. 194	S808		S8204SL	170	S830	192	S83400LXK	126	S84327	179
S6575		S808SL		S8207SL	170	S830XC	187	S83400LXN	126	S84328	177
S6576		S80XC	. 167	S821	144	S830XE	187	S83400LXR		S84329	
S6577		S80XE		S82103		S830XJ		S83400R		S84330	
S6580		S80XJ		S82103XC		S830XK		S83400RXC		S84521	
S6580SL		S80XK		S82103XE		S830XN		S83400RXE		S84521SL	
S6582		\$80XN		S82103XJ		S830XR		S83400RXJ		S84525	
S668		S80XR		S82103XK		S831		S83400RXK		S84525SL	
S682		S810		S82103XN		S8310		\$83400RXN		S84527	
S685L		S81000		S82103XR		S8310SL		S83400RXR		S84527SL	
S685LXC		S81086SL		S82104		S8311		S83401L		S84586SL	
S685LXE		S81086XCSL		S82105		S8311SL		S83401R		S8467	
S685LXJ		S81086XESL		S82105XC		\$83120		\$83500L		\$84800	
S685LXKS685LXN		S81086XJSL S81086XKSL		S82105XE S82105XJ		S831203 S831203XC		S83500LXC S83500LXE		S84810 S84810SL	
S685LXR		S81086XNSL		S82105XK		S831203XE		S83500LXJ		S84810XC	
S685R		S81086XRSL		S82105XN		S831203XJ		S83500LX5		S84810XCSL	
S685RXC		S81100		S82105XR		S831203XK		S83500LXN		S84810XE	
S685RXE		S81186SL		S82106		S831203XN		S83500LXR		S84810XESL	
S685RXJ		S8120		S82106XC		S831203XR		S83500R		S84810XJ	
S685RXK		S81208		S82106XE		S83120XC		S83500RXC		S84810XJSL	
S685RXN		S81225		S82106XJ		S83120XE		S83500RXE		S84810XN	
S685RXR		S8132		S82106XK		S83120XJ		S83500RXJ		S84810XNSL	
S691		S8132SL		S82106XN		S83120XK		S83500RXK		S84810XR	
S691XC	. 125	S814	. 140	S82106XR	131	S83120XN	198	S83500RXN	126	S84810XRSL	136
S691XE	. 125	S8140		S82107	132	S83120XR	198	S83500RXR	126	S84812	137
S691XJ	. 125	S81401	. 132	S82107XC		S8313	170	S83501L		S84812SL	137
S691XK		S81405		S82107XE	131	S8313SL		S83501R	207	S84812XC	136
S691XN		S8140STC		S82107XJ		S83142		S83540		S84812XCSL	
S691XR		S8140XC		S82107XK		S83143		S83600L		S84812XE	
\$6975		S8140XE		S82107XN		S83147		S83600LXC		S84812XESL	
S704		S8140XJ		S82107XR		S83149		S83600LXE		S84812XJ	
S707		S8140XK		S82200		S83152		S83600LXJ		S84812XJSL	
\$708		S8140XN S8140XR		S82200XC S82200XE		S83153 S83154		\$83600LXK		\$84812XN	
\$709								\$83600LXN		S84812XNSL	
S7125SL S721		S8141 S8144		S82200XJ S82200XK		S83155 S8316		S83600LXR S83600R		S84812XR S84812XRSL	
\$735		S8145		S82200XN		S8317		S83600RXC	126	S84813	
S736		S8145SL		S82200XR		S8318		S83600RXE	126	S84813XC	
S745		S8149		S82213		S8319		S83600RXJ		S84813XE	
S751SL		S814SL		S82213SL		S832		S83600RXK		S84813XJ	
S751XCSL		S815		S82223		S8320		S83600RXN		S84813XN	
S751XESL		S816		S82223SL		S83200		S83600RXR		S84813XR	
S751XJSL		S81645		S82233		S83200SL		S83601L		S84814	
S751XKSL		S81646		S82233SL		S83200XC		S83601R		S84814XC	
S751XNSL		S81646SL		S82250		S83200XCSL		S837		S84814XE	
S751XRSL		S81649		S822XC		S83200XE		S8386		S84814XJ	
S752		S81650		S822XE		S83200XESL		S8386SL		S84814XN	
S755		S81651		S822XJ		S83200XJ	133	S8387		S84814XR	136
S757SL	. 163	S81651SL		S822XK	166	S83200XJSL	133	S8390	197	S84816	137
S758SL		S81652		S822XN		S83200XN		S8392		S84816XC	
\$770		S81652SL		S822XR		S83200XNSL		S84200		S84816XE	
\$771		S81653		S82382		S83200XR		S84200SL		S84816XJ	
\$773		S81654		S82382SL		S83200XRSL		S84200XC		S84816XN	
S774		S81654SL		S82385		S8321		S84200XCSL		S84816XR	
S80		S81656		S82385SL		S8321XC		S84200XE		S84886SL	
\$8000		S817		\$82389		S8321XE		S84200XESL		S84886SL	
\$8000-12		S818		\$82389\$L		S8321XJ		\$84200XJ		S84886XCSL	
\$8000-18		\$81828		\$82600		\$8321XK		S84200XJSL		S84886XCSL S84886XESL	
S8000-9	. 129	S818XC	. 132	S82610	201	S8321XN	100	S84200XN	133	JU4000AEJL	131

Fiber-Classic. & Smooth-Star. continued

S8601 201

S8601SL......158

S84886XESL	136	S85710XRSL	208	S8601XCSL	152	S86580	164	S896XJ	205
S84886XJSL		S85715		S8601XESL		S86580SL		S896XK	
S84886XJSL		S85715XC		S8601XJSL		S8675SL		S896XN	
S84886XKSL	131	S85715XE		S8601XKSL		S867SL		S896XR	
S84886XKSL	136	S85715XJ	125	S8601XNSL	152	S8682	167	S897	208
S84886XNSL		S85715XK		S8601XRSL		S8682SL	167	S89701	183
S84886XNSL		S85715XN		S8602		S8685L	130	S8971	188
S84886XRSL	131	S85715XR	125	S86021	192	S8685LXC	126	S8972	198
S84886XRSL	136	S85720	129	S86021XC	187	S8685LXE	126	S898	170
S8489	186	S85720SL	208	S86021XE	187	S8685LXJ	126	S898SL	
S8498	185	S85720XC	125	S86021XJ	187	S8685LXK	126	S90	171
S8498SL	186	S85720XCSL	208	S86021XK	187	S8685LXN	126	S902	
S8508		S85720XE	125	S86021XN		S8685LXR	126	S902SL	
S85225SL	130	S85720XESL	208	S86021XR	187	S8685R	130	S90SL	132
S85225XCSL	127	S85720XJ	125	S86022XC	186	S8685RXC	126	S90XC	167
S85225XESL		S85720XJSL		S86022XE		S8685RXE	126	S90XE	
S85225XJSL	127	S85720XK	125	S86022XJ	186	S8685RXJ	126	S90XJ	167
S85225XKSL		S85720XKSL		S86022XK		S8685RXK		S90XK	
S85225XNSL		S85720XN		S86022XN		S8685RXN		S90XN	
S85225XRSL		S85720XNSL		S86022XR		S8685RXR		S90XR	
S85226SL		S85720XR		S86025		S8691		S91	
S85226XCSL		S85720XRSL		S86026		S8691XC		S912	
S85226XESL		S85721		S86027		S8691XE		S916	
S85226XJSL		S85725		S86029		S8691XJ		S916SL	
S85226XKSL		S85725XC		S8602SL		S8691XK		S91SL	
S85226XNSL		S85725XE		S86030		S8691XN		S92	
S85226XRSL		S85725XJ		S86031		S8691XR		S9200	
S85227SL		S85725XK		S86032		S86975		S9200XC	
S85227XCSL		S85725XN		S86035		S8704		S9200XE	
S85227XESL		S85725XR		S86036		S8707		S9200XJ	
S85227XJSL		S8572SL		S8604		S8708		S9200XN	
S85227XKSL		S8573SL		S8605		S8721		S9200XR	
S85227XNSL		S8574		S8605SL		S8735		S925	
S85227XRSL		S8575		S8605XC		S8736		S92SL	
S85228SL		S8579		S8605XE		S8745		S92XC	
S85228XCSL		S8581		S8605XJ		S8752		S92XE	
S85228XESL		S8583SL		S8605XN		S880		S92XJ	
S85228XJSL		S85892		S8605XR		S880SL		S92XK	
S85228XKSL		S85892SL		\$8606		S880XC		S92XN	
S85228XNSL		S85893		S8606SL		S880XCSL		S92XR	
S85228XRSL		S85893SL		S8606XC		S880XE		S93	
S85229SL		S85895		S8606XE		S880XESL		S9320	
S85229XCSL		S85895SL		S8606XJ		S880XJ		S93203	
S85229XESL		\$85896		\$8606XN		S880XJSL		\$93203XC	
S85229XJSL S85229XKSL		S85896SL S85897		S8606XR S8607		S880XK S880XKSL		S93203XE S93203XJ	
S85229XNSL		S85898		S86074		S880XN		S93203XK	
S85229XRSL		S85898SL		S8607SL		S880XNSL		S93203XN	
S85230SL		S85901		S8607XC		S880XR		S93203XR	
S8529		S85902		S8607XE		S880XRSL		S9320XC	
S8545SL		S85902SL		S8607XJ		S881		S9320XE	
S85700		S85905		S8607XN		S881SL		S9320XJ	
S85700SL		S85907		S8607XR		S881XC		S9320XK	
S85700XC		S85908		S8608		S881XCSL		S9320XN	
S85700XCSL		S85909		S8608XC		S881XE		S9320XR	
S85700XE		S85910SL		S8608XE		S881XESL		S9342	
S85700XESL		S85910XCSL		S8608XJ		S881XJ		S9343	
S85700XJ		S85910XESL		S8608XN		S881XJSL		S9347	
S85700XJSL		S85910XJSL		S8608XR		S881XK		S9349	
S85700XK	125	S85910XKSL		S8609		S881XKSL	167	S9352	
S85700XKSL		S85910XNSL		S86107		S881XN		S9353	
S85700XN	125	S85910XRSL	187	S86200	134	S881XNSL	167	S9354	196
S85700XNSL		S85912SL		S86200SL		S881XR		S9355	
S85700XR	125	S85914SL	176	S86200XC	133	S881XRSL	167	S95	160
S85700XRSL	208	S85915SL	177	S86200XCSL	133	S882	170	S960	208
S85701	207	S85916SL	178	S86200XE	133	S887	160	S97	163
S85705	129	S85917SL	179	S86200XESL	133	S887SL	160	S971	188
S85705XC	125	S85918SL	178	S86200XJ	133	S888	160	S972	175
S85705XE	125	S85920SL	182	S86200XJSL		S888SL	160	S973	
S85705XJ	125	S85922SL		S86200XN	133	S891	161	S975	
S85705XK		S85924SL		S86200XNSL		S891SL		S975SL	
S85705XN	125	S85925SL	157	S86200XR	133	S892	162	S977	
S85705XR		S85926SL		S86200XRSL		S89200		S979	
S8571		S85927SL		S86201SL		S89200XC		S981	
S85710		S85928SL		S86240		S89200XE		S982	
S85710SL		S85930SL		S86240SL		S89200XJ		S983	
S85710XC		S85931SL		S86500		S89200XN		S992	
S85710XCSL		S85932SL		S86500SL		S89200XR		S997	
S85710XE		S85934SL		S86520		S892SL		S999	
S85710XESL		\$8600		S86533		S893		SART	209
S85710XJ		S8600XC		S86536		S894			
S85710XJSL		S8600XE		\$86550		S894SL			
S85710XK		\$8600XJ		S86550SL		S895			
S85710XKSL		\$8600XN		\$86560		S895SL			
S85710XN		S8600XR		S86560SL		S896			
S85710XNSL	ZUԾ	S8601	201	S86565	183	S896XC	∠∪5		

S86565 183

S86570 204

S896XE......205

S85710XNSL 208

S85710XR 125

Steel

100		104XE		19730T		371SLHD		6186SL		8321XJ	
104		104XJ		19740T		374HD		6186XCSL		8321XK	
105		104XK		19750T		391HD		6186XCSL		8321XN	
108 118		104XN		198SL		391SLHD		6186XESL6186XESL		8321XR 835HD	
128		104XR 1089SLHD		198SL 203HD		395HD 395SLHD		6186XJSL		86184SL	
130		108XC		205HD		396HD		6186XJSL		86185SL	
131		108XE		206HD		397HD		6186XNSL		86186SL	
137		108XJ		206HDXC		416SL		6186XNSL		896XC	
139		108XK		206HDXE		426HD		6186XRSL		896XE	
198		108XN		206HDXJ		430HD		6186XRSL		896XJ	
310 369		108XR 1101HD		206HDXK 206HDXN		430SLHD		620SL 623HD		896XK	
571		1101XCHD		206HDXR		454HD 4572SLHD		625HD		896XN 896XR	
610		1101XEHD		2109HD		469HD		625SLHD		916SL	
620		1101XJHD		210HD		469SLHD		626SL		956SLHD	
	222	1101XKHD		210SLHD		508HD		627HD		959HD	
800		1101XNHD		210SLHDXC	228	5425SL		628HD		959HDXC	
808		1101XRHD		210SLHDXE		544HD		628SLHD		959HDXCSL	
810		1102HD		210SLHDXJ		546SLHD		630HD		959HDXE	
818		1111HD		210SLHDXK		576HD		631HD		959HDXESL	
828 829	234	1112HD 1113HD		210SLHDXN 210SLHDXR		578HD 582HD		632SL		959HDXJ 959HDXJSL	
896		1114HD		2110HD		584SLHD		632XCSL		959HDXK	
916		1115HD		2111HD		588HD		632XCSL		959HDXKSL	
1006		1116HD		211HD		601HD		632XESL		959HDXN	
1028	222	1117HD	226	236HD	233	601XCHD		632XESL	234	959HDXNSL	
1029		1118HD		237HD		601XEHD		632XJSL		959HDXR	
1200		1120HD		2382HD		601XJHD		632XJSL		959HDXRSL	
1201		1121HD		2382SL		601XNHD		632XKSL		959SLHD	
1202 1203		1123HD 1123HDXC		2385HD		601XRHD 602HD		632XKSL 632XNSL		961HD 961HDXC	
5425		1123HDXE		2385SL 2389HD		604HD		632XNSL		961HDXE	
8132		1123HDXJ		2389SL		605HD		632XRSL		961HDXJ	
8145		1123HDXK		243HD		605HDXC		632XRSL		961HDXK	
8206	236	1123HDXN		255HD	233	605HDXE		6500HD		961HDXN	
8317		1123HDXR		256HD		605HDXJ		6500SL		961HDXR	
8321		115HD		262HD		605HDXN		6520HD		965HD	
8322		118XC		262HDXC		605HDXR		6560HD		965SLHD	
8323 8324		118XE		262HDXE 262HDXJ		606HD		6565HD 6565SLHD		966SLHD 967HD	
8704		118XJ 118XK		262HDXK		606HDXE		6568HD		967SLHD	
8708		118XN		262HDXN		606HDXJ		6570HD		968HD	
	237	118XR		262HDXR		606HDXN		6570SLHD		969HD	
03142HD	224	1200SL		263HD		606HDXR	231	6572HD	230	971SLHD	
1001HD		1200SL		263HDXC		607HD		6578HD		978HD	
1002HD		1201SL		263HDXE		607HDXC		6580SLHD		980HD	
1004HD		1201SL		263HDXJ		607HDXE		6582HD		980HDXC	
1005HD 1006SL		1202SL 1202SL		263HDXK 263HDXN		607HDXJ 607HDXN		6720HDXCSL 6720HDXESL		980HDXE 980HDXJ	
10003L		128XC		263HDXR		607HDXR		6720HDXJSL		980HDXK	
1007ND:		128XE		263SLHD		608HD		6720HDXKSL		980HDXN	
1008HD		128XJ		263SLHDXC		608HDXC		6720HDXNSL		980HDXR	228
1009HD	224	128XK	222	263SLHDXE		608HDXE		6720HDXRSL		982HD	
1009SLHD		128XN	222	263SLHDXJ		608HDXJ		6720SLHD		982HDXC	
100SL		128XR		263SLHDXK		608HDXN		6975HD		982HDXE	
100SL		130SL		263SLHDXN		608HDXR		704HD		982HDXJ	
100XCSL 100XCSL		130SL 132HD		263SLHDXR 289HD		609HD 610SL		707HD 708HD		982HDXK 982HDXN	
100XESL		132SLHD		289HDXC		613HD		700HD		982HDXR	
100XESL		139SL	221	289HDXE		615HD		735HD		984HD	
100XJSL		1400SLHD	225	289HDXJ		615SLHD		736HD		988HD	
100XJSL	234	1403HD	225	289HDXK		6184SL		745HD		989HD	227
100XKSL		1405HD		289HDXN		6184SL		752HD		996HD	
100XKSL		1405SLHD		289HDXR		6184XCSL		818SL		999HD	
100XNSL		1406HD		294HD		6184XCSL		818XC		AXRT	
100XNSL 100XRSL		1408HD 1411HD		294SLHD 296HD		6184XESL 6184XESL		818XCSL 818XE		BSRT CNRT	
100XRSL		1643HD		296HDXC		6184XJSL		818XESL		CX30T	
1011HD		1643SLHD		296HDXE		6184XJSL		818XJ		CXRT	
1020HD		1644HD		296HDXJ		6184XNSL		818XJSL		EC30T	
1022HD	226	1644SLHD	225	296HDXK	233	6184XNSL	234	818XK	234	ECRT	239
1024HD		1650HD		296HDXN		6184XRSL		818XKSL		FWRT	
1025HD		1651HD		296HDXR		6184XRSL		818XN		KNRT	
1029SL		1651SL		296SLHD		6185SL		818XNSL		LT30T	
1032HD 1035HD		1657HD 1657SLHD		296SLHDXC 296SLHDXE		6185SL 6185XCSL		818XR 818XRSL		LTRT PBRT	
1035HD		1659HD		296SLHDXJ		6185XCSL		8206XC		RSRT	
1037SLHD		1660HD		296SLHDXK		6185XESL		8206XE		SART	
1039HD		1662HD		296SLHDXN		6185XESL		8206XJ		TS100	
1039SLHD	224	19020T	239	296SLHDXR	233	6185XJSL	222	8206XK	235	TS104	236
1040HD		19055T		309HD		6185XJSL		8206XN		TS104XC	
1040SLHD		19200T		310SL		6185XNSL		8206XR		TS104XE	
1041HD		19210T		311HD		6185XNSL		828SL 829SL		TS104XJ	
1041SLHD 1042HD		19220T 19520T		311SLHD 369SL		6185XRSL 6185XRSL		8321XC		TS104XKTS104XN	
104XC		19720T		371HD		6186SL		8321XE		TS104XR	
									200		

Index

Steel	Continued
JUCCI	Continuea
TS105	236
TS108	234
TS108XC	
TS108XE	234
TS108XJ	234
TS108XK	
TS108XN	
TS108XR	234
TS115	
TS118	
	234
TS118XE	
TS118XJ	
TS118XK	
TS118XN	
TS118XR	
TS1200	
TS1201	
TS1202	
TS1203	
TS128	
TS128XC	
TS128XE	
TS128XJ	
TS128XK	
TS128XN	
TS128XR	
TS130	
TS131	
TS132	236
TS132SL	
TS137	236
TS1405SL	
TS1408	236
TS1411	
TS198	235
TS206	
TS206XC	
TS206XE	
TS206XJ	
TS206XK	
TS206XN	
TS206XR	
TS210	
TCO10CI	000

TS210XRSL

TS236.....

TS237.....

TS255.....

TS262XC

TS262XR

TS263XC

TS263XCSL

TS263XE.....

TS263XJ.....

TS263XKSL.....

TS263XNSL

TS263XRSL

TS289XK

TS289XN

TS296.....

TS296XC 237

TS289XR

TS263.....

235

235

235

235

237

236

237

238

236

235

235

235

. 235 . 235

235

237

236

237

235

235

237

235

237

235

237

235

237 235

237

237

237

237

237

237

238

238

TS210XESL.

TS210XJSL.

TS210XKSL.

TS210XNSL

TS243...

TS256..

TS262...

TS262XE..

TS262XJ..

TS262XK .. TS262XN ..

TS263SL

TS263XESL

TS263XJSL

TS263XK

TS263XN

TS263XR

TS289...

TS289XC.

TS289XE.

TS289XJ.

TS296SL.

TS296XCSL	237
TS296XE	237
TS296XESL	237
TS296XJ	237
TS296XJSL	237
TS296XK	237
TS296XKSL	237
TS296XN	237
TS296XNSL	237
TS296XR	237
TS296XRSL	237
TS572SL	221
TS704	237
TS708	238
TS752	237

Fire

100	243
1005HD	243
203HD	
205HD	243
210HD	243
969HD	243
978HD	
SSF100	243
SSF1100	242
SSF120	242
SSF160	243
SSF200	242
SSF205	242
SSF220	242
SSF31	
SSF45	242
SSF4800	
SSF600	243
SSF755	242
SSF8100	
SSF81100	242
SSF8120	
SSF8160	243
SSF8200	
SSF8205	
SSF8220	242
SSF831	
SSF84800	
SSF8600	
SSF93	242

SSF960......242

TS210......243

. 243

TS100.....

Pulse_®

Puise	
DRS2131SL255	S4CLSL
DRS82131SL255	
S10AXSL 256	
S10CLSL256	
S10PBSL 255	
S10XCSL 256	
S10XESL256	
\$10XJSL256	
\$10XKSL 256	
\$10XNSL 256 \$10XRSL 256	
S1651SL255	
S1AX 250	
S1BL248	
S1BS248	
S1CL 250	
S1CX250	
S1EC 250	
S1LAX250	
S1LBL248	
S1LBS	
S1LCL	S4XCSL
S1LEC	
S1LLT 250	
S1LPB 249	
S1LRS249	
S1LSA249	S4XK
S1LSG249	
S1LSN 249	
S1LT250	
S1LXC	
S1LXJ250	
S1LXK250	
S1LXN 250	S5AXSL
S1LXR250	
S1PB249	
S1RAX	
S1RBS248	
S1RCL250	S5LXC
S1RCX250	
S1REC	
S1RPB249	
S1RRS249	
S1RS249	
S1RSA249	
S1RSG249	
S1RSN	
S1RXE 250	
S1RXJ250	
S1RXK 250	S5RXJ
S1RXN250	
S1RXR250	
S1SA 249 S1SG 249	
S1SN249	
S1XC 250	
S1XE250	
S1XJ250	
S1XK 250	
S1XN 250	
S1XR	
S2385SL255	
S2389SL255	
S2AX248	
S2CL	
S2CX	
S2PB 248	
S2RS248	
S2SG 248	S601XNS
S2SN248	
S2XC	
S2XE	
S2XK 248	
S2XN 248	S6500SL.
S2XR 248	
S4570SL255	S81086X

\$4570\$L......255

S4CL253

. 252

256

S81086XKSL255

S81LEC.....


250

S4AX

S4AXSL


S4CLSL		S81086XNSL	
S4LAX		S81086XRSL	
S4LCL	253	S810AX	253
S4LPB	251	S810AXSL	256
S4LXC	253	S810CL	254
S4LXE	253	S810CLSL	256
S4LXJ		S810LAX	
S4LXK		S810LCL	
S4LXN		S810LPB	
S4LXR		S810LXC	
S4PB		S810LXE	
S4PBSL	255	S810LXJ	254
S4RAX	252	S810LXK	254
S4RCL		S810LXN	254
S4RPB		S810LXR	
S4RXC		S810PB	
S4RXE		S810PBSL	
S4RXJ		S810RAX	
S4RXK	253	S810RCL	254
S4RXN	253	S810RPB	252
S4RXR	253	S810RXC	254
S4XC	253	S810RXE	
S4XCSL		S810RXJ	
S4XE		S810RXK	
S4XESL			
		S810RXN	
S4XJ		S810RXR	
S4XJSL		S810XC	254
S4XK	253	S810XCSL	256
S4XKSL	256	S810XE	254
S4XN	253	S810XESL	256
S4XNSI		S810XJ	
S4XR		S810XJSL	
S4XRSL		S810XK	
S572SL		S810XKSL	
S5AX		S810XN	
S5AXSL	256	S810XNSL	256
S5CL	254	S810XR	254
S5CLSL	256	S810XRSL	256
S5LAX		S811AX	
S5LCL		S811AXSL	
S5LPB		S811CL	
S5LXC		S811CLSL	
S5LXE		S811LAX	
S5LXJ		S811LCL	
S5LXK	253	S811LPB	252
S5LXN	253	S811LXC	254
S5LXR	253	S811LXE	254
S5PB		S811LXJ	
S5PBSL		S811LXK	
S5RAX		S811LXN	
S5RCL		S811LXR	
S5RPB		S811PB	
S5RXC		S811PBSL	
S5RXE	254	S811RAX	253
S5RXJ	254	S811RCL	254
S5RXK	254	S811RPB	252
S5RXN		S811RXC	
S5RXR		S811RXE	
S5XC		S811RXJ	
		S811RXK	
S5XCSL			
S5XE		S811RXN	
S5XESL		S811RXR	
S5XJ		S811XC	
S5XJSL	256	S811XCSL	256
S5XK	254	S811XE	254
S5XKSL	256	S811XESL	256
S5XN		S811XJ	
S5XNSL		S811XJSL	
S5XR		S811XK	
S5XRSL		S811XKSL	
S601SL		S811XN	
S601XCSL		S811XNSL	
S601XESL		S811XR	
S601XJSL	255	S811XRSL	256
S601XKSL		S81651SL	
S601XNSL		S81AX	
S601XRSL		S81BL	
S602SL		S81BS	
S604SL		S81CL	
S6130SL		S81CX	
S6134SL	DEE	S81EC	250
S6500SL			
	255	S81LAX	
S81086SL	255		
	255 255	S81LAX	248
S81086SL	255 255 255	\$81LAX \$81LBL	248 248

S81LLT		S84XK	
S81LPB		S84XKSL	
S81LRS		S84XN	
S81LSA	. 249	S84XNSL	. 256
S81LSG	. 249	S84XR	253
S81LT	. 250	S84XRSL	. 256
S81LXC		S8572SL	
S81LXE	. 250	S85927SL	. 255
S81LXJ	. 250	S85931SL	. 255
S81LXK		S85932SL	
S81LXN	. 250	S85AX	
S81LXR	. 250	S85AXSL	. 256
S81PB		S85CL	
S81RAX		S85CLSL	
S81RBL		S85LAX	
S81RBS		S85LCL	
S81RCL		S85LPB	
S81RCX		S85LXC	
S81REC		S85LXE	
S81RLT		S85LXJ	
S81RPB		S85LXK	
S81RRS		S85LXN	
S81RS		S85LXR	
S81RSA		S85PB	
S81RSG		S85PBSL	
S81RXC		S85RAX	
S81RXE		S85RCL	
S81RXJ		S85RPB S85RXC	
S81RXK S81RXN			
S81RXRS81RXR		S85RXE S85RXJ	
S81SA		S85RXK	
S81SG		S85RXN	
S81XC		S85RXR	
S81XE		S85XC	
S81XJ		S85XCSL	
S81XK		S85XE	
S81XN		S85XESL	
S81XR		S85XJ	
S82382SL		S85XJSL	
S82385SL		S85XK	
S82389SL		S85XKSL	
S83AX	. 248	S85XN	254
S83CL	. 248	S85XNSL	256
S83CX	. 248	S85XR	254
S83EC	. 248	S85XRSL	. 256
S83PB		S86500SL	
S83RS		S86AX	
S83SG		S86AXSL	
S83SN		S86CL	
S83XC		S86CLSL S86LAX	
S83XE S83XJ		S86LCL	
S83XK		S86LPB	
S83XN		S86LXC	
S83XR		S86LXE	
S84586SL		S86LXJ	
S84AX		S86LXK	
S84AXSL		S86LXN	
S84CL		S86LXR	
S84CLSL		S86PB	
S84LAX		S86PBSL	
S84LCL		S86RAX	
S84LPB		S86RCL	
S84LXC		S86RPB	
S84LXE	. 253	S86RXC	
S84LXJ	. 253	S86RXE	
S84LXK	. 253	S86RXJ	254
S84LXN		S86RXK	
S84LXR		S86RXN	
S84PB		S86RXR	
S84PBSL		S86XC	
S84RAX		S86XCSL	
S84RCL		S86XE	
S84RPB		S86XESL	
S84RXC		\$86XJ	
\$84RXE		S86XJSL	
S84RXJ		S86XK	
S84RXK S84RXN		S86XKSL S86XN	
S84RXR		S86XNSL	
S84XC		S86XR	
S84XCSL		S86XRSL	
S84XE		S8AX	
S84XESL		S8CL	
S84XJ		S8LAX	
S84XJSL		S8LCL	



S9XRSL

256





Top: Fiber-Classic Mahogany Collection, Calix Glass, Door - FCM82223,

Bottom: Impressions Storm & Entry Door System - IM8100, Finish - White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed









Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at **brainshark.com/thermatru.**



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer.**



Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals**.



Design Your Door

Homeowners can research and design a door with their own personal touch – all from the convenience of home. To get started, visit **thermatru.com/design-your-door**.





THERMA TRU®

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle Maumee, OH 43537











#thermatru

Cover: Classic Craft Fir Grain Door – CCA81166; Low-E Glass, Sidelites – CCA3500SL, Finish – Acorn Back Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM82806, Finish – Tumbleweed

©2024 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2024 HESB / JAN 2024